

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
Date of first issue: 29.09.2022

SECTION 1. IDENTIFICATION

Product name : Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 5

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure (Oral) : Category 2 (Central nervous system)

Specific target organ toxicity - repeated exposure : Category 2 (Brain, Liver)


Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
Date of first issue: 29.09.2022

- Hazard pictograms : 
- Signal Word : Danger
- Hazard Statements : H303 May be harmful if swallowed.
H318 Causes serious eye damage.
H361d Suspected of damaging the unborn child.
H371 May cause damage to organs (Central nervous system) if swallowed.
H373 May cause damage to organs (Brain, Liver) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.
- Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P391 Collect spillage.
- Storage:**
P405 Store locked up.
- Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------|-----------|-----------------------|
| Oxyclozanide | 2277-92-1 | >= 10 -< 20 |

Levamisole (6.5%) / Oxyclozanide (13%) For- mulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
Date of first issue: 29.09.2022

| | | |
|-----------------------------|------------|------------|
| Silicic acid, aluminum salt | 1335-30-4 | >= 5 -< 10 |
| Levamisole hydrochloride | 16595-80-5 | >= 5 -< 10 |
| Citric acid | 77-92-9 | >= 1 -< 5 |

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.
Causes serious eye damage.
Suspected of damaging the unborn child.
May cause damage to organs if swallowed.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Chlorine compounds
Nitrogen oxides (NO_x)
- Specific extinguishing meth- : Use extinguishing measures that are appropriate to local cir-

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

ods cumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
for fire-fighters Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe the mist or vapors.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
Date of first issue: 29.09.2022

- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-----------------------------|------------|-------------------------------|--|----------|
| Oxyclozanide | 2277-92-1 | TWA | 0.4 mg/m ³ (OEB 2) | Internal |
| Silicic acid, aluminum salt | 1335-30-4 | CMP | 2 mg/m ³ (Aluminum) | AR OEL |
| Levamisole hydrochloride | 16595-80-5 | TWA | 20 µg/m ³ (OEB 3) | Internal |
| Further information: Skin | | | | |
| | | Wipe limit | 200 µg/100 cm ² | Internal |

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

Hygiene measures : Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|--|---|-------------------|
| Appearance | : | suspension |
| Color | : | yellow |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative vapor density | : | No data available |
| Relative density | : | No data available |
| Density | : | No data available |

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

| | | |
|--|---|--|
| Solubility(ies) | | |
| Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |
| Particle size | : | Not applicable |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents. |
| Conditions to avoid | : | None known. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

| | | |
|--|---|--|
| Information on likely routes of exposure | : | Inhalation Skin contact Ingestion Eye contact |
|--|---|--|

Acute toxicity

May be harmful if swallowed.

Product:

| | | |
|---------------------|---|--|
| Acute oral toxicity | : | Acute toxicity estimate: 2.513 mg/kg Method: Calculation method |
|---------------------|---|--|

Components:**Oxyclozanide:**

| | | |
|---------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): 3.519 mg/kg Target Organs: Central nervous system |
|---------------------|---|--|

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
Date of first issue: 29.09.2022

Acute toxicity (other routes of administration) : LDLo (sheep): 10 mg/kg
Application Route: Intravenous

Silicic acid, aluminum salt:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Remarks: Based on data from similar materials

Levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg
LD50 (Mouse): 223 mg/kg
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5.400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Oxyclozanide:**

Remarks : Not classified due to lack of data.

Silicic acid, aluminum salt:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Levamisole hydrochloride:

Remarks : No data available

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
Date of first issue: 29.09.2022

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Oxyclozanide:**

Remarks : Not classified due to lack of data.

Silicic acid, aluminum salt:

Species : Chicken eye
Method : Chorioallantoic membrane vascularization assay
Result : Irreversible effects on the eye

Levamisole hydrochloride:

Remarks : No data available

Citric acid:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Oxyclozanide:**

Routes of exposure : Dermal
Remarks : Not classified due to lack of data.

Silicic acid, aluminum salt:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
Date of first issue: 29.09.2022

Levamisole hydrochloride:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:**Oxyclozanide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: positive

Test Type: Mouse Lymphoma
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Cell type: Liver cells
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Silicic acid, aluminum salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 3.1 | Revision Date: 30.09.2023 | SDS Number: 10857715-00005 | Date of last issue: 04.04.2023 Date of first issue: 29.09.2022 |
|----------------|------------------------------|-------------------------------|---|

Test Type: Chromosome aberration test in vitro
Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Oxyclozanide:

Remarks : Not classified due to lack of data.

Silicic acid, aluminum salt:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative
Remarks : Based on data from similar materials

Levamisole hydrochloride:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
NOAEL : 80 mg/kg body weight
Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : 40 mg/kg body weight
Remarks : No significant adverse effects were reported

Reproductive toxicity

Suspected of damaging the unborn child.

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
 Date of first issue: 29.09.2022

Components:

Oxyclozanide:

- Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat, male and female
 Application Route: Oral
 General Toxicity Parent: NOAEL: 25 - 35 mg/kg body weight
 Symptoms: Reduced body weight, No effects on embryofetal and postnatal development.
 Result: No effects on fertility.
- Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 General Toxicity Parent: LOAEL: 75 - 100 mg/kg body weight
 Symptoms: Reduced body weight, No effects on embryofetal and postnatal development.
 Result: No effects on fertility.
- Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Early Embryonic Development: LOAEL: 75 - 100 mg/kg body weight
 Result: No fetotoxicity., No teratogenic effects.
- Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 General Toxicity Parent: LOAEL: 80 - 160 mg/kg body weight
 Result: No fetotoxicity., No teratogenic effects., No effects on fertility.
- Effects on fetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 200 mg/kg body weight
 Result: No fetotoxicity., No teratogenic effects.
- Test Type: Development
 Species: Rat
 Application Route: Oral
 General Toxicity Maternal: LOAEL: 100 mg/kg body weight
 Result: No fetotoxicity., No teratogenic effects.
- Test Type: Development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 32 mg/kg body weight
 Result: Fetotoxicity., Skeletal malformations.
- Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

Silicic acid, aluminum salt:

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 20 mg/kg body weight
 Result: Fetotoxicity.

Test Type: Embryo-fetal development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: LOAEL: 40 mg/kg body weight
 Result: Fetotoxicity.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Citric acid:

Effects on fetal development : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

STOT-single exposure

May cause damage to organs (Central nervous system) if swallowed.

Components:

Oxyclozanide:

Routes of exposure : Oral
 Target Organs : Central nervous system
 Assessment : May cause damage to organs.

Citric acid:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Brain, Liver) through prolonged or repeated exposure.

Levamisole (6.5%) / Oxytetracycline (13%) Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10857715-00005 Date of last issue: 04.04.2023
 Date of first issue: 29.09.2022

Components:

Oxytetracycline:

Target Organs : Brain, Liver
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Levamisole hydrochloride:

Target Organs : Blood, Testis
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Oxytetracycline:

Species : Rat
 NOAEL : 9 mg/kg
 LOAEL : 44,5 mg/kg
 Application Route : Oral
 Exposure time : 3 Months
 Target Organs : Brain, Liver, spleen, Adrenal gland
 Symptoms : Liver effects

Species : Dog
 NOAEL : 5 mg/kg
 LOAEL : 25 mg/kg
 Application Route : Oral
 Exposure time : 3 Months
 Target Organs : Brain, Liver
 Symptoms : blood effects, alteration in liver enzymes

Silicic acid, aluminum salt:

Species : Rat
 NOAEL : > 100 mg/kg
 Application Route : Ingestion
 Exposure time : 104 Weeks
 Remarks : Based on data from similar materials

Levamisole hydrochloride:

Species : Rat
 NOAEL : 2,5 mg/kg
 Application Route : Oral
 Exposure time : 18 Months
 Target Organs : Testis

Species : Dog
 LOAEL : 20 mg/kg
 Application Route : Oral
 Exposure time : 18 Months

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

Target Organs : Blood

Species : Dog
LOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 3 Months

Citric acid:

Species : Rat
NOAEL : 4.000 mg/kg
LOAEL : 8.000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days

Aspiration toxicity

Not classified based on available information.

Components:**Oxyclozanide:**

Not applicable

Experience with human exposure**Components:****Oxyclozanide:**

Ingestion : Symptoms: May cause, Gastrointestinal disturbance, Central nervous system depression

Levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Oxyclozanide:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,69 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Silicic acid, aluminum salt:**Ecotoxicology Assessment**

**Levamisole (6.5%) / Oxyclozanide (13%) For-
mulation**

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

Chronic aquatic toxicity : No toxicity at the limit of solubility.

Levamisole hydrochloride:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37,3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 64 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.535 mg/l
aquatic invertebrates : Exposure time: 24 h

Persistence and degradability**Components:****Oxyclozanide:**

Stability in water : Hydrolysis: 50 %(156 d)
Method: OECD Test Guideline 111

Citric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential**Components:****Oxyclozanide:**

Partition coefficient: n- : log Pow: 3,99
octanol/water : pH: 7
Method: OECD Test Guideline 107

Citric acid:

Partition coefficient: n- : log Pow: -1,72
octanol/water

Mobility in soil**Components:****Oxyclozanide:**

Distribution among environ- : log Koc: 4,83

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

mental compartments Method: OECD Test Guideline 106

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

| | | |
|------------------------|---|---|
| Waste from residues | : | Do not dispose of waste into sewer. Dispose of in accordance with local regulations. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

| | | |
|---------------------------|---|---|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxyclozanide) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| Environmentally hazardous | : | yes |

IATA-DGR

| | | |
|--|---|---|
| UN/ID No. | : | UN 3082 |
| Proper shipping name | : | Environmentally hazardous substance, liquid, n.o.s. (Oxyclozanide) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 964 |
| Packing instruction (passenger aircraft) | : | 964 |
| Environmentally hazardous | : | yes |

IMDG-Code

| | | |
|----------------------|---|---|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxyclozanide) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |
| Marine pollutant | : | yes |

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

AR OEL : Argentina. Occupational Exposure Limits

AR OEL / CMP : TLV (Threshold Limit Value)

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 3.1 | 30.09.2023 | 10857715-00005 | Date of first issue: 29.09.2022 |

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8