

Vers 3.0	sion	Revision Date: 06.07.2024		S Number: 57716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
SEC	TION 1 Produc	: IDENTIFICATION t name	:	Levamisole (6.5%	6) / Oxyclozanide (13%) Formulation
	Other n	neans of identification	:	COOPERS NILZ	AN LV ORAL DRENCH (36089)
	Manufa Compa	acturer or supplier's d ny	letai :		Pty Limited (trading as MSD Animal Health)
	Addres	S	:	91-105 Harpin St Bendigo 3550, V	
	Teleph	one	:	1 800 033 461	
	Emerge	ency telephone number	• :	Poisons Informat	ion Centre: Phone 13 11 26
	E-mail	address	:	EHSDATASTEW	ARD@msd.com
		mended use of the ch mended use	nem :	ical and restriction	
		tions on use	:	Not applicable	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage/eye irri- tation	:	Category 1
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure (Oral)	:	Category 2 (Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 2 (Brain, Liver)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H318 Causes serious eye damage. H361d Suspected of damaging the unborn child. H371 May cause damage to organs (Central nervous system) if



/ersion 5.0	Revision Date: 06.07.2024	SDS Number: 10857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022		
		swallowed. H373 May caus longed or repea	e damage to organs (Brain, Liver) through pro- tted exposure.		
Precautionary statements		 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. 			
		water for severa and easy to do. CENTER/ docto	exposed or concerned: Call a POISON		
		Storage: P405 Store lock	ked up.		
		Disposal: P501 Dispose c disposal plant.	of contents/ container to an approved waste		
	hazards which do n mown.	ot result in classificat	ion		

0

Substance / Mixture

:	Mixture
•	Winkton

Components

Chemical name	CAS-No.	Concentration (% w/w)
oxyclozanide	2277-92-1	>= 10 -< 30
Silicic acid, aluminum salt	1335-30-4	>= 3 -< 10
levamisole hydrochloride	16595-80-5	>= 3 -< 10
Citric acid	77-92-9	< 10

SECTION 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.



Version 3.0	Revision Date: 06.07.2024		S Number: 57716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022		
lf inh:	aled	:	lf inhaled, remove	e to fresh air.		
In case of skin contact		: (Get medical attention. In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention.			
In ca	se of eye contact	: I f	Wash clothing be Thoroughly clean In case of contact for at least 15 mir	fore reuse. shoes before reuse. , immediately flush eyes with plenty of water nutes.		
If swallowed		(: (Get medical atten If swallowed, DO Get medical atten	NOT induce vomiting.		
	important symptoms iffects, both acute and ed	ו 0 : 1 1	Never give anythi Causes serious e Suspected of dan May cause dama May cause dama	ng by mouth to an unconscious person.		
	ction of first-aiders	: ; \	and use the recor when the potentia	ers should pay attention to self-protection, nmended personal protective equipment Il for exposure exists (see section 8).		
notes	s to physician	•	neal symptomati	cally and supportively.		

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Chlorine compounds Nitrogen oxides (NOx)
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters Hazchem Code	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES



Version 3.0	Revision Date: 06.07.2024		OS Number: 857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
tive ec	nal precautions, protec- uipment and emer- procedures	:		ective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
Enviro	Environmental precautions		Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages
	ds and materials for nment and cleaning up	:	For large spills, pr ment to keep mate be pumped, store Clean up remainin bent. Local or national r posal of this mate employed in the c mine which regula Sections 13 and 1	absorbent material. ovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. og materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation Advice on safe handling	 Use only with adequate ventilation. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed.
Hygiene measures	 Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment,



Version 3.0	Revision Date: 06.07.2024	SDS Number: 10857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
		appropriate deg	owning and decontamination procedures,
Conditions for safe storage		use of administ	y labelled containers.
Mate	erials to avoid	Store in accord	ance with the particular national regulations. h the following product types:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
oxyclozanide	2277-92-1	TWA	0.4 mg/m3 (OEB 2)	Internal
Silicic acid, aluminum salt	1335-30-4	TWA	2 mg/m3 (Aluminium)	AU OEL
levamisole hydrochloride	16595-80-5	TWA	20 µg/m3 (OEB 3)	Internal
	Further inform	Further information: Skin		
		Wipe limit	200 µg/100 cm ²	Internal

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.	
Personal protective equipmen	t	
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.	
Filter type : Hand protection	Particulates type	
Material :	Chemical-resistant gloves	
Remarks : Eye protection :	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.	



Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024
3.0	06.07.2024	10857716-00008	Date of first issue: 29.09.2022
Skin	and body protection	potential for dire aerosols. : Work uniform or Additional body task being perfo posable suits) to	garments should be used based upon the prmed (e.g., sleevelets, apron, gauntlets, dis- p avoid exposed skin surfaces. e degowning techniques to remove potentially

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available



Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024
3.0	06.07.2024	10857716-00008	Date of first issue: 29.09.2022

Partition coefficient: n- octanol/water		Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact	
Acute toxicity		
Not classified based on ava	ilable information.	
Product:		
Acute oral toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method	
Components:		
oxyclozanide: Acute oral toxicity	: LD50 (Rat): 3,519 mg/kg	



ersion 0	Revision Date: 06.07.2024		OS Number: 857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
			Target Organs: C	entral nervous system
	toxicity (other routes of histration)	:	LDLo (sheep): 10 Application Route	
Silici	c acid, aluminum salt:			
Acute	oral toxicity	:	LD50 (Rat, female Method: OECD To Assessment: The icity	
Acute	e dermal toxicity	:	LD50 (Rabbit): > Remarks: Based	5,000 mg/kg on data from similar materials
levan	nisole hydrochloride:			
Acute	oral toxicity	:	LD50 (Rat): 180 n	ng/kg
			LD50 (Mouse): 22	23 mg/kg
			LD50 (Rabbit): 45	8 mg/kg
Acute	inhalation toxicity	:	Remarks: No data	a available
Acute	e dermal toxicity	:	Remarks: No data	a available
Citric	acid:			
Acute	oral toxicity	:	LD50 (Mouse): 5,-	400 mg/kg
Acute	e dermal toxicity	:	LD50 (Rat): > 2,00 Method: OECD To Assessment: The toxicity	
-	corrosion/irritation lassified based on availa	ble	information.	
<u>Com</u>	oonents:			
	ozanide:			
Rema	arks	:	Not classified due	to lack of data.
Silici	c acid, aluminum salt:			
Speci		:	Rabbit	
Metho Resu		:	OECD Test Guide No skin irritation	
Rema	arks	:	Based on data fro	m similar materials



ersion .0	Revision Date: 06.07.2024	SDS Numbe 10857716-0	
lover	ningla hydrochlarida		
Rema	n isole hydrochloride arks		available
Citric	acid:		
Speci Metho Resu	bc	: Rabbit : OECD T : No skin i	est Guideline 404 irritation
	eus eye damage/eye es serious eye damag		
<u>Com</u>	ponents:		
-	lozanide:		
Rema	arks	: Not class	sified due to lack of data.
Silici	c acid, aluminum sa	t:	
Speci Metho		: Chicken : Chorioal	eye Ilantoic membrane vascularization assay
Resu	lt	: Irreversil	ble effects on the eye
levan	nisole hydrochloride	:	
Rema	arks	: No data	available
Citric	acid:		
Speci		: Rabbit	
Resu Metho			to eyes, reversing within 21 days Test Guideline 405
Resp	iratory or skin sensi	tisation	
-	sensitisation lassified based on ava	ilable informatio	on.
-	iratory sensitisation lassified based on ava	ilable informatio	on.
<u>Com</u>	ponents:		
oxyc	lozanide:		
Expo Rema	sure routes arks	: Dermal : Not class	sified due to lack of data.
Silici	c acid, aluminum sa	t:	
Test Expo	Type sure routes	: Local lyr : Skin con	nph node assay (LLNA) itact
			9 / 20

SAFETY DATA SHEET



Version 3.0	Revision Date: 06.07.2024		DS Number: 857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
Spec Meth Resu	nod	:	Mouse OECD Test Guide negative	eline 429
leva Rem	misole hydrochloride: arks	:	No data available	
Chro	onic toxicity			
Not	n cell mutagenicity classified based on avail ponents:	lable	information.	
	clozanide: otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Test Type: Chron Test system: Hun Result: positive	nosomal aberration nan lymphocytes
			Test Type: Mouse Result: positive	e Lymphoma
Gen	otoxicity in vivo	:	Test Type: Micror Species: Mouse Application Route Result: negative	
			Test Type: unsch Species: Rat Cell type: Liver ce Application Route Result: negative	
	n cell mutagenicity - essment	:	-	ce does not support classification as a germ
Silic	ic acid, aluminum salt	-		
	otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Result: negative	nosome aberration test in vitro on data from similar materials
Gen	otoxicity in vivo	:		enicity (in vivo mammalian bone-marrow chromosomal analysis)



C	Revision Date: 06.07.2024		lumber: 716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
		Ap Re	ecies: Rat plication Rou sult: negative marks: Base	
levam	isole hydrochloride	:		
	oxicity in vitro	: Te	st Type: Bact sult: negative	erial reverse mutation assay (AMES)
			st Type: Chro sult: negative	pmosome aberration test in vitro
Citric Genot	acid: oxicity in vitro		st Type: Bact sult: negative	erial reverse mutation assay (AMES)
			st Type: in vitesult: positive	tro micronucleus test
			st Type: Bact sult: negative	erial reverse mutation assay (AMES)
Genot	oxicity in vivo	cyt Sp Ap		
II Carcir	nogenicity			
Not cla	assified based on ava	ilable info	rmation.	
<u>Comp</u>	onents:			
oxvcl	ozanide:			
Rema		: No	t classified d	ue to lack of data.
Silicio	acid, aluminum sal	t:		
Specie	es	: Ra		
Specie Applic	es ation Route	: Ra : Ing	gestion	
Specie Applic Expos	es ation Route sure time	: Ra : Ing : 10	gestion 4 weeks	
Specie Applic	es ation Route ure time t	: Ra : Ing : 10 : ne	gestion 4 weeks gative	rom similar materials
Specie Applic Expos Result Rema	es ation Route ure time t	: Ra : Ing : 10 : ne : Ba	gestion 4 weeks gative	rom similar materials
Specie Applic Expos Result Rema	es ation Route ture time rks isole hydrochloride es	: Ra : Ing : 10 : ne : Ba	gestion 4 weeks gative	rom similar materials
Specie Applic Expos Result Rema Ievam	es ation Route sure time t rks isole hydrochloride es ation Route	: Ra : Ing : 10 : ne : Ba : Ba : Or	gestion 4 weeks gative sed on data f ouse al	rom similar materials
Specie Applic Expos Result Rema Ievam	es ation Route sure time t rks isole hydrochloride es ation Route sure time	: Ra : Ing : 10 : ne : Ba : Ba : Or : Or : 2 \	gestion 4 weeks gative sed on data f ouse	

SAFETY DATA SHEET



Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024	
3.0	06.07.2024	10857716-00008	Date of first issue: 29.09.2022	

Remarks

: No significant adverse effects were reported

Species Application Route Exposure time NOAEL Remarks	 Rat Oral 2 Years 40 mg/kg body weight
Remarks	: No significant adverse effects were reported

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

oxyclozanide:

Effects on fertility :	Test Type: Two-generation reproduction toxicity study Species: Rat, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 25 - 35 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development Result: No effects on fertility
	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: LOAEL: 75 - 100 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development Result: No effects on fertility
	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 75 - 100 mg/kg body weight Result: No fetotoxicity, No teratogenic effects
	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: LOAEL: 80 - 160 mg/kg body weight Result: No fetotoxicity, No teratogenic effects, No effects on fertility
Effects on foetal develop- : ment	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 200 mg/kg body weight Result: No fetotoxicity, No teratogenic effects



ersion)	Revision Date: 06.07.2024	SDS Number: 10857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
sessm Silicio	ductive toxicity - As- ient acid, aluminum salt: s on foetal develop-	Result: No fetot Test Type: Dev Species: Rabbin Application Rou Developmental Result: Fetotox	ite: Oral y Maternal: LOAEL: 100 mg/kg body weight coxicity, No teratogenic effects elopment t
ment		Application Rou Result: negative	
levam	isole hydrochloride:		
Effects	s on fertility	Species: Rat Application Rou	ee-generation reproduction toxicity study ite: Oral ificant adverse effects were reported
Effects ment	s on foetal develop-	Species: Rat Application Rou	Toxicity: NOAEL: 20 mg/kg body weight
		Species: Rabbi Application Rou	ite: Oral Toxicity: LOAEL: 40 mg/kg body weight
Repro sessm	ductive toxicity - As- ient	: Some evidence animal experim	of adverse effects on development, based or ents.
Citric			
Effects ment	s on foetal develop-	: Test Type: One Species: Rat Application Rou Result: negative	



Version 3.0	Revision Date: 06.07.2024	SDS Number: 10857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
	Γ - single exposure cause damage to orga	ns (Central nervous	system) if swallowed.
•	ponents:		· · · · · · · · · · · · · · · · · · ·
охус	lozanide:		
Targe	sure routes et Organs ssment	: Oral : Central nervo : May cause da	us system amage to organs.
	: acid: ssment	: May cause re	spiratory irritation.
May	Γ - repeated exposure cause damage to orga ponents:		ugh prolonged or repeated exposure.
Targe	lozanide: et Organs ssment	: Brain, Liver : May cause da exposure.	amage to organs through prolonged or repeated
levar	nisole hydrochloride	:	
-	et Organs ssment	: Blood, Testis : May cause da exposure.	amage to organs through prolonged or repeated
Repe	ated dose toxicity		
Com	ponents:		
охус	lozanide:		
Expo Targe	EL	: Rat : 9 mg/kg : 44.5 mg/kg : Oral : 3 Months : Brain, Liver, s : Liver effects	pleen, Adrenal gland
Expo Targe	EL	: Dog : 5 mg/kg : 25 mg/kg : Oral : 3 Months : Brain, Liver : blood effects,	alteration in liver enzymes

Revision Date:

06.07.2024

Version

3.0



Date of last issue: 16.05.2024

Date of first issue: 29.09.2022

Levamisole (6.5%) / Oxyclozanide (13%) Formulation

SDS Number:

10857716-00008

0 00	.07.2024	
Silicic aci	d, aluminum sa	alt:
Species		: Rat
NOAEL		: > 100 mg/kg
Application	Route	: Ingestion
Exposure t	time	: 104 Weeks
Remarks		: Based on data from similar materials
levamisol	e hydrochloride	e:
Species		: Rat
NOAEL		: 2.5 mg/kg
Application	Route	: Oral
Exposure t		: 18 Months
Target Org	jans	: Testis
Species		: Dog
LOAEL	_	: 20 mg/kg
Applicatior	Route	: Oral
Exposure t	time	: 18 Months
Target Org	jans	: Blood
Species		: Dog
LÖAEL		: 40 mg/kg
Application	n Route	: Oral
Exposure t	time	: 3 Months
Citric acid	l:	
Species		: Rat
NOAEL		: 4,000 mg/kg
LOAEL		: 8,000 mg/kg
	n Route	: Ingestion
Exposure t	time	: 10 Days
Aspiratior	n toxicity	
-	-	ailable information.
<u>Compone</u>	<u>nts:</u>	
oxyclozan		
Not applica	able	
Experienc	e with human e	exposure
<u>Compone</u>		
oxyclozan		
		Symptome: May cause Castrointecting disturbance Castrol
Ingestion		: Symptoms: May cause, Gastrointestinal disturbance, Central nervous system depression
levamisol	e hydrochloride	
		15 / 20

SAFETY DATA SHEET



Version 3.0	Revision Date: 06.07.2024		9S Number: 857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
Inges	tion	:	Symptoms: Nause tension	ea, Vomiting, Headache, Dizziness, hypo-
SECTION	12. ECOLOGICAL INFO	DRI	IATION	
Ecote	oxicity			
Com	ponents:			
Toxic	lozanide: ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T	
Silici	c acid, aluminum salt:			
Ecote	oxicology Assessment			
Chror	nic aquatic toxicity	:	No toxicity at the	imit of solubility
levan	nisole hydrochloride:			
Toxic	ity to fish	:	LC50 (Oryzias lat Exposure time: 96 Method: OECD T	
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T	
Citric	c acid:			
Toxic	ity to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): > 100 mg/l S h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 24	agna (Water flea)): 1,535 mg/l ł h
II Persi	istence and degradabili	ity		
Com	ponents:			
охус	lozanide:			
Stabi	lity in water	:	Hydrolysis: 50 %(Method: OECD T	
	c acid: egradability	:	Result: Readily bi Biodegradation: 9 Exposure time: 28 Method: OECD T	97 %



Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024
3.0	06.07.2024	10857716-00008	Date of first issue: 29.09.2022

Bioaccumulative potential		
Components:		
oxyclozanide: Partition coefficient: n- octanol/water	:	log Pow: 3.99 pH: 7 Method: OECD Test Guideline 107
Citric acid: Partition coefficient: n- octanol/water	:	log Pow: -1.72
Mobility in soil <u>Components:</u> oxyclozanide: Distribution among environ- mental compartments	:	log Koc: 4.83 Method: OECD Test Guideline 106
Other adverse effects		

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

UNRTDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxyclozanide)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		



Vers 3.0	sion	Revision Date: 06.07.2024		S Number: 857716-00008	Date of last issue: 16.05.2024 Date of first issue: 29.09.2022
	UN/ID N	۱o.	:	UN 3082	
	Proper	shipping name	:	Environmentally h (oxyclozanide)	azardous substance, liquid, n.o.s.
	Class		:	9	
	Packing	g group	:	III	
	Labels		:	Miscellaneous	
	Packing aircraft)	instruction (cargo	:	964	
	Packing ger airc	instruction (passen- raft)	:	964	
		mentally hazardous	:	yes	
	IMDG-0	Code			
	UN nun		:	UN 3082	
	Proper	shipping name	:	ENVIRONMENTA N.O.S. (oxyclozanide)	LLY HAZARDOUS SUBSTANCE, LIQUID,
	Class		:	9	
	Packing	group	:		
	Labels		:	9	
	EmS Co	ode	:	F-A, S-F	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: yes

Not applicable for product as supplied.

National Regulations

Marine pollutant

ADG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxyclozanide)
Class	:	9
Packing group	:	
Labels	:	9
Hazchem Code	:	•3Z
Environmentally hazardous	:	yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons	:	Schedule 6 (Please use the original publication to check for
Standard) Instrument		specific uses, specific conditions or threshold limits that might
		apply for this chemical)



Version 3.0	Revision Date: 06.07.2024	SDS Number: 10857716-00008		of last issue: 16.05.2024 of first issue: 29.09.2022			
Prohibition/Licensing Requirements			:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.			
The components of this product are reported in the following inventories:							
AICS		: not determined					
DSL		: not determined					
IECSC		: not determined					

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format

: dd.mm.yyyy

Full text of other abbreviations

AU OEL

: Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;



Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024
3.0	06.07.2024	10857716-00008	Date of first issue: 29.09.2022

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN