

## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version 2.2      Revision Date: 30.09.2023      SDS Number: 10857717-00005      Date of last issue: 04.04.2023  
Date of first issue: 29.09.2022

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Levamisole (6.5%) / Oxyclozanide (13%) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 5

Serious eye damage : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure (Oral) : Category 2 (Central nervous system)

Specific target organ toxicity - repeated exposure : Category 2 (Brain, Liver)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version 2.2      Revision Date: 30.09.2023      SDS Number: 10857717-00005      Date of last issue: 04.04.2023  
Date of first issue: 29.09.2022

Signal Word : Danger

Hazard Statements : H303 May be harmful if swallowed.  
H318 Causes serious eye damage.  
H361d Suspected of damaging the unborn child.  
H371 May cause damage to organs (Central nervous system) if swallowed.  
H373 May cause damage to organs (Brain, Liver) through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
P391 Collect spillage.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Oxyclozanide	2277-92-1	Acute toxicity (Oral), Category 5 Reproductive toxicity, Category 2 Specific target organ toxicity - single exposure (Oral) (Central nervous system), Category 2 Specific target organ toxicity - repeated exposure (Brain, Liver), Category 2 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard,	>= 10 -< 20

# SAFETY DATA SHEET



## Levamisole (6.5%) / Oxyclozanide (13%) For- mulation

Version 2.2      Revision Date: 30.09.2023      SDS Number: 10857717-00005      Date of last issue: 04.04.2023  
Date of first issue: 29.09.2022

		Category 1	
Silicic acid, aluminum salt	1335-30-4	Serious eye damage, Category 1	$\geq 5$ -< 10
Levamisole hydrochloride	16595-80-5	Acute toxicity (Oral), Category 3 Reproductive toxicity, Category 2 Specific target organ toxicity - repeated exposure (Oral) (Blood, Testis), Cate- gory 2 Short-term (acute) aquatic hazard, Category 3 Long-term (chronic) aquatic hazard, Category 3	$\geq 5$ -< 10
Citric acid	77-92-9	Eye irritation, Category 2A Specific target organ toxicity - single expo- sure, Category 3	$\geq 1$ -< 5

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and : May be harmful if swallowed.  
Causes serious eye damage.

## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

delayed : Suspected of damaging the unborn child.  
May cause damage to organs if swallowed.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and

## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation     | : | Use only with adequate ventilation.  |
| Advice on safe handling     | : | Do not breathe mist or vapors.<br>Do not swallow.<br>Do not get in eyes.<br>Avoid prolonged or repeated contact with skin.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment.                           |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Gases   |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oxyclozanide	2277-92-1	TWA	0.4 mg/m <sup>3</sup> (OEB 2)	Internal
Levamisole hydrochloride	16595-80-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: Skin				

## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version 2.2	Revision Date: 30.09.2023	SDS Number: 10857717-00005	Date of last issue: 04.04.2023 Date of first issue: 29.09.2022
----------------	------------------------------	-------------------------------	---

		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
--	--	------------	----------------------------	----------

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : suspension

**Color** : yellow

**Odor** : No data available

**Odor Threshold** : No data available

**pH** : No data available

**Melting point/freezing point** : No data available

**Initial boiling point and boiling range** : No data available

**Levamisole (6.5%) / Oxyclozanide (13%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

---

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.

**Levamisole (6.5%) / Oxyclozanide (13%) For-  
mulation**

Version 2.2	Revision Date: 30.09.2023	SDS Number: 10857717-00005	Date of last issue: 04.04.2023 Date of first issue: 29.09.2022
----------------	------------------------------	-------------------------------	---

products

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

May be harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 2.513 mg/kg  
Method: Calculation method

**Components:****Oxyclozanide:**

Acute oral toxicity : LD50 (Rat): 3.519 mg/kg  
Target Organs: Central nervous system

Acute toxicity (other routes of administration) : LDLo (sheep): 10 mg/kg  
Application Route: Intravenous

**Silicic acid, aluminum salt:**

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Remarks: Based on data from similar materials

**Levamisole hydrochloride:**

Acute oral toxicity : LD50 (Rat): 180 mg/kg  
LD50 (Mouse): 223 mg/kg  
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5.400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal



**Levamisole (6.5%) / Oxyclozanide (13%) For-  
mulation**

Version 2.2      Revision Date: 30.09.2023      SDS Number: 10857717-00005      Date of last issue: 04.04.2023  
Date of first issue: 29.09.2022

---

toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Oxyclozanide:**

Remarks : Not classified due to lack of data.

**Silicic acid, aluminum salt:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Levamisole hydrochloride:**

Remarks : No data available

**Citric acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Oxyclozanide:**

Remarks : Not classified due to lack of data.

**Silicic acid, aluminum salt:**

Species : Chicken eye  
Method : Chorioallantoic membrane vascularization assay  
Result : Irreversible effects on the eye

**Levamisole hydrochloride:**

Remarks : No data available

**Citric acid:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Levamisole (6.5%) / Oxyclozanide (13%) For-  
mulation**

Version 2.2      Revision Date: 30.09.2023      SDS Number: 10857717-00005      Date of last issue: 04.04.2023  
Date of first issue: 29.09.2022

---

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Oxyclozanide:**

Routes of exposure                   : Dermal  
Remarks                               : Not classified due to lack of data.

**Silicic acid, aluminum salt:**

Test Type                               : Local lymph node assay (LLNA)  
Routes of exposure                   : Skin contact  
Species                                 : Mouse  
Method                                 : OECD Test Guideline 429  
Result                                 : negative

**Levamisole hydrochloride:**

Remarks                               : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Oxyclozanide:**

Genotoxicity in vitro               : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: positive

Test Type: Mouse Lymphoma  
Result: positive

Genotoxicity in vivo               : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Application Route: Oral  
Result: negative

Germ cell mutagenicity -           : Weight of evidence does not support classification as a germ

**Levamisole (6.5%) / Oxyclozanide (13%) For-  
mulation**

Version 2.2	Revision Date: 30.09.2023	SDS Number: 10857717-00005	Date of last issue: 04.04.2023 Date of first issue: 29.09.2022
----------------	------------------------------	-------------------------------	---

---

Assessment cell mutagen.

**Silicic acid, aluminum salt:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Levamisole hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

**Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Oxyclozanide:**

Remarks : Not classified due to lack of data.

**Silicic acid, aluminum salt:**

Species : Rat

**Levamisole (6.5%) / Oxyclozanide (13%) For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

---

Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative  
Remarks : Based on data from similar materials

**Levamisole hydrochloride:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 80 mg/kg body weight  
Remarks : No significant adverse effects were reported

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 40 mg/kg body weight  
Remarks : No significant adverse effects were reported

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Oxyclozanide:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat, male and female  
Application Route: Oral  
General Toxicity Parent: NOAEL: 25 - 35 mg/kg body weight  
Symptoms: Reduced body weight, No effects on embryofetal and postnatal development.  
Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: LOAEL: 75 - 100 mg/kg body weight  
Symptoms: Reduced body weight, No effects on embryofetal and postnatal development.  
Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 75 - 100 mg/kg body weight  
Result: No fetotoxicity., No teratogenic effects.

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: LOAEL: 80 - 160 mg/kg body weight  
Result: No fetotoxicity., No teratogenic effects., No effects on fertility.

## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

---

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 200 mg/kg body weight  
Result: No fetotoxicity., No teratogenic effects.

Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 100 mg/kg body weight  
Result: No fetotoxicity., No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 32 mg/kg body weight  
Result: Fetotoxicity., Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### Silicic acid, aluminum salt:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: Fetotoxicity.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Citric acid:

Effects on fetal development : Test Type: One-generation reproduction toxicity study

**Levamisole (6.5%) / Oxyclozanide (13%) For-  
mulation**

Version 2.2	Revision Date: 30.09.2023	SDS Number: 10857717-00005	Date of last issue: 04.04.2023 Date of first issue: 29.09.2022
----------------	------------------------------	-------------------------------	---

---

Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT-single exposure**

May cause damage to organs (Central nervous system) if swallowed.

**Components:****Oxyclozanide:**

Routes of exposure : Oral  
Target Organs : Central nervous system  
Assessment : May cause damage to organs.

**Citric acid:**

Assessment : May cause respiratory irritation.

**STOT-repeated exposure**

May cause damage to organs (Brain, Liver) through prolonged or repeated exposure.

**Components:****Oxyclozanide:**

Target Organs : Brain, Liver  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Levamisole hydrochloride:**

Target Organs : Blood, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Oxyclozanide:**

Species : Rat  
NOAEL : 9 mg/kg  
LOAEL : 44,5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Brain, Liver, spleen, Adrenal gland  
Symptoms : Liver effects

Species : Dog  
NOAEL : 5 mg/kg  
LOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Brain, Liver

## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

---

Symptoms : blood effects, alteration in liver enzymes

### Silicic acid, aluminum salt:

Species : Rat  
 NOAEL : > 100 mg/kg  
 Application Route : Ingestion  
 Exposure time : 104 Weeks  
 Remarks : Based on data from similar materials

### Levamisole hydrochloride:

Species : Rat  
 NOAEL : 2,5 mg/kg  
 Application Route : Oral  
 Exposure time : 18 Months  
 Target Organs : Testis

Species : Dog  
 LOAEL : 20 mg/kg  
 Application Route : Oral  
 Exposure time : 18 Months  
 Target Organs : Blood

Species : Dog  
 LOAEL : 40 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months

### Citric acid:

Species : Rat  
 NOAEL : 4.000 mg/kg  
 LOAEL : 8.000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 10 Days

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Oxyclozanide:

Not applicable

### Experience with human exposure

### Components:

#### Oxyclozanide:

Ingestion : Symptoms: May cause, Gastrointestinal disturbance, Central nervous system depression

#### Levamisole hydrochloride:

**Levamisole (6.5%) / Oxyclozanide (13%) For-  
mulation**

Version 2.2      Revision Date: 30.09.2023      SDS Number: 10857717-00005      Date of last issue: 04.04.2023  
Date of first issue: 29.09.2022

---

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Oxyclozanide:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,69 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

**Silicic acid, aluminum salt:****Ecotoxicology Assessment**

Chronic aquatic toxicity : No toxicity at the limit of solubility.

**Levamisole hydrochloride:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37,3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

**Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.535 mg/l  
Exposure time: 24 h

**Persistence and degradability****Components:****Oxyclozanide:**

Stability in water : Hydrolysis: 50 %(156 d)  
Method: OECD Test Guideline 111

**Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %



## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version 2.2	Revision Date: 30.09.2023	SDS Number: 10857717-00005	Date of last issue: 04.04.2023 Date of first issue: 29.09.2022
----------------	------------------------------	-------------------------------	---

---

Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### Oxyclozanide:

Partition coefficient: n-octanol/water : log Pow: 3,99  
pH: 7  
Method: OECD Test Guideline 107

##### Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1,72

### Mobility in soil

#### Components:

##### Oxyclozanide:

Distribution among environmental compartments : log Koc: 4,83  
Method: OECD Test Guideline 106

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(oxyclozanide)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082

## Levamisole (6.5%) / Oxyclozanide (13%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

---

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Oxyclozanide)

Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Oxyclozanide)

Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### ANTT

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(oxyclozanide)

Class : 9  
 Packing group : III  
 Labels : 9  
 Hazard Identification Number : 90

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

**Levamisole (6.5%) / Oxyclozanide (13%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

**The ingredients of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

**SECTION 16. OTHER INFORMATION**

Revision Date	:	30.09.2023
Date format	:	dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET



## Levamisole (6.5%) / Oxyclozanide (13%) For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.2	30.09.2023	10857717-00005	Date of first issue: 29.09.2022

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8