

Levamisole / Oxfendazole Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 10808162-00006
 Date of first issue: 05.07.2022

SECTION 1. IDENTIFICATION

Product name : Levamisole / Oxfendazole Formulation

Other means of identification : Scanda (A007130)

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma

Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 5

Reproductive toxicity : Category 1B

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H303 May be harmful if swallowed.

H360FD May damage fertility. May damage the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.



Levamisole / Oxfendazole Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 10808162-00006
 Date of first issue: 05.07.2022

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P312 Call a POISON CENTER/ doctor if you feel unwell.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Levamisole hydrochloride	16595-80-5	>= 5 -< 10
oxfendazole	53716-50-0	>= 2,5 -< 5
Polyethylene glycol stearate	9004-99-3	>= 1 -< 5
Citric acid	77-92-9	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms : May be harmful if swallowed.



Levamisole / Oxfendazole Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 06.07.2024 10808162-00006 Date of first issue: 05.07.2022 3.0

and effects, both acute and

Protection of first-aiders

delayed

First Aid responders should pay attention to self-protection. and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

May damage fertility. May damage the unborn child.

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire

fighting

Hazardous combustion prod-

Exposure to combustion products may be a hazard to health.

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Levamisole hydrochloride	16595-80-5	TWA	20 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	200 μg/100 cm ²	Internal	
oxfendazole	53716-50-0	TWA	40 μg/m3 (OEB 3)	Internal	
		Wipe limit	400 μg/100 cm ²	Internal	
Polyethylene glycol stearate	9004-99-3	CMP	10 mg/m ³	AR OEL	
	Further information: A4 - Not classifiable as a human carcinogen				
		TWA (Inhalable particulate matter)	10 mg/m³	ACGIH	
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH	



Levamisole / Oxfendazole Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 10808162-00006
 Date of first issue: 05.07.2022

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to evoid expected skip surfaces.

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Color : No data available

Odor : No data available

Odor Threshold : No data available



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 06.07.2024 10808162-00006 Date of first issue: 05.07.2022 3.0

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity Acute toxicity estimate: 2.250 mg/kg

Method: Calculation method

Components:

Levamisole hydrochloride:

Acute oral toxicity LD50 (Rat): 180 mg/kg

LD50 (Mouse): 223 mg/kg

LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity Remarks: No data available

Acute dermal toxicity Remarks: No data available

oxfendazole:

Acute oral toxicity LD50 (Rat): > 6.000 mg/kg

LD50 (Dog): 1.600 mg/kg

LD50 (sheep): 250 mg/kg

Polyethylene glycol stearate:

Acute oral toxicity LD50 (Rat): > 5.000 mg/kg

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5.400 mg/kg

LD50 (Rat): > 2.000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

Skin corrosion/irritation

Not classified based on available information.

Components:

Levamisole hydrochloride:

Remarks : No data available

oxfendazole:

Species : Rabbit

Result : No skin irritation

Polyethylene glycol stearate:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Citric acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Levamisole hydrochloride:

Remarks : No data available

oxfendazole:

Species : Rabbit

Result : No eye irritation

Polyethylene glycol stearate:

Species : Rabbit

Result : No eye irritation
Method : Draize Test

Citric acid:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

Respiratory sensitization

Not classified based on available information.

Components:

Levamisole hydrochloride:

Remarks : No data available

Polyethylene glycol stearate:

Test Type : Open epicutaneous test

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

oxfendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Oral

Result: positive

Polyethylene glycol stearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro micronucleus test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Levamisole hydrochloride:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 80 mg/kg body weight

Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 40 mg/kg body weight

Remarks : No significant adverse effects were reported

oxfendazole:

Species : Rat
Application Route : Oral
Exposure time : 1 Years

Symptoms : No adverse effects.

Target Organs : Liver

Species : Rat
Application Route : Oral
Exposure time : 2 Years

Symptoms : No adverse effects.

Target Organs : Liver

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: Fetotoxicity.

Test Type: Embryo-fetal development

Species: Rabbit



Levamisole / Oxfendazole Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 10808162-00006
 Date of first issue: 05.07.2022

Application Route: Oral

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

oxfendazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male Application Route: Oral

Fertility: NOAEL: 17 mg/kg body weight

Target Organs: Testes Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 0,9 mg/kg body weight

Target Organs: Liver

Result: No effects on fertility.

Test Type: Fertility Species: Mouse Application Route: Oral

Duration of Single Treatment: 1 Months Fertility: NOAEL: 750 mg/kg body weight

Target Organs: Testes Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Fetal effects.

Test Type: Embryo-fetal development

Species: Rat

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Embryo-fetal toxicity.

Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Developmental Toxicity: NOAEL: 108 mg/kg body weight Result: positive, Embryo-fetal toxicity., Fetal abnormalities.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 0,625 mg/kg body weight

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of

11 / 18



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

adverse effects on development, based on animal

experiments.

Citric acid:

Effects on fetal development : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

Components:

Citric acid:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

Levamisole hydrochloride:

Target Organs : Blood, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

oxfendazole:

Routes of exposure : Oral

Target Organs : Liver, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Levamisole hydrochloride:

Species : Rat
NOAEL : 2,5 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Testis

Species: DogLOAEL: 20 mg/kgApplication Route: OralExposure time: 18 MonthsTarget Organs: Blood

Species : Dog LOAEL : 40 mg/kg Application Route : Oral



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

Exposure time : 3 Months

oxfendazole:

Species : Rat
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks

Target Organs : Blood, Liver, Testis

Species : Rat
NOAEL : 3,8 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver, Testis

Species: MouseNOAEL: 750 mg/kgApplication Route: OralExposure time: 1 MonthsTarget Organs: Liver

Species : Mouse
NOAEL : 37,5 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Species : Dog NOAEL : 6 mg/kg Application Route : Oral Exposure time : 1 Months

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks

Target Organs : Lymph nodes, thymus gland

Species : Dog
NOAEL : 13,5 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Liver

Citric acid:

Species : Rat

NOAEL : 4.000 mg/kg
LOAEL : 8.000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days



Levamisole / Oxfendazole Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 06.07.2024 10808162-00006 Date of first issue: 05.07.2022 3.0

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Levamisole hydrochloride:

Ingestion Symptoms: Nausea, Vomiting, Headache, Dizziness, hypo-

tension

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Levamisole hydrochloride:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): 37,3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 64 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

oxfendazole:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2,7 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2,5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,059 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

10

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,023 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1



Levamisole / Oxfendazole Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 10808162-00006
 Date of first issue: 05.07.2022

Polyethylene glycol stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10.000 mg/l

Exposure time: 96 h Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10.000 mg/l

Exposure time: 16 h

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.535 mg/l

Exposure time: 24 h

Persistence and degradability

Components:

oxfendazole:

Stability in water : Hydrolysis: < 5 %(4 d)

Polyethylene glycol stearate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 % Exposure time: 10 d

Method: OECD Test Guideline 302B

Citric acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

oxfendazole:

Partition coefficient: n-

: log Pow: 1,95

octanol/water
Citric acid:

Partition coefficient: n-

: log Pow: -1,72

octanol/water

Mobility in soil

Components:

oxfendazole:

Distribution among environ-

mental compartments

log Koc: 3,2



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(oxfendazole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(oxfendazole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

964

Packing instruction (passen-

ger aircraft)

964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(oxfendazole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents : Not applicable

Registry.

Control of precursors and essential chemicals for the

preparation of drugs.

Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 06.07.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

compile the Material Safe Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA



Levamisole / Oxfendazole Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 10808162-00006 Date of first issue: 05.07.2022

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8