

**Levamisole / Oxfendazole Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
Date of first issue: 05.07.2022

---

**SECTION 1: IDENTIFICATION**

Product name : Levamisole / Oxfendazole Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H360FD May damage fertility. May damage the unborn child.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
 Date of first issue: 05.07.2022

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	$\geq 3$ -< 10
oxfendazole	53716-50-0	$\geq 0.3$ -< 10
Polyethylene glycol stearate	9004-99-3	< 10
Citric acid	77-92-9	< 10
Silicon, amorphous	112945-52-5	< 10

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage fertility. May damage the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

		Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	•3Z

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust

## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
 Date of first issue: 05.07.2022

- Advice on safe handling : ventilation.  
 Do not get on skin or clothing.  
 Do not breathe the mist or vapours.  
 Do not swallow.  
 Avoid contact with eyes.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Further information: Skin		
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
oxfendazole	53716-50-0	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Polyethylene glycol stearate	9004-99-3	TWA	10 mg/m <sup>3</sup>	AU OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
Silicon, amorphous	112945-52-5	TWA	10 mg/m <sup>3</sup>	AU OEL

Engineering measures : Use appropriate engineering controls and manufacturing

**Levamisole / Oxfendazole Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

**Personal protective equipment**

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	Aqueous solution
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available

**Levamisole / Oxfendazole Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.

## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
Date of first issue: 05.07.2022

---

products

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****levamisole hydrochloride:**

Acute oral toxicity : LD50 (Rat): 180 mg/kg  
LD50 (Mouse): 223 mg/kg  
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**oxfendazole:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
LD50 (Dog): 1,600 mg/kg  
LD50 (sheep): 250 mg/kg

**Polyethylene glycol stearate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Silicon, amorphous:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Levamisole / Oxfendazole Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
Date of first issue: 05.07.2022

---

Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Remarks : No data available

**oxfendazole:**

Species : Rabbit  
Result : No skin irritation

**Polyethylene glycol stearate:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

**Citric acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Silicon, amorphous:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Remarks : No data available



**Levamisole / Oxfendazole Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
Date of first issue: 05.07.2022

---

**oxfendazole:**

Species : Rabbit  
Result : No eye irritation

**Polyethylene glycol stearate:**

Species : Rabbit  
Result : No eye irritation  
Method : Draize Test

**Citric acid:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Silicon, amorphous:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Remarks : No data available

**Polyethylene glycol stearate:**

Test Type : Open epicutaneous test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Levamisole / Oxfendazole Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
Date of first issue: 05.07.2022

---

Test Type: Chromosome aberration test in vitro  
Result: negative

**oxfendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Oral  
Result: positive

**Polyethylene glycol stearate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Silicon, amorphous:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Levamisole / Oxfendazole Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
Date of first issue: 05.07.2022

---

**Components:****levamisole hydrochloride:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 80 mg/kg body weight  
Remarks : No significant adverse effects were reported

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 40 mg/kg body weight  
Remarks : No significant adverse effects were reported

**oxfendazole:**

Species : Rat  
Application Route : Oral  
Exposure time : 1 Years  
Symptoms : No adverse effects  
Target Organs : Liver

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Symptoms : No adverse effects  
Target Organs : Liver

**Silicon, amorphous:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****levamisole hydrochloride:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: Fetotoxicity

## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 40 mg/kg body weight  
 Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**oxfendazole:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat, male  
 Application Route: Oral  
 Fertility: NOAEL: 17 mg/kg body weight  
 Target Organs: Testes  
 Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: 0.9 mg/kg body weight  
 Target Organs: Liver  
 Result: No effects on fertility

Test Type: Fertility  
 Species: Mouse  
 Application Route: Oral  
 Duration of Single Treatment: 1 Months  
 Fertility: NOAEL: 750 mg/kg body weight  
 Target Organs: Testes  
 Result: Effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 10 mg/kg body weight  
 Result: positive, Fetal effects

Test Type: Embryo-foetal development  
 Species: Rat  
 Developmental Toxicity: NOAEL: 10 mg/kg body weight  
 Result: positive, Embryo-foetal toxicity

Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 108 mg/kg body weight  
 Result: positive, Embryo-foetal toxicity, foetal abnormalities

Test Type: Embryo-foetal development  
 Species: Rabbit

## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

Application Route: Oral  
 Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Citric acid:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**Silicon, amorphous:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**STOT - single exposure**

Not classified based on available information.

**Components:****Citric acid:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Target Organs : Blood, Testis  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**oxfendazole:**

Exposure routes : Oral  
 Target Organs : Liver, Testis  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****levamisole hydrochloride:**

## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
Date of first issue: 05.07.2022

---

Species : Rat  
NOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Testis

Species : Dog  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Blood

Species : Dog  
LOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 3 Months

**oxfendazole:**

Species : Rat  
NOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Blood, Liver, Testis

Species : Rat  
NOAEL : 3.8 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver, Testis

Species : Mouse  
NOAEL : 750 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Target Organs : Liver

Species : Mouse  
NOAEL : 37.5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver

Species : Dog  
NOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks

**Levamisole / Oxfendazole Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10808163-00003      Date of last issue: 04.04.2023  
Date of first issue: 05.07.2022

---

Target Organs : Lymph nodes, thymus gland

Species : Dog  
NOAEL : 13.5 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Liver

**Citric acid:**

Species : Rat  
NOAEL : 4,000 mg/kg  
LOAEL : 8,000 mg/kg  
Application Route : Ingestion  
Exposure time : 10 Days

**Silicon, amorphous:**

Species : Rat  
NOAEL : 1.3 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****levamisole hydrochloride:**

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****levamisole hydrochloride:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

**oxfendazole:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l

---

## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.059 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.023 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Polyethylene glycol stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h  
Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l  
Exposure time: 16 h

**Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

**Silicon, amorphous:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): > 10,000



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

plants

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10,000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

**Persistence and degradability****Components:****oxfendazole:**

Stability in water : Hydrolysis: &lt; 5 %(4 d)

**Polyethylene glycol stearate:**Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 10 d  
Method: OECD Test Guideline 302B**Citric acid:**Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B**Bioaccumulative potential****Components:****oxfendazole:**

Partition coefficient: n-octanol/water : log Pow: 1.95

**Citric acid:**

Partition coefficient: n-octanol/water : log Pow: -1.72

**Mobility in soil****Components:****oxfendazole:**

Distribution among environmental compartments : log Koc: 3.2

## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

#### IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (oxfendazole)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

#### IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Levamisole / Oxfendazole Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

**National Regulations****ADG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	•3Z
Environmentally hazardous	:	yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
------------------------------------	---	---

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**SECTION 16: ANY OTHER RELEVANT INFORMATION****Further information**

Revision Date	:	30.09.2023
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
Date format	:	dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
-------	---	---

---

## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10808163-00003	Date of first issue: 05.07.2022

---

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN