

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 2023/09/30      SDS Number: 10808167-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/07/05

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Levamisole / Oxfendazole Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : Aqueous solution

**Colour** : No data available

**Odour** : No data available

May be harmful if swallowed. May damage fertility. May damage the unborn child. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

#### GHS Classification

Acute toxicity (Oral) : Category 5

Reproductive toxicity : Category 1B

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 2023/09/30      SDS Number: 10808167-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/07/05

- Hazard pictograms :
- Signal word : Danger
- Hazard statements : H303 May be harmful if swallowed.  
H360FD May damage fertility. May damage the unborn child.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
P312 Call a POISON CENTER/ doctor if you feel unwell.  
P391 Collect spillage.
- Storage:**  
P405 Store locked up.
- Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

May be harmful if swallowed. May damage fertility. May damage the unborn child.

### Environmental hazards

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	>= 3 -< 10
oxfendazole	53716-50-0	>= 2.5 -< 10
Polyethylene glycol stearate	9004-99-3	>= 1 -< 10

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 2023/09/30      SDS Number: 10808167-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/07/05

Citric acid	77-92-9	>= 1 -< 10
Silicon, amorphous	112945-52-5	>= 1 -< 10

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.  
May damage fertility. May damage the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

for firefighters

Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents

#### Storage

- Conditions for safe storage : Keep in properly labelled containers.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 2023/09/30      SDS Number: 10808167-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/07/05

Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Further information: Skin		
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
oxfendazole	53716-50-0	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Polyethylene glycol stearate	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
Silicon, amorphous	112945-52-5	PC-TWA (Total dust)	5 mg/m <sup>3</sup>	CN OEL

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

### Acute toxicity

May be harmful if swallowed.

### Product:

Acute oral toxicity : Acute toxicity estimate: 2,250 mg/kg  
Method: Calculation method

### Components:

#### **levamisole hydrochloride:**

Acute oral toxicity : LD50 (Rat): 180 mg/kg  
LD50 (Mouse): 223 mg/kg  
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

#### **oxfendazole:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
LD50 (Dog): 1,600 mg/kg  
LD50 (sheep): 250 mg/kg

#### **Polyethylene glycol stearate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

#### **Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Silicon, amorphous:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **levamisole hydrochloride:**

Remarks : No data available

#### **oxfendazole:**

Species : Rabbit  
Result : No skin irritation

#### **Polyethylene glycol stearate:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

#### **Citric acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Silicon, amorphous:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **levamisole hydrochloride:**

Remarks : No data available

#### **oxfendazole:**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

### **Polyethylene glycol stearate:**

Species : Rabbit  
Result : No eye irritation  
Method : Draize Test

### **Citric acid:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

### **Silicon, amorphous:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **levamisole hydrochloride:**

Remarks : No data available

#### **Polyethylene glycol stearate:**

Test Type : Open epicutaneous test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

#### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **levamisole hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

#### **oxfendazole:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 2023/09/30      SDS Number: 10808167-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/07/05

---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Oral  
Result: positive

### **Polyethylene glycol stearate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

### **Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Silicon, amorphous:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **levamisole hydrochloride:**

Species : Mouse

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 2023/09/30      SDS Number: 10808167-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/07/05

---

Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 80 mg/kg body weight  
Remarks : No significant adverse effects were reported

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 40 mg/kg body weight  
Remarks : No significant adverse effects were reported

### **oxfendazole:**

Species : Rat  
Application Route : Oral  
Exposure time : 1 Years  
Symptoms : No adverse effects  
Target Organs : Liver

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Symptoms : No adverse effects  
Target Organs : Liver

### **Silicon, amorphous:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

May damage fertility. May damage the unborn child.

### **Components:**

#### **levamisole hydrochloride:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: Fetotoxicity

Test Type: Embryo-foetal development  
Species: Rabbit

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

Application Route: Oral  
Developmental Toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### **oxfendazole:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male  
Application Route: Oral  
Fertility: NOAEL: 17 mg/kg body weight  
Target Organs: Testes  
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 0.9 mg/kg body weight  
Target Organs: Liver  
Result: No effects on fertility

Test Type: Fertility  
Species: Mouse  
Application Route: Oral  
Duration of Single Treatment: 1 Months  
Fertility: NOAEL: 750 mg/kg body weight  
Target Organs: Testes  
Result: Effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: positive, Fetal effects

Test Type: Embryo-foetal development  
Species: Rat  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: positive, Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 108 mg/kg body weight  
Result: positive, Embryo-foetal toxicity, foetal abnormalities

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### **Citric acid:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Silicon, amorphous:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **Citric acid:**

Assessment : May cause respiratory irritation.

### **STOT - repeated exposure**

Not classified based on available information.

### **Components:**

#### **levamisole hydrochloride:**

Target Organs : Blood, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

#### **oxfendazole:**

Exposure routes : Oral  
Target Organs : Liver, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **levamisole hydrochloride:**

Species : Rat

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 2023/09/30      SDS Number: 10808167-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/07/05

---

NOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Testis

Species : Dog  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Blood

Species : Dog  
LOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 3 Months

### **oxfendazole:**

Species : Rat  
NOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Blood, Liver, Testis

Species : Rat  
NOAEL : 3.8 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver, Testis

Species : Mouse  
NOAEL : 750 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Target Organs : Liver

Species : Mouse  
NOAEL : 37.5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver

Species : Dog  
NOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version 1.2      Revision Date: 2023/09/30      SDS Number: 10808167-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/07/05

---

Target Organs : Lymph nodes, thymus gland  
Species : Dog  
NOAEL : 13.5 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Liver

### Citric acid:

Species : Rat  
NOAEL : 4,000 mg/kg  
LOAEL : 8,000 mg/kg  
Application Route : Ingestion  
Exposure time : 10 Days

### Silicon, amorphous:

Species : Rat  
NOAEL : 1.3 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### levamisole hydrochloride:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

#### oxfendazole:



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l  
Exposure time: 96 h
- LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.059 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.023 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1
- Polyethylene glycol stearate:**
- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h  
Method: DIN 38412
- Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l  
Exposure time: 16 h
- Citric acid:**
- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h
- Silicon, amorphous:**
- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **oxfendazole:**

Stability in water : Hydrolysis: < 5 %(4 d)

##### **Polyethylene glycol stearate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 10 d  
Method: OECD Test Guideline 302B

##### **Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### **oxfendazole:**

Partition coefficient: n-octanol/water : log Pow: 1.95

##### **Citric acid:**

Partition coefficient: n-octanol/water : log Pow: -1.72

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

### Mobility in soil

#### Components:

##### oxfendazole:

Distribution among environmental compartments : log Koc: 3.2

##### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(oxfendazole)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(oxfendazole)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(oxfendazole)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole)
Class	: 9
Packing group	: III
Labels	: 9
Marine pollutant	: no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

#### The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

---

## 16. OTHER INFORMATION

Revision Date	: 2023/09/30
---------------	--------------

### Further information

Sources of key data used to compile the Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
---	---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average  
CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Levamisole / Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
1.2	2023/09/30	10808167-00003	Date of first issue: 2022/07/05

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN