according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Levamisole / Oxfendazole Selenised Formulation

Other means of identification : Scanda Selenised (A007368)

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 1B

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms :







according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H360FD May damage fertility. May damage the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P203 Obtain, read and follow all safety instructions before use.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help.

Rinse mouth.

P318 IF exposed or concerned, get medical advice.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (%	
		w/w)	
levamisole hydrochloride	16595-80-5	>= 5 - < 10	
oxfendazole	53716-50-0	>= 2.5 - < 5	
Polyethylene glycol stearate	9004-99-3	>= 1 - < 5	
Citric acid	77-92-9	>= 1 - < 5	
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	>= 0.25 - < 1	
Sodium selenate	13410-01-0	>= 0.1 - < 0.25	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 10822944-00008 Date of first issue: 28.07.2022 4.0

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

May damage fertility. May damage the unborn child.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 10822944-00008
 Date of first issue: 28.07.2022

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 10822944-00008
 Date of first issue: 28.07.2022

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
levamisole hydrochloride	16595-80-5	TWA	20 μg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 μg/100 cm ²	Internal
oxfendazole	53716-50-0	TWA	40 μg/m3 (OEB 3)	Internal
		Wipe limit	400 μg/100 cm ²	Internal
Polyethylene glycol stearate	9004-99-3	TWA (Inhal-	10 mg/m3	ACGIH
		able particu-		
		late matter)		
		TWA (Res-	3 mg/m3	ACGIH
		pirable par-		
		ticulate mat-		
		ter)		
Sodium selenate	13410-01-0	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100 cm ²	Internal
		TWA	0.2 mg/m3	ACGIH
			(selenium)	

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-less

quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face contain-

ment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type
Hand protection

: Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 10822944-00008 Date of first issue: 28.07.2022 4.0

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

No data available Auto-ignition temperature

Decomposition temperature No data available

Viscosity

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

Conditions to avoid None known.

Incompatible materials Oxidizing agents Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of: Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,082 mg/kg

Method: Calculation method

Acute toxicity estimate: > 10 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Components:

levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg

LD50 (Mouse): 223 mg/kg

LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

oxfendazole:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

LD50 (Dog): 1,600 mg/kg

LD50 (sheep): 250 mg/kg

Polyethylene glycol stearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Sodium selenate:

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Components:

levamisole hydrochloride:

Remarks : No data available

oxfendazole:

Species Rabbit

Result No skin irritation

Polyethylene glycol stearate:

Species Rabbit Method **Draize Test** Result No skin irritation

Citric acid:

Species Rabbit

Method **OECD Test Guideline 404**

Result No skin irritation

Cobalt disodium ethylenediaminetetraacetate:

Species

Method OECD Test Guideline 404

Result No skin irritation

Remarks Based on data from similar materials

Sodium selenate:

Species reconstructed human epidermis (RhE)

Method **OECD Test Guideline 431**

reconstructed human epidermis (RhE)

Species Method **OECD Test Guideline 439**

Result Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks No data available

oxfendazole:

Species Rabbit

Result No eye irritation

Polyethylene glycol stearate:

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Species : Rabbit
Method : Draize Test
Result : No eye irritation

Citric acid:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Sodium selenate:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks : No data available

Polyethylene glycol stearate:

Test Type : Open epicutaneous test

Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)

Species : Humans Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory sensiti-

sation rate in humans

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Germ cell mutagenicity

Not classified based on available information.

Components:

levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

oxfendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse Application Route: Oral

Result: positive

Polyethylene glycol stearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro micronucleus test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Cobalt disodium ethylenediaminetetraacetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Result: positive

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Remarks: Based on data from similar materials

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

levamisole hydrochloride:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 80 mg/kg body weight

Remarks : No significant adverse effects were reported

Species : Rat

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 10822944-00008 Date of first issue: 28.07.2022 4.0

Application Route Oral Exposure time : 2 Years

NOAEL : 40 mg/kg body weight

Remarks : No significant adverse effects were reported

oxfendazole:

Species Rat Application Route Oral Exposure time 1 Years

Symptoms : No adverse effects

Target Organs Liver

Species : Rat Application Route Oral Exposure time 2 Years

Symptoms No adverse effects

Target Organs Liver

Cobalt disodium ethylenediaminetetraacetate:

Species

Application Route inhalation (dust/mist/fume)

Exposure time 105 weeks positive Result

Based on data from similar materials Remarks

Species Mouse

Application Route inhalation (dust/mist/fume)

Exposure time 105 weeks positive Result

Remarks Based on data from similar materials

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in animal studies

Remarks: Based on data from similar materials

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

levamisole hydrochloride:

Effects on fertility Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Result: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: Fetotoxicity

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

oxfendazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male Application Route: Oral

Fertility: NOAEL: 17 mg/kg body weight

Target Organs: Testes Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 0.9 mg/kg body weight

Target Organs: Liver Result: No effects on fertility

Test Type: Fertility Species: Mouse Application Route: Oral

Duration of Single Treatment: 1 Months Fertility: NOAEL: 750 mg/kg body weight

Target Organs: Testes Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Fetal effects

Test Type: Embryo-foetal development

Species: Rat

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Mouse Application Route: Oral

Developmental Toxicity: NOAEL: 108 mg/kg body weight Result: positive, Embryo-foetal toxicity, foetal abnormalities

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments.

Citric acid:

Effects on foetal develop-

ment

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: inhalation (dust/mist/fume)

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: inhalation (dust/mist/fume)

Result: positive

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Remarks: Based on data from similar materials

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

: Test Type: Embryo-foetal development

ment Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:

Citric acid:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

levamisole hydrochloride:

Target Organs : Blood, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

oxfendazole:

Exposure routes : Oral

Target Organs : Liver, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Respiratory Tract

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

Remarks : Based on data from similar materials

Exposure routes : Ingestion

Target Organs : Thyroid, Heart, Blood

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Remarks : Based on data from similar materials

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Sodium selenate:

Exposure routes : Ingestion

Assessment Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

levamisole hydrochloride:

Species Rat NOAEL : 2.5 mg/kg Application Route : Oral Exposure time : 18 Months Target Organs : Testis

Species Dog LOAEL Application Route 20 mg/kg Oral Exposure time 18 Months Target Organs Blood

Species Dog LOAEL 40 mg/kg Application Route Oral Exposure time 3 Months

oxfendazole:

Species Rat Application Route
Exposure time 11 mg/kg Oral 2 Weeks

Target Organs Blood, Liver, Testis

Species Rat NOAEL 3.8 mg/kg Application Route Oral Exposure time 3 Months Target Organs : Liver, Testis

Species Mouse NOAEL 750 mg/kg Application Route Oral 1 Months Exposure time Target Organs : Liver

Species Mouse NOAEL 37.5 mg/kg Application Route Oral Exposure time 3 Months Target Organs Liver

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Species : Dog
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 1 Months

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks

Target Organs : Lymph nodes, thymus gland

Species : Dog
NOAEL : 13.5 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Liver

Citric acid:

Species : Rat

NOAEL : 4,000 mg/kg
LOAEL : 8,000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat

LOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

Species : Rat

LOAEL : < 0.01 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Method : OECD Test Guideline 413

Remarks : Based on data from similar materials

Species : Mouse LOAEL : < 0.01 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Method : OECD Test Guideline 413

Remarks : Based on data from similar materials

Sodium selenate:

Species : Rat

NOAEL : 0.4 mg/kg

Application Route : Ingestion

Exposure time : 13 Weeks

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypo-

tension

Cobalt disodium ethylenediaminetetraacetate:

Inhalation : Target Organs: Respiratory system

Remarks: Based on data from similar materials

ngestion : Target Organs: Blood

Remarks: Based on data from similar materials

Target Organs: Heart Target Organs: Thyroid

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

levamisole hydrochloride:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 64 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

oxfendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.059 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

Toxicity to daphnia and other : NOEC: 0.023 mg/l

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic :

toxicity)

. .

Polyethylene glycol stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l

Exposure time: 16 h

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,535 mg/l

Exposure time: 24 h

Cobalt disodium ethylenediaminetetraacetate:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

EC10: > 1 mg/l

Exposure time: 34 d

Species: Danio rerio (zebra fish)

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: > 0.01 - 0.1 mg/l Exposure time: 28 d

Species: Hyalella azteca (Amphipod) Method: OECD Test Guideline 211

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

1

Sodium selenate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l

Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

ı

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0.01 - 0.1 mg/l

Exposure time: 258 d

Species: Lepomis macrochirus (Bluegill sunfish) Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.1 - 1 mg/l

Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

1

Persistence and degradability

Components:

oxfendazole:

Stability in water : Hydrolysis: < 5 %(4 d)

Polyethylene glycol stearate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 %

Exposure time: 10 d

Method: OECD Test Guideline 302B

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 10822944-00008 Date of first issue: 28.07.2022 4.0

Citric acid:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 97 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

oxfendazole:

Partition coefficient: n-

octanol/water

: log Pow: 1.95

Citric acid:

Partition coefficient: n-

octanol/water

: log Pow: -1.72

Cobalt disodium ethylenediaminetetraacetate:

: log Pow: -3.86 Partition coefficient: n-

octanol/water Remarks: Calculation

Mobility in soil

Components:

oxfendazole:

Distribution among environ- : log Koc: 3.2

mental compartments

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 10822944-00008 Date of first issue: 28.07.2022

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(oxfendazole, Cobalt disodium ethylenediaminetetraacetate)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(oxfendazole, Cobalt disodium ethylenediaminetetraacetate)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(oxfendazole, Cobalt disodium ethylenediaminetetraacetate)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 10822944-00008
 Date of first issue: 28.07.2022

16. OTHER INFORMATION

Revision Date : 28.09.2024

Further information

Sources of key data used to compile the Safety Data

Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

according to the Globally Harmonized System



Levamisole / Oxfendazole Selenised Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 10822944-00008
 Date of first issue: 28.07.2022

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN