

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
Date of first issue: 2022/07/28

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Levamisole / Oxfendazole Selenised Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 1B

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H360FD May damage fertility. May damage the unborn child.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
levamisole hydrochloride	16595-80-5	8	
oxfendazole	53716-50-0	>= 2.5 - < 10	
Polyethylene glycol stearate	9004-99-3	>= 1 - < 10	
Citric acid	77-92-9	>= 1 - < 10	2-1318
Silicon, amorphous	112945-52-5	>= 1 - < 10	1-548
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	>= 0.25 - < 1	
Sodium selenate	13410-01-0	0.24	1-1212
Tetrasodium ethylenediaminetetraacetate	64-02-8	>= 0.1 - < 1	2-1265

4. FIRST AID MEASURES

Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	10822935-00004	Date of first issue: 2022/07/28

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. May damage fertility. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Levamisole / Oxfendazole Selenised Formula- tion

Version 4.0	Revision Date: 2023/09/30	SDS Number: 10822935-00004	Date of last issue: 2023/04/04 Date of first issue: 2022/07/28
----------------	------------------------------	-------------------------------	---

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

- Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m ³ (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm ²	Internal
oxfendazole	53716-50-0	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal
Polyethylene glycol stearate	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	OEL-M	0.05 mg/m ³ (Cobalt)	JP OEL JSOH
	Further information: Airway sensitizing agent; Group 1 substances which induce allergic reactions in humans, Skin sensitizing agent; Group 1 substances which induce allergic reactions in humans, Group 2B: possibly carcinogenic to humans			
Sodium selenate	13410-01-0	OEL-M	0.1 mg/m ³ (selenium)	JP OEL JSOH
		TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0.2 mg/m ³ (selenium)	ACGIH

Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	10822935-00004	Date of first issue: 2022/07/28

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Aqueous solution

Colour : No data available

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	10822935-00004	Date of first issue: 2022/07/28

Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit		
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density and / or relative density		
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
Date of first issue: 2022/07/28

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,082 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg
LD50 (Mouse): 223 mg/kg
LD50 (Rabbit): 458 mg/kg
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : Remarks: No data available

oxfendazole:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg
LD50 (Dog): 1,600 mg/kg
LD50 (sheep): 250 mg/kg

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
Date of first issue: 2022/07/28

||

Polyethylene glycol stearate:

|| Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Citric acid:

|| Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

|| Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity**Silicon, amorphous:**|| Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials|| Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials|| Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials**Cobalt disodium ethylenediaminetetraacetate:**|| Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials**Sodium selenate:**|| Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg
Remarks: Based on data from similar materials|| Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403**Tetrasodium ethylenediaminetetraacetate:**|| Acute oral toxicity : LD50 (Rat): 1,780 mg/kg
Method: OECD Test Guideline 401|| Acute inhalation toxicity : LC50 (Rat): > 1 mg/l
Exposure time: 6 h

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Test atmosphere: dust/mist
 Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks : No data available

oxfendazole:

Species : Rabbit
 Result : No skin irritation

Polyethylene glycol stearate:

Species : Rabbit
 Method : Draize Test
 Result : No skin irritation

Citric acid:

Species : Rabbit
 Method : OECD Test Guideline 404
 Result : No skin irritation

Silicon, amorphous:

Species : Rabbit
 Method : OECD Test Guideline 404
 Result : No skin irritation
 Remarks : Based on data from similar materials

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit
 Method : OECD Test Guideline 404
 Result : No skin irritation
 Remarks : Based on data from similar materials

Sodium selenate:

Species : reconstructed human epidermis (RhE)
 Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)
 Method : OECD Test Guideline 439

Result : Skin irritation

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
Date of first issue: 2022/07/28

Tetrasodium ethylenediaminetetraacetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks : No data available

oxfendazole:

Species : Rabbit
Result : No eye irritation

Polyethylene glycol stearate:

Species : Rabbit
Result : No eye irritation
Method : Draize Test

Citric acid:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Silicon, amorphous:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Sodium selenate:

Species : Bovine cornea
Method : OECD Test Guideline 437
Result : No eye irritation

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Tetrasodium ethylenediaminetetraacetate:

Result : Irreversible effects on the eye
 Remarks : Based on national or regional regulation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks : No data available

Polyethylene glycol stearate:

Test Type : Open epicutaneous test
 Exposure routes : Skin contact
 Species : Guinea pig
 Result : negative

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)
 Species : Humans
 Result : positive
 Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory sensitisation rate in humans

Tetrasodium ethylenediaminetetraacetate:

Test Type : Maximisation Test
 Exposure routes : Skin contact
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : negative
 Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Result: negative

Test Type: Chromosome aberration test in vitro
 Result: negative

oxfendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
 Species: Mouse
 Application Route: Oral
 Result: positive

Polyethylene glycol stearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: in vitro micronucleus test
 Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
 Species: Rat
 Application Route: Ingestion
 Result: negative

Silicon, amorphous:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
Date of first issue: 2022/07/28

Cobalt disodium ethylenediaminetetraacetate:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials
- Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials
- Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: positive
Remarks: Based on data from similar materials
- Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials
- Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials
- Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.
Remarks: Based on data from similar materials

Sodium selenate:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Tetrasodium ethylenediaminetetraacetate:

- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

levamisole hydrochloride:

Species : Mouse
 Application Route : Oral
 Exposure time : 2 Years
 NOAEL : 80 mg/kg body weight
 Remarks : No significant adverse effects were reported

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 NOAEL : 40 mg/kg body weight
 Remarks : No significant adverse effects were reported

oxfendazole:

Species : Rat
 Application Route : Oral
 Exposure time : 1 Years
 Symptoms : No adverse effects
 Target Organs : Liver

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 Symptoms : No adverse effects
 Target Organs : Liver

Silicon, amorphous:

Species : Rat
 Application Route : Ingestion
 Exposure time : 103 weeks
 Result : negative
 Remarks : Based on data from similar materials

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 105 weeks
 Result : positive
 Remarks : Based on data from similar materials

Species : Mouse
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 105 weeks
 Result : positive
 Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies
 Remarks: Based on data from similar materials

Tetrasodium ethylenediaminetetraacetate:

Species : Rat
 Application Route : Ingestion
 Exposure time : 103 weeks
 Result : negative
 Remarks : Based on data from similar materials

Species : Mouse
 Application Route : Ingestion
 Exposure time : 103 weeks
 Result : negative
 Remarks : Based on data from similar materials

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 20 mg/kg body weight
 Result: Fetotoxicity

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: LOAEL: 40 mg/kg body weight

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Reproductive toxicity - Assessment : Result: Fetotoxicity
 : Some evidence of adverse effects on development, based on animal experiments.

oxfendazole:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat, male
 Application Route: Oral
 Fertility: NOAEL: 17 mg/kg body weight
 Target Organs: Testes
 Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Fertility: NOAEL: 0.9 mg/kg body weight
 Target Organs: Liver
 Result: No effects on fertility

Test Type: Fertility
 Species: Mouse
 Application Route: Oral
 Duration of Single Treatment: 1 Months
 Fertility: NOAEL: 750 mg/kg body weight
 Target Organs: Testes
 Result: Effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 10 mg/kg body weight
 Result: positive, Fetal effects

Test Type: Embryo-foetal development
 Species: Rat
 Developmental Toxicity: NOAEL: 10 mg/kg body weight
 Result: positive, Embryo-foetal toxicity

Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Oral
 Developmental Toxicity: NOAEL: 108 mg/kg body weight
 Result: positive, Embryo-foetal toxicity, foetal abnormalities

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Citric acid:

Effects on foetal development : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Silicon, amorphous:

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: positive
 Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
 Species: Mouse
 Application Route: Ingestion
 Result: positive
 Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
 Species: Mouse
 Application Route: inhalation (dust/mist/fume)
 Result: positive
 Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: inhalation (dust/mist/fume)
 Result: positive
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 414
 Result: negative
 Remarks: Based on data from similar materials

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.
 Remarks: Based on data from similar materials

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Tetrasodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Four-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Citric acid:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

levamisole hydrochloride:

Target Organs : Blood, Testis
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
Date of first issue: 2022/07/28

oxfendazole:

Exposure routes : Oral
Target Organs : Liver, Testis
Assessment : May cause damage to organs through prolonged or repeated exposure.

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Respiratory Tract
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.
Remarks : Based on data from similar materials

Exposure routes : Ingestion
Target Organs : Thyroid, Heart, Blood
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.
Remarks : Based on data from similar materials

Sodium selenate:

Exposure routes : Ingestion
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Tetrasodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Respiratory Tract
Assessment : Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.

Repeated dose toxicity**Components:****levamisole hydrochloride:**

Species : Rat
NOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Testis

Species : Dog
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Blood

Species : Dog

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
Date of first issue: 2022/07/28

LOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 3 Months

oxfendazole:

Species : Rat
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Blood, Liver, Testis

Species : Rat
NOAEL : 3.8 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver, Testis

Species : Mouse
NOAEL : 750 mg/kg
Application Route : Oral
Exposure time : 1 Months
Target Organs : Liver

Species : Mouse
NOAEL : 37.5 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Species : Dog
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 1 Months
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Lymph nodes, thymus gland

Species : Dog
NOAEL : 13.5 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Liver

Citric acid:

Species : Rat

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

NOAEL : 4,000 mg/kg
 LOAEL : 8,000 mg/kg
 Application Route : Ingestion
 Exposure time : 10 Days

Silicon, amorphous:

Species : Rat
 NOAEL : 1.3 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 13 Weeks
 Remarks : Based on data from similar materials

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
 LOAEL : > 10 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days
 Remarks : Based on data from similar materials

Species : Rat
 LOAEL : < 0.01 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 13 Weeks
 Method : OECD Test Guideline 413
 Remarks : Based on data from similar materials

Species : Mouse
 LOAEL : < 0.01 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 13 Weeks
 Method : OECD Test Guideline 413
 Remarks : Based on data from similar materials

Sodium selenate:

Species : Rat
 NOAEL : 0.4 mg/kg
 Application Route : Ingestion
 Exposure time : 13 Weeks

Tetrasodium ethylenediaminetetraacetate:

Species : Mouse
 NOAEL : ≥ 938 mg/kg
 Application Route : Ingestion
 Exposure time : 103 Weeks
 Remarks : Based on data from similar materials

Species : Rat
 LOAEL : 0.03 mg/l

Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	10822935-00004	Date of first issue: 2022/07/28

Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

levamisole hydrochloride:

Ingestion	:	Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension
-----------	---	--

Cobalt disodium ethylenediaminetetraacetate:

Inhalation	:	Target Organs: Respiratory system Remarks: Based on data from similar materials
Ingestion	:	Target Organs: Blood Remarks: Based on data from similar materials
		Target Organs: Heart
		Target Organs: Thyroid

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

levamisole hydrochloride:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

oxfendazole:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l Exposure time: 96 h
		LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l Exposure time: 96 h

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.059 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.023 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1

Polyethylene glycol stearate:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to microorganisms	:	EC10 (Bacteria): > 10,000 mg/l Exposure time: 16 h

Citric acid:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,535 mg/l Exposure time: 24 h

Silicon, amorphous:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic	:	EC50 (Desmodesmus subspicatus (green algae)): > 10,000

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

plants mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10,000 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Cobalt disodium ethylenediaminetetraacetate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10 (Danio rerio (zebra fish)): > 1 mg/l
 Exposure time: 34 d
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Hyalella azteca (Amphipod)): > 0.01 - 0.1 mg/l
 Exposure time: 28 d
 Method: OECD Test Guideline 211
 Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Sodium selenate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l
 Exposure time: 96 h
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
 Exposure time: 48 h
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l
 Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l
 Exposure time: 96 h

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1 mg/l Exposure time: 258 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 0.1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC10 (activated sludge): 590 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Tetrasodium ethylenediaminetetraacetate:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 121 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 140 mg/l Exposure time: 48 h Method: DIN 38412 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3.
Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): > 25.7 mg/l Exposure time: 35 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 25 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC10: > 1,000 mg/l Exposure time: 30 min Method: ISO 8192

Persistence and degradability

Components:

oxfendazole:

Stability in water	:	Hydrolysis: < 5 % (4 d)
--------------------	---	-------------------------

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
Date of first issue: 2022/07/28

Polyethylene glycol stearate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 10 d
Method: OECD Test Guideline 302B

Citric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Tetrasodium ethylenediaminetetraacetate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 - 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301E
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****oxfendazole:**

Partition coefficient: n-octanol/water : log Pow: 1.95

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72

Cobalt disodium ethylenediaminetetraacetate:

Partition coefficient: n-octanol/water : log Pow: -3.86
Remarks: Calculation

Tetrasodium ethylenediaminetetraacetate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.8

Mobility in soil**Components:****oxfendazole:**

Distribution among environmental compartments : log Koc: 3.2

Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	10822935-00004	Date of first issue: 2022/07/28

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Sodium salt of 2,2',2'',2'''-(ethane-1,2-diylidinitrilo)tetraacetic acid	268

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
levamisole hydrochloride	>=1 - <10	From April 1st, 2025
Amorphous silica (silica gel, precipitated silica)	>=1 - <10	From April 1st, 2026

Levamisole / Oxfendazole Selenised Formulation

Version 4.0 Revision Date: 2023/09/30 SDS Number: 10822935-00004 Date of last issue: 2023/04/04
 Date of first issue: 2022/07/28

Cobalt and its compounds	>=0.1 - <1	-
Selenium and its compounds	>=0.1 - <1	-

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
levamisole hydrochloride	From April 1st, 2025
silica gel	From April 1st, 2026
Cobalt and its compounds	-

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Poisonous substance

Chemical name	Cabinet Order Number
Sodium selenate and preparations containing it	18

Deleterious substance

Chemical name	Cabinet Order Number
(S)-2,3,5,6-Tetrahydro-6-phenylimidazo[2,1-b]thiazole, its salts and preparations containing some of them	71.3

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	10822935-00004	Date of first issue: 2022/07/28

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	10822935-00004	Date of first issue: 2022/07/28

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN