



Version 2.6	Revision Date: 28.09.2024	SDS Number 5360095-000				
	1: IDENTIFICATION uct name	: Levamiso	ble / Oxyclozanide Formulation			
Manu	ufacturer or supplier	s details				
Com	pany	: Intervet A	Australia Pty Limited (trading as MSD Animal Health			
Address :			91-105 Harpin Street Bendigo 3550, Victoria Austrailia			
Telep	Telephone :		1 800 033 461			
Emer	rgency telephone num	ber : Poisons	nformation Centre: Phone 13 11 26			
E-ma	E-mail address :		EHSDATASTEWARD@msd.com			
Reco	ommended use of the	e chemical and r	estrictions on use			
Recommended use : Restrictions on use :			Veterinary product Not applicable			
SECTION	2. HAZARDS IDENT	IFICATION				
GHS	Classification					
Door	aduativa taviaitu	· Cotogon				

Reproductive toxicity	: Category 2
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H361d Suspected of damaging the unborn child.
Precautionary statements	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention.
	Storage: P405 Store locked up.



Version	Revision Date:	SDS Number:	Da
2.6	28.09.2024	5360095-00013	Da

Date of last issue: 06.04.2024 Date of first issue: 19.12.2019

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Kaolin	1332-58-7	< 10
oxyclozanide	2277-92-1	>= 3 -< 10
levamisole hydrochloride	16595-80-5	< 3
Citric acid	77-92-9	< 10

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Suspected of damaging the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media :

Water spray

Alcohol-resistant foam



Version 2.6	Revision Date: 28.09.2024		0S Number: 60095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
			Carbon dioxide (0 Dry chemical	CO2)
Unsui media	itable extinguishing	:	None known.	
•	Specific hazards during fire- fighting		Exposure to com	bustion products may be a hazard to health.
Haza ucts	Hazardous combustion prod- ucts		Carbon oxides Chlorine compou Nitrogen oxides (l	
Speci ods	Specific extinguishing meth- ods		cumstances and t Use water spray t	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
	al protective equipment efighters	:		e, wear self-contained breathing apparatus. tective equipment.
Hazcl	nem Code	:	•3Z	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).		
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. 		



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.6	28.09.2024	5360095-00013	Date of first issue: 19.12.2019

SECTION 7. HANDLING AND STORAGE

:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. Use only with adequate ventilation. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the
:	use of administrative controls. Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations. Do not store with the following product types: Strong oxidizing agents
	:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Kaolin	1332-58-7	TWA	10 mg/m3	AU OEL
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
oxyclozanide	2277-92-1	TWA	0.4 mg/m3 (OEB 2)	Internal
levamisole hydrochloride	16595-80-5	TWA	20 µg/m3 (OEB 3)	Internal
	Further inform	ation: Skin		
		Wipe limit	200 µg/100 cm ²	Internal



ersion .6	Revision Date: 28.09.2024	SDS Number: 5360095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019		
Engir	neering measures	technologies less quick con All engineerin design and op protect produ Containment are required t	ng controls should be implemented by facility perated in accordance with GMP principles to cts, workers, and the environment. technologies suitable for controlling compounds to control at source and to prevent migration of d to uncontrolled areas (e.g., open-face con- ices).		
Perso	onal protective equip	ment			
Respiratory protection		sure assessm ommended g	 If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Particulates type 		
Hand	protection				
Ma	aterial	: Chemical-res	istant gloves		
	emarks protection	If the work en mists or aero Wear a faces potential for c	ble gloving. glasses with side shields or goggles. wironment or activity involves dusty conditions, sols, wear the appropriate goggles. hield or other full face protection if there is a direct contact to the face with dusts, mists, or		
Skin a	and body protection	Additional bo task being pe posable suits	or laboratory coat. dy garments should be used based upon the prformed (e.g., sleevelets, apron, gauntlets, dis-) to avoid exposed skin surfaces. ate degowning techniques to remove potentially I clothing.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available



Version 2.6	Revision Date: 28.09.2024		S Number: 60095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
	_			
Flash	n point	•	No data available	
Evap	oration rate	:	No data available	2
Flam	mability (solid, gas)	:	Not applicable	
Flam	mability (liquids)	:	No data available	9
	er explosion limit / Upper nability limit	:	No data available	
	er explosion limit / Lower nability limit	:	No data available	
Vapo	ur pressure	:	No data available)
Relat	ive vapour density	:	No data available	9
Relat	ive density	:	No data available	9
Dens	ity	:	No data available)
	bility(ies) /ater solubility	:	No data available	9
	ion coefficient: n-	:	Not applicable	
	ol/water ignition temperature	:	No data available)
Deco	mposition temperature	:	No data available)
Visco Vi	osity scosity, kinematic	:	No data available)
Explo	osive properties	:	Not explosive	
Oxidi	zing properties	:	The substance o	r mixture is not classified as oxidizing.
Mole	cular weight	:	No data available)
	cle characteristics cle size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.



ersion B	Revision Date: 28.09.2024		9S Number: 60095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
Hazardo		:		ecomposition products are known.
	I. TOXICOLOGICAL I	NF(Inhalation Skin contact Ingestion Eye contact	
Acute t	oxicity sified based on availa	blo	information	
Produc		DIE	iniomation.	
	ral toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2,000 mg/kg on method
<u>Compo</u>	nents:			
Kaolin:				
Acute o	ral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
Acute d	ermal toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
oxycloz	zanide:			
-	ral toxicity	:	LD50 (Rat): 3,519 Target Organs: C) mg/kg entral nervous system
Acute to adminis	oxicity (other routes of tration)	:	LDLo (sheep): 10 Application Route	
levamis	sole hydrochloride:			
	ral toxicity	:	LD50 (Rat): 180 r	ng/kg
			LD50 (Mouse): 22	23 mg/kg
			LD50 (Rabbit): 45	i8 mg/kg
Acute ir	halation toxicity	:	Remarks: No data	a available
Acute d	ermal toxicity	:	Remarks: No data	a available
Citric a	cid:			
Acute o	ral toxicity	:	LD50 (Mouse): 5,	400 mg/kg
Acute d	ermal toxicity	:	LD50 (Rat): > 2,0 Method: OECD T Assessment: The toxicity	



sion	Revision Date: 28.09.2024	-	0S Number: 60095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
-	corrosion/irritation lassified based on ava	ailable	information.	
Comp	oonents:			
Kaoli	n:			
Speci Metho Resul	bd	:	Rabbit OECD Test Guid No skin irritation	
oxycl	ozanide:			
Rema		:	Not classified du	ue to lack of data.
levan	nisole hydrochloride	:		
Rema	•	:	No data availab	le
Citric	acid:			
Speci Metho Resul	bd	:	Rabbit OECD Test Gui No skin irritation	
Serio	us eye damage/eye i	irritati	on	
	lassified based on ava			
Comp	oonents:			
Kaoli	n:			
Speci Resul		:	Rabbit No eye irritation	
oxycl	ozanide:			
Rema	arks	:	Not classified du	ue to lack of data.
levan	nisole hydrochloride	:		
Rema	arks	:	No data availab	le
Citric	acid:			
Speci		:	Rabbit	roversing within 01 days
Resul Metho		:	OECD Test Gui	, reversing within 21 days deline 405

Skin sensitisation

Not classified based on available information.



Version 2.6	Revision Date: 28.09.2024	-	0S Number: 60095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
-	viratory sensitisation lassified based on avai	lable	information.	
Com	ponents:			
	lozanide:		Danad	
Rema	sure routes arks	:	Dermal Not classified due	e to lack of data.
leva r Rema	nisole hydrochloride: arks	:	No data available	
Chro	nic toxicity			
	n cell mutagenicity lassified based on avai	ilable	information.	
Com	ponents:			
-	lozanide: otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Test Type: Chron Test system: Hun Result: positive	nosomal aberration nan lymphocytes
			Test Type: Mouse Result: positive	e Lymphoma
Geno	otoxicity in vivo	:	Test Type: Micror Species: Mouse Application Route Result: negative	
			Test Type: unsch Species: Rat Cell type: Liver ce Application Route Result: negative	
	n cell mutagenicity - ssment	:	Weight of evidend cell mutagen.	ce does not support classification as a germ
levar	nisole hydrochloride:			
	otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Test Type: Chron Result: negative	nosome aberration test in vitro



ersion B	Revision Date: 28.09.2024	SDS Numb 5360095-0	
Citaia			
	; acid: toxicity in vitro		vpe: Bacterial reverse mutation assay (AMES) negative
			/pe: in vitro micronucleus test positive
			/pe: Bacterial reverse mutation assay (AMES) negative
Genotoxicity in vivo		cytogei Specie Applica	ype: Mutagenicity (in vivo mammalian bone-marrow netic test, chromosomal analysis) s: Rat ation Route: Ingestion negative
	i nogenicity lassified based on av	ailable informat	ion.
<u>Com</u>	ponents:		
oxyc	lozanide:		
Rema	arks	: Not cla	ssified due to lack of data.
levan	nisole hydrochlorid	<u>.</u>	
Speci	-	: Mouse	
Applio	cation Route	: Oral	
	sure time	: 2 Years	
NOAI Rema			kg body weight nificant adverse effects were reported
Speci	ios	: Rat	
	cation Route	: Oral	
Expo	sure time	: 2 Years	
NOAI Rema			kg body weight nificant adverse effects were reported
	oductive toxicity	. 110 3191	
Susp	ected of damaging th	e unborn child.	
<u>Com</u>	ponents:		
-	lozanide:		
Effect	ts on fertility	Specie Applica Genera Sympto	/pe: Two-generation reproduction toxicity study s: Rat, male and female ation Route: Oral al Toxicity - Parent: NOAEL: 25 - 35 mg/kg body weig oms: Reduced body weight, No effects on embryofoe stnatal development



Version 2.6	Revision Date: 28.09.2024	SDS Number: 5360095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
		Species: Rat Application Rou General Toxicit weight	ry - Parent: LOAEL: 75 - 100 mg/kg body duced body weight, No effects on embryofoeta levelopment
		Species: Rat Application Rou Early Embryon weight	o-generation reproduction toxicity study ute: Oral ic Development: LOAEL: 75 - 100 mg/kg body toxicity, No teratogenic effects
		Species: Rat Application Rou General Toxicit weight	e-generation reproduction toxicity study ute: Oral y - Parent: LOAEL: 80 - 160 mg/kg body toxicity, No teratogenic effects, No effects on
Effects ment	on foetal develop-		
			t
Reprod sessme	luctive toxicity - As- ent	: Suspected of d	amaging the unborn child.
levami	sole hydrochloride:		
	on fertility	Species: Rat Application Rou	ee-generation reproduction toxicity study ute: Oral ificant adverse effects were reported
Effects ment	on foetal develop-	: Test Type: Eml Species: Rat	bryo-foetal development



Version 2.6	Revision Date: 28.09.2024		DS Number: 60095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
			Result: Fetotoxic Test Type: Embr Species: Rabbit Application Rout Developmental T	oxicity: NOAEL: 20 mg/kg body weight ity yo-foetal development e: Oral oxicity: LOAEL: 40 mg/kg body weight
Repro sessr	oductive toxicity - As- nent	:	Result: Fetotoxic Some evidence of animal experime	of adverse effects on development, based on
	e acid: ts on foetal develop-	:	Test Type: One- Species: Rat Application Rout Result: negative	generation reproduction toxicity study e: Ingestion
Not c	F - single exposure lassified based on availa ponents:	able	information.	
Expo Targe	lozanide: sure routes et Organs ssment	:	Oral Central nervous May cause dama	
	acid: ssment	:	May cause respi	ratory irritation.
Not c	F - repeated exposure lassified based on availa ponents:	able	information.	
oxyc Targe	lozanide: et Organs ssment	:	Brain, Liver May cause dama exposure.	age to organs through prolonged or repeated
Targe	nisole hydrochloride: et Organs ssment	:	Blood, Testis May cause dama exposure.	age to organs through prolonged or repeated



ersion 6	Revision Date: 28.09.2024	SDS Number: 5360095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
Rene	ated dose toxicity		
-	oonents:		
oxvcl	ozanide:		
Specie NOAE LOAE Applic Expos	es EL Eation Route sure time t Organs	: Rat : 9 mg/kg : 44.5 mg/kg : Oral : 3 Months : Brain, Liver, sp : Liver effects	leen, Adrenal gland
Specie NOAE LOAE Applic Expos	es EL EL cation Route sure time t Organs	: Dog : 5 mg/kg : 25 mg/kg : Oral : 3 Months : Brain, Liver : blood effects, a	alteration in liver enzymes
levarr	nisole hydrochloride		
Expos		: Rat : 2.5 mg/kg : Oral : 18 Months : Testis	
Expos		: Dog : 20 mg/kg : Oral : 18 Months : Blood	
		: Dog : 40 mg/kg : Oral : 3 Months	
Citric	acid:		
	EL	: Rat : 4,000 mg/kg : 8,000 mg/kg : Ingestion : 10 Days	

Not classified based on available information.



Version 2.6			DS Number: 360095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
oxycl	oonents: ozanide:			
NOT A	oplicable			
-	rience with human ex	posi	ure	
<u>Comp</u>	oonents:			
-	ozanide:			
Inges	tion	:	Symptoms: May nervous system	cause, Gastrointestinal disturbance, Central depression
levan	nisole hydrochloride:			
Inges	tion	:	Symptoms: Naus tension	sea, Vomiting, Headache, Dizziness, hypo-
SECTION	12. ECOLOGICAL INF	ORI	MATION	
Ecoto	oxicity			
Com	oonents:			
oxycl	ozanide:			
	ity to daphnia and othe ic invertebrates	r:	Exposure time: 4	magna (Water flea)): 0.69 mg/l 8 h Fest Guideline 202
levan	nisole hydrochloride:			
	ty to fish	:	Exposure time: 9	tipes (Japanese medaka)): 37.3 mg/l l6 h Fest Guideline 203
	ty to daphnia and othe ic invertebrates	r :	Exposure time: 4	magna (Water flea)): 64 mg/l 8 h Fest Guideline 202
Citric	acid:			
Toxic	ty to fish	:	LC50 (Pimephale Exposure time: 9	es promelas (fathead minnow)): > 100 mg/l 16 h
	ty to daphnia and othe ic invertebrates	r:	EC50 (Daphnia r Exposure time: 2	nagna (Water flea)): 1,535 mg/l 24 h
Persi	stence and degradab	ility		
Com	oonents:			
oxycl	ozanide:			
Stabil	ity in water	:	Hydrolysis: 50 %	(156 d)



ersion 6	Revision Date: 28.09.2024		DS Number: 60095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
			Method: OECD	Test Guideline 111
Citric	acid:			
	gradability	:		biodegradable.
			Biodegradation Exposure time:	
				Test Guideline 301B
Bioac	cumulative potential			
	ponents:			
	ozanide:			
Partiti	on coefficient: n-	:	log Pow: 3.99	
octan	ol/water		pH: 7 Method: OECD	Test Guideline 107
Citric				
	on coefficient: n- ol/water	:	log Pow: -1.72	
	lity in soil			
Comp	oonents:			
oxvcl	ozanide:			
Distrik	oution among environ-	:		
menta	al compartments		Method: OECD	Test Guideline 106
Other	adverse effects			
No da	ita available			
CTION	13. DISPOSAL CONSI	DEF	RATIONS	
D'				
-	osal methods e from residues		Do not dianago	of worth into nowor
vvaste		•		of waste into sewer. ccordance with local regulations.
Conta	minated packaging	:	Empty containe	rs should be taken to an approved waste h
				cycling or disposal. specified: Dispose of as unused product.
	14. TRANSPORT INFO			· · ·
Interr	national Regulations			

UNRTDG UN number

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name : N.O.S. (oxyclozanide)



Versio 2.6	n	Revision Date: 28.09.2024		0S Number: 60095-00013	Date of last issue: 06.04.2024 Date of first issue: 19.12.2019
0				0	
-	lass	g group	÷	9 III	
	abels	g group	÷	9	
Ei	nviron	mentally hazardous	:	yes	
	ATA-D	••••			
-	IN/ID N		:	UN 3082	
		shipping name	:	(oxyclozanide)	nazardous substance, liquid, n.o.s.
	lass		:	9	
	acking abels	g group	÷	III Miscellaneous	
		g instruction (cargo	:	964	
ai	ircraft)	g monuolion (ourgo	•	001	
		g instruction (passen-	:	964	
	er airc nviron	mentally hazardous	:	yes	
IN	MDG-0	Code			
U	IN nun	nber	:	UN 3082	
Pi	roper	shipping name	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID,
C	lass			(oxyclozanide)	
		g group	:	9 III	
	abels	g group	÷	9	
Ei	mS Co	ode	:	F-A, S-F	
Μ	larine	pollutant	:	yes	
Т	ransp	ort in bulk according	j to	Annex II of MARP	OL 73/78 and the IBC Code
N	lot app	licable for product as	sup	plied.	
N	lationa	al Regulations			
Α	DG				
	IN nun		:	UN 3082	
Pi	roper	shipping name	:	ENVIRONMENTA N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID,
				(oxyclozanide)	
	lass		:	9	
		g group	:		
	abels Iazche	m Code	:	9 •37	

Special precautions for user

Environmentally hazardous

Hazchem Code

:

: yes

•3Z

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.6	28.09.2024	5360095-00013	Date of first issue: 19.12.2019

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix- ture							
Therapeutic Goods (Poisons : Standard) Instrument		chedule 6 (Please use the original publication to check for pecific uses, specific conditions or threshold limits that might pply for this chemical)					
Prohibition/Licensing Requireme	ents :	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.					
The components of this product are reported in the following inventories:							
AICS :	not determined						
DSL :	not determined						

IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information							
Revision Date Sources of key data used to compile the Safety Data Sheet	:	28.09.2024 Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/					
Date format :		dd.mm.yyyy					
Full text of other abbreviations							
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)					
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.					
ACGIH / TWA	:	8-hour, time-weighted average					
AU OEL / TWA	:	Exposure standard - time weighted average					

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.6	28.09.2024	5360095-00013	Date of first issue: 19.12.2019

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN