according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Levamisole / Oxyclozanide Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : liquid

Colour: No data availableOdour: No data available

Suspected of damaging the unborn child. Toxic to aquatic life with long lasting effects.

GHS Classification

Reproductive toxicity : Category 2

Short-term (acute) aquatic

hazard

Category 2

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms

Signal word : Warning

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Hazard statements : H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Suspected of damaging the unborn child.

Environmental hazards

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) | |
|--------------------------|------------|-----------------------|--|
| Kaolin | 1332-58-7 | >= 1 -< 10 | |
| oxyclozanide | 2277-92-1 | >= 3 -< 10 | |
| levamisole hydrochloride | 16595-80-5 | >= 1 -< 2.5 | |
| Citric acid | 77-92-9 | >= 1 -< 10 | |

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Suspected of damaging the unborn child.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

Protection of first-aiders

In case of eye contact

delayed

First Aid responders should pay attention to self-protection. and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessmen

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis | | |
|--------------------------|----------------|-------------------------------------|--|----------|--|--|
| Kaolin | 1332-58-7 | TWA (Respirable particulate matter) | 2 mg/m3 | ACGIH | | |
| oxyclozanide | 2277-92-1 | TWA | 0.4 mg/m3 (OEB 2) | Internal | | |
| levamisole hydrochloride | 16595-80-5 | TWA | 20 μg/m3 (OEB 3) | Internal | | |
| | Further inform | Further information: Skin | | | | |
| | | Wipe limit | 200 μg/100 cm ² | Internal | | |

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2024/09/28 5360070-00012 2.0 Date of first issue: 2019/12/19

Components:

Kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

oxyclozanide:

Acute oral toxicity : LD50 (Rat): 3,519 mg/kg

Target Organs: Central nervous system

Acute toxicity (other routes of : LDLo (sheep): 10 mg/kg

administration)

Application Route: Intravenous

levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg

LD50 (Mouse): 223 mg/kg

LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity Remarks: No data available

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Kaolin:

Species : Rabbit

: OECD Test Guideline 404 Method

Result : No skin irritation

oxyclozanide:

Remarks : Not classified due to lack of data.

levamisole hydrochloride:

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Remarks : No data available

Citric acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Kaolin:

Species : Rabbit

Result : No eye irritation

oxyclozanide:

Remarks : Not classified due to lack of data.

levamisole hydrochloride:

Remarks : No data available

Citric acid:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

oxyclozanide:

Exposure routes : Dermal

Remarks : Not classified due to lack of data.

levamisole hydrochloride:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Components:

oxyclozanide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Test Type: Mouse Lymphoma

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat Cell type: Liver cells Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro micronucleus test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Carcinogenicity

Not classified based on available information.

Components:

oxyclozanide:

Remarks : Not classified due to lack of data.

levamisole hydrochloride:

Species: MouseApplication Route: OralExposure time: 2 Years

NOAEL : 80 mg/kg body weight

Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 40 mg/kg body weight

Remarks : No significant adverse effects were reported

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

oxyclozanide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 25 - 35 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofoetal

and postnatal development Result: No effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: LOAEL: 75 - 100 mg/kg body

weight

Symptoms: Reduced body weight, No effects on embryofoetal

and postnatal development Result: No effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: LOAEL: 75 - 100 mg/kg body

weight

Result: No fetotoxicity, No teratogenic effects

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: LOAEL: 80 - 160 mg/kg body

weight

Result: No fetotoxicity, No teratogenic effects, No effects on

fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 200 mg/kg body weight

Result: No fetotoxicity, No teratogenic effects

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 100 mg/kg body weight

Result: No fetotoxicity, No teratogenic effects

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 32 mg/kg body weight

Result: Fetotoxicity, Skeletal malformations

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Result: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: Fetotoxicity

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Citric acid:

Effects on foetal develop: Test Type: One-generation reproduction toxicity study

ment Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

oxyclozanide:

Exposure routes : Oral

Target Organs : Central nervous system
Assessment : May cause damage to organs.

Citric acid:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

oxyclozanide:

Target Organs : Brain, Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.

levamisole hydrochloride:

Target Organs : Blood, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

oxyclozanide:

Species : Rat

NOAEL : 9 mg/kg

LOAEL : 44.5 mg/kg

Application Route : Oral

Exposure time : 3 Months

Target Organs : Brain, Liver, spleen, Adrenal gland

Symptoms : Liver effects

Species : Dog NOAEL : 5 mg/kg

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

LOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Brain, Liver

Symptoms : blood effects, alteration in liver enzymes

levamisole hydrochloride:

Species : Rat

NOAEL : 2.5 mg/kg

Application Route : Oral

Exposure time : 18 Months

Target Organs : Testis

Species : Dog
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Blood

Species : Dog
LOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 3 Months

Citric acid:

Species : Rat

NOAEL : 4,000 mg/kg LOAEL : 8,000 mg/kg Application Route : Ingestion Exposure time : 10 Days

Aspiration toxicity

Not classified based on available information.

Components:

oxyclozanide:

Not applicable

Experience with human exposure

Components:

oxyclozanide:

Ingestion : Symptoms: May cause, Gastrointestinal disturbance, Central

nervous system depression

levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypo-

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

П tension

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

oxyclozanide:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.69 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox- : 1

M-Factor (Chronic aquatic

toxicity)

1

levamisole hydrochloride:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 64 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Citric acid:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,535 mg/l

Exposure time: 24 h

Persistence and degradability

Components:

oxyclozanide:

Stability in water Hydrolysis: 50 %(156 d)

Method: OECD Test Guideline 111

Citric acid:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 97 % Exposure time: 28 d

Method: OECD Test Guideline 301B

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Bioaccumulative potential

Components:

oxyclozanide:

Partition coefficient: n- : log Pow: 3.99

octanol/water pH: 7

Method: OECD Test Guideline 107

Citric acid:

Partition coefficient: n- : log Pow: -1.72

octanol/water

Mobility in soil

Components:

oxyclozanide:

Distribution among environ: log Koc: 4.83

mental compartments Method: OECD Test Guideline 106

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(oxyclozanide)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

(oxyclozanide)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(oxyclozanide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(oxyclozanide)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the cata-

logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import Not listed

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

16. OTHER INFORMATION

Revision Date : 2024/09/28

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data

eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

according to GB/T 16483 and GB/T 17519



Levamisole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2.0 2024/09/28 5360070-00012 Date of first issue: 2019/12/19

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN