

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	5360099-00012	Date of first issue: 2019/12/19

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name	:	Levamisole / Oxyclozanide Formulation
Supplier's company name, ac Company name of supplier		
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

### 2. HAZARDS IDENTIFICATION

GHS classification of chemical Reproductive toxicity :	product Category 2
Short-term (acute) aquatic : hazard	
Long-term (chronic) aquatic : hazard	Category 2
GHS label elements Hazard pictograms :	
Signal word :	Warning
Hazard statements :	H361d Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements :	<b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	5360099-00012	Date of first issue: 2019/12/19

P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Kaolin	1332-58-7	>= 1 - < 10	1-26
oxyclozanide	2277-92-1	>= 3 - < 10	9-1297
levamisole hydrochloride	16595-80-5	>= 1 - < 10	-
Citric acid	77-92-9	>= 1 - < 10	2-1318

#### 4. FIRST AID MEASURES

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical ac vice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medic advice.</li> </ul>	
If inhaled	: If inhaled, remove to fresh air. Get medical attention.	
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with soap and ple of water.</li> <li>Remove contaminated clothing and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>	nty
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.	
If swallowed	: If swallowed, DO NOT induce vomiting.	



Version 7.0	Revision Date: 2024/09/28		DS Number: 60099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
and delay Prote	t important symptoms effects, both acute and yed ection of first-aiders es to physician	:	Never give anyth Suspected of dar First Aid respond and use the reco when the potentia	ntion. oughly with water. ing by mouth to an unconscious person. naging the unborn child. ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8). ically and supportively.
5. FIREFI	IGHTING MEASURES			
Suita	able extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical	
Unsu medi	uitable extinguishing ia	:	None known.	
Spec fighti	cific hazards during fire- ing	:	Exposure to com	bustion products may be a hazard to health.
Haza ucts	ardous combustion prod-	:	: Carbon oxides Chlorine compounds Nitrogen oxides (NOx)	
Spec ods	cific extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
	cial protective equipment refighters	:		e, wear self-contained breathing apparatus. tective equipment.
6. ACCID	ENTAL RELEASE MEAS	SUF	RES	
tive e	onal precautions, protec- equipment and emer- cy procedures	:	Follow safe hand	tective equipment. ling advice (see section 7) and personal pro- t recommendations (see section 8).

gency procedures		tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Revision Date:

Version



Date of last issue: 2024/04/06

# Levamisole / Oxyclozanide Formulation

SDS Number:

7.0	2024/09/28		60099-00012	Date of first issue: 2019/12/19
	ods and materials for inment and cleaning up	:	For large spills, p ment to keep ma be pumped, store Clean up remain bent. Local or national posal of this mate employed in the mine which regul	rt absorbent material. provide dyking or other appropriate contain- terial from spreading. If dyked material can e recovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable.
				15 of this SDS provide information regarding ational requirements.
7. HANDL	ING AND STORAGE			
Hand	ling			
Techr	nical measures	:		measures under EXPOSURE RSONAL PROTECTION section.
Local	/Total ventilation	:		equate ventilation.
Advic	e on safe handling	:	Do not breathe n Do not swallow. Avoid contact with Avoid prolonged Wash skin thorou	nist or vapours.
			practice, based of sessment Do not eat, drink Take care to pre- environment.	on the results of the workplace exposure as- or smoke when using this product. vent spills, waste and minimize release to the
	ance of contact ne measures		flushing systems place. When using do n Wash contamina The effective ope engineering cont	emical is likely during typical use, provide ey and safety showers close to the working ot eat, drink or smoke. ted clothing before re-use. eration of a facility should include review of rols, proper personal protective equipment,
				wwning and decontamination procedures, e monitoring, medical surveillance and the ative controls.
Stora	-			
Condi	itions for safe storage	:	Keep in properly Store locked up.	labelled containers.
Mater	ials to avoid	:	Store in accorda	nce with the particular national regulations. the following product types: agents



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	5360099-00012	Date of first issue: 2019/12/19

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work en-	
vironment	

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Kaolin	1332-58-7	OEL-M (Respirable dust)	0.5 mg/m3	JP OEL JSOH
		OEL-M (Total dust)	2 mg/m3	JP OEL JSOH
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
oxyclozanide	2277-92-1	TŴA	0.4 mg/m3 (OEB 2)	Internal
levamisole hydrochloride	16595-80-5	TWA	20 µg/m3 (OEB 3)	Internal
	Further information	ation: Skin		
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Personal protective equipmen	t
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type : Hand protection	Particulates type
Material :	Chemical-resistant gloves
Remarks : Eye protection :	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a



Versior 7.0			S Number: 0099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
Sł	kin and body protection	:	aerosols. Work uniform or la Additional body ga task being perforn posable suits) to a	arments should be used based upon the ned (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. legowning techniques to remove potentially
9. PHY	SICAL AND CHEMICAL PR	ROP	ERTIES	
Pr	nysical state	:	liquid	
Co	blour	:	No data available	)
O	dour	:	No data available	
O	dour Threshold	:	No data available	9
M	elting point/freezing point	:	No data available	)
	piling point, initial boiling ant and boiling range	:	No data available	
Fla	ammability (solid, gas)	:	Not applicable	
Fla	ammability (liquids)	:	No data available	)
Lo	wer explosion limit and uppe Upper explosion limit / Up- per flammability limit	er ex :	•	
	Lower explosion limit / Lower flammability limit	:	No data available	
Fla	ash point	:	No data available	9
De	ecomposition temperature	:	No data available	)
p⊦	1	:	No data available	)
E٧	vaporation rate	:	No data available	)
Αι	uto-ignition temperature	:	No data available	9
Vi	scosity Viscosity, kinematic	:	No data available	)
So	blubility(ies) Water solubility	:	No data available	)
	artition coefficient: n- stanol/water	:	Not applicable	

Revision Date:

Version



Date of last issue: 2024/04/06

# Levamisole / Oxyclozanide Formulation

SDS Number:

SION	2024/09/28	5360099-00012	Date of first issue: 2019/12/19
Vapo	ur pressure	: No data availa	able
	ity and / or relative der elative density	nsity : No data availa	able
De	ensity	: No data availa	able
Relati	ive vapour density	: No data availa	able
Explo	sive properties	: Not explosive	
Oxidiz	zing properties	: The substanc	e or mixture is not classified as oxidizing.
Moleo	cular weight	: No data availa	able
	ele characteristics article size	: Not applicable	9
STAB	ILITY AND REACTIVI	ТҮ	
	tivity nical stability bility of hazardous rea	: Stable under	as a reactivity hazard. normal conditions. n strong oxidizing agents.
Cond Incom	itions to avoid npatible materials rdous decomposition lcts	: None known. : Oxidizing age : No hazardous	nts decomposition products are known.
TOXIC		ATION	
Inforn expos	nation on likely routes sure	of : Inhalation Skin contact Ingestion Eye contact	
	<b>e toxicity</b> lassified based on ava	ilable information.	
Produ			potimoto: > 2 000 mg/kg
Acute	e oral toxicity	Method: Calcu	estimate: > 2,000 mg/kg lation method
<u>Com</u>	oonents:		
Kaoli			<b>-</b> 000
		: LD50 (Rat): > 3	5,000 mg/kg
	e oral toxicity	. LD30 (Rai). > 3	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,



Versi 7.0	on	Revision Date: 2024/09/28		S Number: 60099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
ļ	Acute o	dermal toxicity	:	LD50 (Rat): > 5,00	)0 mg/kg
C	oxyclo	zanide:			
ľ	Acute o	oral toxicity	:	LD50 (Rat): 3,519 Target Organs: Ce	mg/kg entral nervous system
		oxicity (other routes of stration)	:	LDLo (sheep): 10 Application Route	
	levami	sole hydrochloride:			
		oral toxicity	:	LD50 (Rat): 180 m	ng/kg
				LD50 (Mouse): 22	3 mg/kg
				LD50 (Rabbit): 45	8 mg/kg
/	Acute i	nhalation toxicity	:	Remarks: No data	available
/	Acute c	dermal toxicity	:	Remarks: No data	available
(	Citric a	acid:			
Į/	Acute o	oral toxicity	:	LD50 (Mouse): 5,4	400 mg/kg
/	Acute o	dermal toxicity	:	LD50 (Rat): > 2,00 Method: OECD Te Assessment: The toxicity	
11	Skin co	orrosion/irritation			
1	Not cla	ssified based on availa	ble	information.	
<u>(</u>	Compo	onents:			
	Kaolin				
	Specie: Methoc		:	Rabbit OECD Test Guide	line 404
	Result		:	No skin irritation	
Ċ	oxyclo	zanide:			
<b>H</b> F	Remarl	ks	:	Not classified due	to lack of data.
I	levami	sole hydrochloride:			
<b>I</b> F	Remarl	ks	:	No data available	
(	Citric a	acid:			
	Specie: Methoc		:	Rabbit OECD Test Guide	line 404
11		<i>.</i>	•	CLOD Test Guide	



Version 7.0	Revision Date: 2024/09/28		DS Number: 60099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
Result		:	No skin irritation	
	s eye damage/eye irr			
	issified based on availa onents:	ble	information.	
<u>Comp</u> Kaolin				
Specie Result		:	Rabbit No eye irritation	
oxyclo	zanide:			
Remar	ks	:	Not classified due	to lack of data.
levami	sole hydrochloride:			
Remar	ks	:	No data available	
Citric	acid:			
Specie Result	S	:	Rabbit	reversing within 21 days
Method	b	:	OECD Test Guide	
Respir	atory or skin sensitis	atio	on	
	ensitisation Issified based on availa	ble	information.	
-	atory sensitisation			
	ssified based on availa	ble	information.	
	onents:			
	<b>zanide:</b> ure routes	:	Dermal	
Remar		:	Not classified due	to lack of data.
levami	sole hydrochloride:			
Remar	ks	:	No data available	
	cell mutagenicity		to formation a	
	issified based on availa onents:	ble	information.	
	ozanide:			
	oxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
11			Test Type: Chrom	nosomal aberration
			9 / 20	



re Re Re Sp Ap Re Sp Ce Ap Re Sp Ce Ap Re Cel Dride: Te Re Re Te Re Te Re Te Re Re Re Te Re Re Re Sp Ce Ap Re Sp Ce Ap Re Sp Ce Ap Re Sp Ap Re Sp Ce Sp Ce Sp Ce Te Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Ce Sp Sp Ce Sp Sp Ce Sp Sp Sp Sp Sp Sp Sp Sp Sp Sp Sp Sp Sp	Test system: Human lymphocytes Result: positive Test Type: Mouse Lymphoma Result: positive Test Type: Micronucleus test opecies: Mouse poplication Route: Oral Result: negative Test Type: unscheduled DNA synthesis assay opecies: Rat Cell type: Liver cells opplication Route: Oral Result: negative Veight of evidence does not support classification as a gerr ell mutagen. Test Type: Bacterial reverse mutation assay (AMES) Result: negative Type: Chromosome aberration test in vitro Result: negative
y - : We cel pride: : Te Sp Ce Ap Re Cel Cel Te Re Te Re Te Re Te Re Te Re	Result: positive rest Type: Micronucleus test application Route: Oral Result: negative rest Type: unscheduled DNA synthesis assay appecies: Rat cell type: Liver cells application Route: Oral Result: negative Veight of evidence does not support classification as a gerr ell mutagen. rest Type: Bacterial reverse mutation assay (AMES) Result: negative rest Type: Chromosome aberration test in vitro
Sp Ap Re Sp Ce Ap Re oride: : Te Re Te Re Te Re Te Re	Species: Mouse Application Route: Oral Result: negative Sest Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Result: negative Veight of evidence does not support classification as a gerr ell mutagen. Sest Type: Bacterial reverse mutation assay (AMES) Result: negative Sest Type: Chromosome aberration test in vitro
Sp Ce Ap Re oride: : Te Re Re Te Re Te Re Re	Species: Rat Cell type: Liver cells Application Route: Oral Result: negative Veight of evidence does not support classification as a gerr ell mutagen. Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro
cel oride: : Te Re Te Re Re Te Re	ell mutagen. Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro
: Te Re Te Re : Te Re Re	Result: negative Test Type: Chromosome aberration test in vitro
Re Te Re Te Re Re	Result: negative Test Type: Chromosome aberration test in vitro
Re : Te Re Re	
Re Te Re	
Re Te Re	
Re	est Type: Bacterial reverse mutation assay (AMES)
Те	est Type: in vitro micronucleus test Result: positive
	est Type: Bacterial reverse mutation assay (AMES) Result: negative
cyt Sp Ap	est Type: Mutagenicity (in vivo mammalian bone-marrow ytogenetic test, chromosomal analysis) pecies: Rat pplication Route: Ingestion tesult: negative
<b>)</b>	A

Components:

### oxyclozanide:

Remarks

: Not classified due to lack of data.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	5360099-00012	Date of first issue: 2019/12/19

# levamisole hydrochloride:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
NÓAEL	:	80 mg/kg body weight
Species Application Route Exposure time NOAEL Remarks	:	No significant adverse effects were reported
Species Application Route Exposure time NOAEL Remarks	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NUAEL	:	40 mg/kg body weight

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

oxyclozanide:	
Effects on fertility	<ul> <li>Test Type: Two-generation reproduction toxicity study Species: Rat, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 25 - 35 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development Result: No effects on fertility</li> </ul>
	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: LOAEL: 75 - 100 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development Result: No effects on fertility
	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 75 - 100 mg/kg body weight Result: No fetotoxicity, No teratogenic effects
	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: LOAEL: 80 - 160 mg/kg body weight Result: No fetotoxicity, No teratogenic effects, No effects on fertility
Effects on foetal develop-	: Test Type: Development



Version 7.0	Revision Date: 2024/09/28	SDS Number: 5360099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
ment		Result: No fe Test Type: D Species: Rat Application R General Toxi Result: No fe Test Type: D Species: Rat Application R Developmen	tal Toxicity: NOAEL: 200 mg/kg body weight totoxicity, No teratogenic effects evelopment coute: Oral city Maternal: LOAEL: 100 mg/kg body weight totoxicity, No teratogenic effects evelopment bbit
Repro sessm	ductive toxicity - As- nent	: Suspected of	damaging the unborn child.
	<b>hisole hydrochloride:</b> s on fertility	Species: Rat Application R	
Effect ment	ment Spe App Dev Res Tes Spe App Dev		coute: Oral cal Toxicity: NOAEL: 20 mg/kg body weight oxicity mbryo-foetal development obit coute: Oral cal Toxicity: LOAEL: 40 mg/kg body weight
Repro sessm	ductive toxicity - As- nent	Result: Fetot : Some eviden animal exper	ce of adverse effects on development, based on
Citric Effect ment	acid: s on foetal develop-	Species: Rat	oute: Ingestion

### STOT - single exposure

Not classified based on available information.



Version 7.0	Revision Date: 2024/09/28		DS Number: 60099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
Comp	onents:			
	ozanide:		Oral	
Exposi	ure routes Organs		Oral Central nervous	system
Assess		:	May cause dam	
Citric	acid:			
Assess		:	May cause resp	iratory irritation.
STOT	- repeated exposure			
	assified based on availa	able	information.	
	onents:			
	ozanide:			
Target	Organs	:	Brain, Liver	
Assess		:		age to organs through prolonged or repeated
11			exposure.	
levami	isole hydrochloride:			
Target	Organs	:	Blood, Testis	
Assess	sment	:	May cause dam exposure.	age to organs through prolonged or repeated
Repea	ted dose toxicity			
<u>Comp</u>	onents:			
oxyclo	zanide:			
Specie			Rat	
NOAE		÷	9 mg/kg	
LOAEL	_	:	44.5 mg/kg	
	ation Route	:	Oral	
	ure time	:	3 Months	
	Organs	:		een, Adrenal gland
Sympt	oms	•	Liver effects	
Specie	S	:	Dog	
NOAE	L	:	5 mg/kg	
LOAEL		:	25 mg/kg	
	ation Route	:	Oral	
Expos	ure time	:	3 Months	
l arget Sympt	Organs oms	:	Brain, Liver blood effects, al	teration in liver enzymes
lovom	icolo hydrochlorida.			
	isole hydrochloride:		Rat	
Specie NOAE	:5 	:	2.5 mg/kg	
	_	·		



ersion 0	Revision Date: 2024/09/28	SDS Num 5360099-	
	cation Route	: Oral	
Expos	sure time t Organs	: 18 Mo : Testis	
Speci LOAE		: Dog	
	ation Route	: 20 mg : Oral	∦∧g
Expos	sure time	: 18 Mc	
Targe	t Organs	: Blood	
Speci		: Dog	_
LOAE	L cation Route	: 40 mg : Oral	j/kg
	sure time	: 3 Mor	iths
Citric	acid:		
Speci		: Rat	
NOAE LOAE			mg/kg mg/kg
	ation Route	: 0,000	
	sure time	: 10 Da	
Aspir	ation toxicity		
Not cl	assified based on ava	ilable informa	ation.
<u>Com</u> p	oonents:		
-	ozanide:		
Not a	oplicable		
Expe	rience with human e	xposure	
<u>Comp</u>	oonents:		
oxycl	ozanide:		
Inges	tion		toms: May cause, Gastrointestinal disturbance, Central us system depression
levan	nisole hydrochloride	:	
Inges	tion	: Symp tensio	toms: Nausea, Vomiting, Headache, Dizziness, hypo- n

Ecotoxicity

Components:

oxyclozanide:

### SAFETY DATA SHEET



Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 0.69 mg/l Exposure time: 48 h Method: OECD Test Guideline 202         M-Factor (Acute aquatic tox- icity)       :       1         M-Factor (Chronic aquatic ity)       :       1         M-Factor (Chronic aquatic ity)       :       1         M-Factor (Chronic aquatic ity)       :       1         Variation       :       1         Toxicity       ity       :       1         Itoxicity       :       :       :         Toxicity to fish       :       :       :         aquatic invertebrates       :       :       :         Toxicity to daphnia and other       :       :       :         aquatic invertebrates       :       :       :         Toxicity to daphnia and other       :       :       :       :         Toxicity to fish       :	Version 7.0	Revision Date: 2024/09/28	-	0S Number: 60099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
aquatic invertebrates       Exposure time: 48 h         Method: OECD Test Guideline 202         M-Factor (Acute aquatic tox- icity)       1         M-Factor (Chronic aquatic ixvicity)       1         Itoxicity)       Examisole hydrochloride:         Toxicity to fish       :       LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Exposure time: 96 h         Method: OECD Test Guideline 203       Toxicity to daphnia and other       :         Citric acid:       :       C50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202         Citric acid:       :       :       LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l         aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l         aquatic invertebrates       :       Exposure time: 24 h         Persistence and degradability       :       Components:         oxyclozanide:       :       Hydrolysis: 50 %(156 d) Method: OECD Test Guideline 111         Citric acid:       :       Result: Readily biodegradable. Biodegradability       :         Bioaccumulative potential       : <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
Idity)       M-Factor (Chronic aquatic : 1         Invacisity)       Ievamisole hydrochloride:         Toxicity to fish       :       LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202         Citric acid:       :       :         Toxicity to dish       :       LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l Exposure time: 24 h         Persistence and degradability       :       Components:         oxyclozanide:       :       :         Stability in water       :       Hydrolysis: 50 %(156 d) Method: OECD Test Guideline 111         Citric acid:       :       Result: Readily biodegradable. Biodegradability       :         Biodegradability       :       Result: Readily biodegradable. Biodegradability       :         Biodegradability       :       Result: Readily biodegradable. Biodegradability       :         Biodegradability       :       Result: Readily biodegradable. Biodegradability       :         Bioaccumulative potential       :       :       :         Components:       : <td></td> <td></td> <td>:</td> <td>Exposure time: 4</td> <td>8 h</td>			:	Exposure time: 4	8 h
M-Factor (Chronic aquatic       :       1         toxicity)       tevanisole hydrochloride:         Toxicity to fish       :       LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l         Exposure time: 96 h       Method: OECD Test Guideline 203         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 64 mg/l         aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 64 mg/l         iaquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 64 mg/l         Toxicity to fish       :       LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l         Exposure time: 96 h       :       Toxicity to daphnia and other         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l         aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l         Exposure time: 24 h       :       Persistence and degradability         Components:       :       Method: OECD Test Guideline 111         Citric acid:       :       Biodegradability       :         Biodegradability       :       Result: Readily biodegradable.       Biodegradabile.         Biodegradability       :       Result: Readily biodegradable.       Biodegradabile.         Biodegradability       :		ctor (Acute aquatic tox-	:	1	
Toxicity to fish       :       LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202         Citric acid:       :       .       LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l Exposure time: 24 h         Persistence and degradability       :       Components: oxyclozanide:       :         Stability in water       :       Hydrolysis: 50 %(156 d) Method: OECD Test Guideline 111         Citric acid:       :       Result: Readily biodegradable. Biodegradability       :         Didegradability       :       Result: Readily biodegradable. Biodegradabile: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B         Bioaccumulative potential       :       Components: oxyclozanide:       :         Partition coefficient: n- octanol/water       :       !       !         Partition coefficient: n- octanol/water       :       !       !         Citric acid:       :       :       !       !         Partition coefficient: n- octanol/water       :       !       !         Citric acid:	M-Fa		:	1	
Toxicity to fish       :       LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202         Citric acid:       :       :       LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l Exposure time: 24 h         Persistence and degradability       :       Components: oxyclozanide:       :         Stability in water       :       :       Hydrolysis: 50 %(156 d) Method: OECD Test Guideline 111         Citric acid:       :       Result: Readily biodegradable. Biodegradability       :         Biodegradability       :       Result: Readily biodegradable. Biodegradabile: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B         Bioaccumulative potential       :       :       Iog Pow: 3.99 pH: 7 Method: OECD Test Guideline 107         Citric acid:       :       :       :       :       :         Citric acid:       :       :       :       :	levar	nisole hvdrochloride:			
aquatic invertebrates       Exposure time: 48 h Method: OECD Test Guideline 202         Citric acid:       Toxicity to fish       :         Toxicity to fish       :       LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l Exposure time: 24 h         Persistence and degradability       Components:         oxyclozanide:       :         Stability in water       :         Hydrolysis: 50 %(156 d) Method: OECD Test Guideline 111         Citric acid:       :         Biodegradability       :         Result: Readily biodegradable. Biodegradability         Biodegradability       :         Result: Readily biodegradable. Biodegradability         Biodegradability       :         Biodegradability         Bioaccumulative potential         Components:         oxyclozanide:         Partition coefficient: n- Octanol/water         Partition coefficient: n- Octanol/water         PH: 7 Method: OECD Test Guideline 107		•	:	Exposure time: 9	6 h
Toxicity to fish       ::       LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l         Exposure time: 96 h       :         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l         Exposure time: 24 h       :       Exposure time: 24 h         Persistence and degradability       :       Components:         oxyclozanide:       :       :         Stability in water       :       :         Biodegradability       :       Result: Readily biodegradable.         Biodegradability       :       Result: OECD Test Guideline 301B         Bioaccumulative potential       :       Components:         oxyclozanide:       :       :         Partition coefficient: n-       :       !         octanol/water       :       :         Partition coefficient: n-       :       !         Octanol/water       :       :         Detrict acid:       : <td></td> <td></td> <td>:</td> <td>Exposure time: 4</td> <td>8 h</td>			:	Exposure time: 4	8 h
Toxicity to fish       ::       LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l         Exposure time: 96 h       :         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 1,535 mg/l         Exposure time: 24 h       :       Exposure time: 24 h         Persistence and degradability       :       Components:         oxyclozanide:       :       :         Stability in water       :       :         Biodegradability       :       Result: Readily biodegradable.         Biodegradability       :       :         Bioaccumulative potential       :       Components:         oxyclozanide:       :       :         Partition coefficient: n-       :       :         octanol/water       :       :         OCTO Test Guideline 107       :       :         Citric acid:       :       :	Citric	acid:			
aquatic invertebrates       Exposure time: 24 h         Persistence and degradability         Components:         oxyclozanide:         Stability in water       Hydrolysis: 50 %(156 d) Method: OECD Test Guideline 111         Citric acid:         Biodegradability       Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B         Bioaccumulative potential       Omponents:         oxyclozanide:       Partition coefficient: n-         Partition coefficient: n-       I log Pow: 3.99 PH: 7 Method: OECD Test Guideline 107         Citric acid:       Citric acid:			:		
Components:         oxyclozanide:         Stability in water       :         Hydrolysis: 50 %(156 d)         Method: OECD Test Guideline 111         Citric acid:         Biodegradability       :         Result: Readily biodegradable.         Biodegradability       :         Hydrolycer       :         Bioaccumulative potential       :         Components:       :         oxyclozanide:       :         Partition coefficient: n-       :         octanol/water       :         PH: 7       :         Method: OECD Test Guideline 107         Citric acid:       :			:		
oxyclozanide:         Stability in water       :       Hydrolysis: 50 %(156 d) Method: OECD Test Guideline 111         Citric acid:       :         Biodegradability       :       Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B         Bioaccumulative potential       :         Components:       :         oxyclozanide:       :         Partition coefficient: n- octanol/water       :         Image:       :         Citric acid:       :	Persi	istence and degradabil	ity		
Stability in water       :       Hydrolysis: 50 %(156 d) Method: OECD Test Guideline 111         Citric acid:       Biodegradability       :       Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B         Bioaccumulative potential       Components:       oxyclozanide:         Partition coefficient: n- octanol/water       :       log Pow: 3.99 pH: 7 Method: OECD Test Guideline 107         Citric acid:       :       :       :	Com	ponents:			
Method: OECD Test Guideline 111  Citric acid: Biodegradability  Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B  Bioaccumulative potential  Components: oxyclozanide: Partition coefficient: n- octanol/water  I log Pow: 3.99 pH: 7 Method: OECD Test Guideline 107  Citric acid:	охус	lozanide:			
Biodegradability       : Result: Readily biodegradable.         Biodegradation: 97 %       Exposure time: 28 d         Method: OECD Test Guideline 301B         Bioaccumulative potential         Components:         oxyclozanide:         Partition coefficient: n-         octanol/water         pH: 7         Method: OECD Test Guideline 107	Stabi	lity in water	:		
Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B Bioaccumulative potential Components: oxyclozanide: Partition coefficient: n- octanol/water : log Pow: 3.99 pH: 7 Method: OECD Test Guideline 107 Citric acid:	Citric	c acid:			
Components:         oxyclozanide:         Partition coefficient: n-       : log Pow: 3.99         octanol/water       pH: 7         Method: OECD Test Guideline 107	Biode	egradability	:	Biodegradation: Exposure time: 2	97 % 8 d
oxyclozanide:         Partition coefficient: n-         octanol/water         pH: 7         Method: OECD Test Guideline 107	Bioa	ccumulative potential			
oxyclozanide:         Partition coefficient: n-         octanol/water         pH: 7         Method: OECD Test Guideline 107	Com	ponents:			
Partition coefficient: n- octanol/water : log Pow: 3.99 pH: 7 Method: OECD Test Guideline 107 Citric acid:		-			
	Partit	ion coefficient: n-	:	pH: 7	Fest Guideline 107
	II Citric	acid:			
			:	log Pow: -1.72	



)	Revision Date: 2024/09/28		DS Number: 60099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
octan	ol/water			
Mobi	lity in soil			
<u>Com</u>	oonents:			
oxyc	lozanide:			
	bution among environ- al compartments	:	0	Test Guideline 106
Haza	rdous to the ozone lay	er		
Not a	pplicable			
Othe	r adverse effects			
No da	ata available			
DISPC	SAL CONSIDERATIO	NS		
Dispo	osal methods			
-	e from residues		Dispose of in a	ccordance with local regulations.
Walt		•	Do not dispose	of waste into sewer.
Conta	aminated packaging	:		rs should be taken to an approved waste ha cycling or disposal.
				specified: Dispose of as unused product.
TRAN	SPORT INFORMATION	1		
. TRAN	SPORT INFORMATION	1		
	SPORT INFORMATION	J		
Interr UNR1	national Regulations	J	If not otherwise	
Interr UNR UN ni	national Regulations IDG umber	<b>I</b>	If not otherwise UN 3082	specified: Dispose of as unused product.
Interr UNR UN ni	national Regulations	<b>I</b> :	UN 3082 ENVIRONMEN N.O.S.	specified: Dispose of as unused product.
Interr UNR UN ni	national Regulations TDG umber er shipping name	<b>J</b> : : :	UN 3082 ENVIRONMEN	specified: Dispose of as unused product.
Interr UNR UN nu Prope Class Packi	national Regulations IDG umber er shipping name ng group	<b>1</b> : : :	If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III	
Interr UNR UN nu Prope Class Packi Label	national Regulations TDG umber er shipping name ng group s		If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9	specified: Dispose of as unused product.
Interr UNR UN nu Prope Class Packi Label Envire	national Regulations TDG umber er shipping name ng group s onmentally hazardous	<b>I</b> :: :: ::	If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III	specified: Dispose of as unused product.
Interr UNR UN ni Prope Class Packi Label Enviro	national Regulations TDG umber er shipping name ng group s onmentally hazardous -DGR	· · · · · · · · · · · · · · · · · · ·	If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9 yes	specified: Dispose of as unused product.
Interr UNR UN nu Prope Class Packi Label Enviro IATA	national Regulations TDG umber er shipping name ng group s onmentally hazardous -DGR		If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9 yes UN 3082 Environmentally	specified: Dispose of as unused product.
Interr UNR UN no Prope Class Packi Label Enviro IATA UN/IE Prope	national Regulations TDG umber er shipping name ing group s onmentally hazardous -DGR O No. er shipping name	<b>1</b>	If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9 yes UN 3082 Environmentally (oxyclozanide) 9	specified: Dispose of as unused product.
Intern UNR UN na Prope Class Packi Label Enviro IATA UN/IE Prope Class Packi	national Regulations TDG umber er shipping name ing group s onmentally hazardous -DGR O No. er shipping name ing group	· · · · · · · · · · · · · · · · · · ·	If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9 yes UN 3082 Environmentally (oxyclozanide) 9 III	specified: Dispose of as unused product.
Interr UNR UN ne Prope Class Packi Label Envire IATA UN/IE Prope Class Packi Label	national Regulations TDG umber er shipping name ing group s onmentally hazardous -DGR 0 No. er shipping name ing group s		If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9 yes UN 3082 Environmentally (oxyclozanide) 9 III Miscellaneous	specified: Dispose of as unused product.
Interr UNR UN ni Prope Class Packi Label Enviro IATA UN/IE Prope Class Packi Label Packi	national Regulations TDG umber er shipping name ing group s onmentally hazardous -DGR D No. er shipping name ing group s ng group s ng group s ng group s	<b>1</b>	If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9 yes UN 3082 Environmentally (oxyclozanide) 9 III	specified: Dispose of as unused product.
Interr UNR UN ni Prope Class Packi Label Envire IATA UN/IE Prope Class Packi Label Packi aircra Packi	national Regulations TDG umber er shipping name ang group s onmentally hazardous -DGR D No. er shipping name ang group s ng group s ng instruction (cargo ft) ng instruction (passen-	<b>1</b>	If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9 yes UN 3082 Environmentally (oxyclozanide) 9 III Miscellaneous	specified: Dispose of as unused product.
Interr UNR UN ni Prope Class Packi Label Envire IATA UN/IE Prope Class Packi Label Packi aircra Packi ger ai	national Regulations TDG umber er shipping name ing group s onmentally hazardous -DGR 0 No. er shipping name ing group s ng instruction (cargo ft)	<b>1</b>	If not otherwise UN 3082 ENVIRONMEN N.O.S. (oxyclozanide) 9 III 9 yes UN 3082 Environmentally (oxyclozanide) 9 III Miscellaneous 964	specified: Dispose of as unused product.



Version Revision 7.0 2024/09		
UN number Proper shipping	: UN 3082 name : ENVIRON	MENTALLY HAZARDOUS SUBSTANCE, LIQUID,

	N.O.S.	
	(oxyclozanide)	
Class	: 9	
Packing group	: 111	
Labels	: 9	
EmS Code	: F-A, S-F	
Marine pollutant	: yes	

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **ERG Code** : 171

### **15. REGULATORY INFORMATION**

#### **Related Regulations**

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### **Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

### **Circular concerning Information on Chemicals having Mutagenicity** - Annex 1: Information on Notified Substances having Mutagenicity Not applicable



ersion .0	Revision Date: 2024/09/28	SDS Number: 5360099-00012	Date of last issue: 2 Date of first issue: 2	
Article	tances Subject to be e 57-2 (Enforcement (			
-	mical name		Concentration (%)	Remarks
levar	misole hydrochloride		>=1 - <10	From April 1st, 2025
	tances Subject to be a 57 (Enforcement Or			
	mical name			Remarks
levar	misole hydrochloride			From April 1st, 2025
Not a Carci tions	pplicable inogenic Substance		equirements (ISHL MO e Occupational Health	
	nance on Prevention	of Hazards Due to S	pecified Chemical Sul	bstances
	nance on Prevention pplicable	of Lead Poisoning		
	nance on Prevention pplicable	of Tetraalkyl Lead P	oisoning	
	nance on Prevention pplicable	of Organic Solvent	Poisoning	
Subs	r <b>cement Order of the</b> tances) pplicable	e Industrial Safety an	d Health Law - Attach	ed table 1 (Dangerous
	onous and Deleterio pplicable	us Substances Conti	rol Law	
viron	-		s of Specific Chemical the Management The	Substances in the En- preof
-	Pressure Gas Safet	y Act		
-	psive Control Law			
Misce		substances and article		es on shipping and stor-
	ion Law	substances and article	s (Article 194 of The En	forcement Rules of Avia-



Version 7.0	Revision Date: 2024/09/28		DS Number: 360099-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/12/19
Marin	ne Pollution and Sea D	)isas	ster Prevention et	c Law
Bulk	transportation	:	Noxious liquid su	bstance(Category Z)
Pack	transportation	:	Classified as mar	ine pollutant
Narc	otics and Psychotropi	cs C	Control Act	
Not a Spec	otic or Psychotropic Rav pplicable ific Narcotic or Psychotr pplicable			ort Permission) port / Import permission)
	e Disposal and Public trial waste	Cle	ansing Law	
The c	components of this pro	odu	ct are reported in	the following inventories:
AICS		:	not determined	
DSL		:	not determined	
IECS	С	:	not determined	

### **16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

### Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd
Full text of other abbreviatio	ns	
ACGIH JP OEL JSOH	:	USA. ACGIH Threshold Limit Values (TLV) Japan. The Japan Society for Occupational Health. Recom- mendation of Occupational Exposure Limits
ACGIH / TWA JP OEL JSOH / OEL-M	:	8-hour, time-weighted average Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	5360099-00012	Date of first issue: 2019/12/19

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN