

Levothyroxine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Section 1: Identification

Product name : Levothyroxine Formulation

Other means of identification : Leventa (A010426)

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908

Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800

CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Flammable liquids : Category 3

Reproductive toxicity : Category 2

Specific target organ toxicity - :

repeated exposure

Category 1 (Thyroid, Cardio-vascular system, Central nervous

system)

GHS label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H361 Suspected of damaging fertility or the unborn child. H372 Causes damage to organs (Thyroid, Cardio-vascular system, Central nervous system) through prolonged or repeat-

ed exposure.



Levothyroxine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediate-

ly all contaminated clothing. Rinse skin with water.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Ethanol#	64-17-5	>= 10 -< 20	
levothyroxine sodium	55-03-8	>= 0.1 -< 1	

[#] Voluntarily-disclosed substance

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.



Levothyroxine Formulation

SDS Number: Date of last issue: 30.09.2023 Version Revision Date: 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code

Section 6: Accidental release measures

Personal precautions, protec- : tive equipment and emer-

gency procedures

Remove all sources of ignition. Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-



Levothyroxine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working



Levothyroxine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Poisonous gases

Explosives

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Ethanol	64-17-5	WES-TWA	1,000 ppm 1,880 mg/m3	NZ OEL		
	Further infor	Further information: Ototoxin				
		STEL	1,000 ppm	ACGIH		
levothyroxine sodium	55-03-8	TWA	0.1 μg/m3 (OEB 5)	Internal		
		Wipe limit	1 μg/100 cm ²	Internal		

Engineering measures

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to pre-

vent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the



Levothyroxine Formulation

Version Revision Date: 5.0 05.12.2023

SDS Number: 1130663-00018

Date of last issue: 30.09.2023 Date of first issue: 30.11.2016

workplace.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type

Material

Hand protection

: Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flam-

mable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Section 9: Physical and chemical properties

Appearance : Aqueous solution

Colour : colourless

Odour : slight

Odour Threshold : No data available

pH : 9.7 - 10.7

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 44 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable



Levothyroxine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.05 g/cm³

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Flammable liquid and vapour.

Vapours may form explosive mixt

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Acids

Hazardous decomposition

products

: No hazardous decomposition products are known.



Levothyroxine Formulation

Version SDS Number: Date of last issue: 30.09.2023 Revision Date: 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Section 11: Toxicological information

Inhalation Exposure routes

> Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

: LC50 (Rat): 124.7 mg/l Acute inhalation toxicity

Exposure time: 4 h Test atmosphere: vapour

levothyroxine sodium:

: TDLo (Humans): 10 mg/kg Acute oral toxicity

TDLo (Dog): 10 mg/kg

LD50 (Rat): > 1,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 50 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 20 mg/kg

administration)

Application Route: Intraperitoneal

LD50 (Rat): 50 mg/kg

Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethanol:

Species Rabbit

Method **OECD Test Guideline 404**

Result : No skin irritation



Levothyroxine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethanol:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: equivocal

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.



Levothyroxine Formulation

Date of last issue: 30.09.2023 Version **Revision Date:** SDS Number: 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Components:

Ethanol:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

levothyroxine sodium:

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 0.25 mg/kg body weight

Test Type: Development

Species: Mouse

Application Route: Oral

Developmental Toxicity: NOAEL: 3 mg/kg body weight

Test Type: Development

Species: Rabbit

Result: No teratogenic effects

Test Type: Development Species: Guinea pig

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Thyroid, Cardio-vascular system, Central nervous system) through prolonged or repeated exposure.

Components:

levothyroxine sodium:

Target Organs : Thyroid, Cardio-vascular system, Central nervous system Assessment

Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Ethanol:

Species Rat

NOAEL 1,280 mg/kg LOAEL 3,156 mg/kg



Levothyroxine Formulation

Version SDS Number: Date of last issue: 30.09.2023 Revision Date: 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Application Route : Ingestion Exposure time 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

levothyroxine sodium:

Target Organs: Thyroid Ingestion

Target Organs: Cardio-vascular system Target Organs: Central nervous system

Symptoms: Palpitation, hypotension, Tremors, Headache, increase in appetite, Sweating, Vomiting, Diarrhoea, Fever,

nervousness, weight loss

Section 12: Ecological information

Ecotoxicity

Components:

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to microorganisms

EC50 (Pseudomonas putida): 6,500 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Ethanol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 84 % Exposure time: 20 d



Levothyroxine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Bioaccumulative potential

Components:

Ethanol:

Partition coefficient: n-

octanol/water

: log Pow: -0.35

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1170
Proper shipping name : Ethanol solution

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo : 366

aircraft)

Packing instruction (passen:

ger aircraft)

355

IMDG-Code

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION



Levothyroxine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Class : 3
Packing group : III
Labels : 3

EmS Code : F-E, S-D Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION

Class : 3
Packing group : III
Labels : 3
Hazchem Code : 2Y
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mix-

HSNO Approval Number

HSR100757 Veterinary Medicines Limited Pack Size Finished Dose Group Standard

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 05.12.2023

Further information



Levothyroxine Formulation

SDS Number: Date of last issue: 30.09.2023 Version Revision Date: 5.0 05.12.2023 1130663-00018 Date of first issue: 30.11.2016

Sources of key data used to

compile the Safety Data

Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agencv. http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format dd.mm.yyyy

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV)

NZ OEL New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / STEL Short-term exposure limit

NZ OEL / WES-TWA Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-



Levothyroxine Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 05.12.2023
 1130663-00018
 Date of first issue: 30.11.2016

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN