

Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558924-00011
 Date of first issue: 14.01.2022

SECTION 1. IDENTIFICATION

Product name : Metamizol Injection Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma

Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity - :

repeated exposure (Oral)

Category 1 (Blood)

Short-term (acute) aquatic

hazard

Category 3

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs (Blood) through prolonged or

repeated exposure if swallowed. H402 Harmful to aquatic life.

H411 Toxic to aquatic life with long lasting effects.



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558924-00011
 Date of first issue: 14.01.2022

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Metamizol	68-89-3	>= 30 -< 50	
Benzyl alcohol	100-51-6	>= 1 -< 5	

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558924-00011 Date of first issue: 14.01.2022

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Protection of first-aiders

delayed

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558924-00011
 Date of first issue: 14.01.2022

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	



Metamizol Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 12.07.2023 30.09.2023 10558924-00011 Date of first issue: 14.01.2022 3.1

68-89-3 TWA 3 mg/m3 (OEB 1) Internal Metamizol

Engineering measures Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

If adequate local exhaust ventilation is not available or Respiratory protection

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection. Combined particulates and organic vapor type

Filter type Hand protection

Material Chemical-resistant gloves

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Work uniform or laboratory coat. Hygiene measures

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

liquid Appearance

Color colorless

Odor No data available

Odor Threshold No data available

рΗ No data available

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

Flash point No data available



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558924-00011 Date of first issue: 14.01.2022

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

Conditions to avoid

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Heat, flames and sparks. Avoid dust formation.

Incompatible materials : Oxidizing agents



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558924-00011
 Date of first issue: 14.01.2022

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Metamizol:

Acute oral toxicity : LD50 Oral (Rat): 3.000 mg/kg

Target Organs: Central nervous system

LD50 Oral (Rabbit): 2.150 mg/kg

Target Organs: Central nervous system

LD50 Oral (Guinea pig): 1.000 mg/kg Target Organs: Central nervous system

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558924-00011 Date of first issue: 14.01.2022

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Metamizol:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Test system: Chinese hamster lung cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558924-00011
 Date of first issue: 14.01.2022

Carcinogenicity

Not classified based on available information.

Components:

Metamizol:

Result

Species : Mouse, male Application Route : oral (feed) Exposure time : 2 Years

: 375 mg/kg bw/day

Result : negative

Species : Mouse, female Application Route : oral (feed) Exposure time : 2 Years

: 442 mg/kg bw/day

: negative

Species : Rat, male

Application Route : oral (drinking water)

Exposure time : 2 Years

: 150 mg/kg bw/day

Result : negative

Species : Rat, female

Application Route : oral (drinking water)

Exposure time : 2 Years

193 mg/kg bw/day

Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

Metamizol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 100 mg/kg body

weight

Result: Fetotoxicity., Maternal toxicity observed., May cause

adverse reproductive effects.

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558924-00011 Date of first issue: 14.01.2022

Early Embryonic Development: NOAEL: 400 mg/kg body

weight

Result: Fetotoxicity., Increased resorptions.

Test Type: Fertility/early embryonic development

Species: Rabbit Application Route: Oral

Early Embryonic Development: NOAEL: 25 mg/kg body

weight

Result: Fetotoxicity., Increased resorptions.

Effects on fetal development : Test Type: Two-generation study

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 250 mg/kg body weight Result: Maternal toxicity observed., Reduced maternal body weight gain., Reduced maternal food consumption., Reduced

number of viable fetuses.

Reproductive toxicity - As-

sessment

Suspected of damaging fertility. Suspected of damaging the

unborn child.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Components:

Metamizol:

Routes of exposure : Oral Target Organs : Blood

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Metamizol:

Species : Rat



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558924-00011 Date of first issue: 14.01.2022

NOAEL : 50 mg/kg
Application Route : Subcutaneous

Exposure time : 28 d
Target Organs : Blood
Symptoms : blood effects

Species : Rat
NOAEL : 150 mg/kg
Application Route : Intravenous
Exposure time : 28 d
Target Organs : Blood
Symptoms : blood effects

Species : Rat
NOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 26 Weeks
Target Organs : Blood
Symptoms : blood effects

Species : Dog NOAEL : 150 mg/kg Application Route : Subcutaneous

Exposure time : 28 d
Target Organs : Blood
Symptoms : blood effects

Species : Dog NOAEL : 50 mg/kg Application Route : Intravenous

Exposure time : 28 d

Target Organs : Blood, Gastrointestinal tract Symptoms : blood effects, Salivation, Vomiting

Species : Dog
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 26 Weeks

Target Organs : Blood, Liver, Kidney, spleen

Symptoms : blood effects

Benzyl alcohol:

Species : Rat NOAEL : 1,072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558924-00011
 Date of first issue: 14.01.2022

Experience with human exposure

Components:

Metamizol:

Ingestion : Target Organs: Blood

Symptoms: blood effects, Bloody urine, Diarrhea, Nausea,

Rash, hypotension

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Metamizol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 47 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

50,8 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0,725 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558924-00011
 Date of first issue: 14.01.2022

Persistence and degradability

Components:

Metamizol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 18 - 23 %

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1,05

Mobility in soilNo data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Metamizol)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.



Metamizol Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 12.07.2023 30.09.2023 10558924-00011 Date of first issue: 14.01.2022 3.1

(Metamizol)

Class 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo 964

aircraft)

Packing instruction (passen-964

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Metamizol)

Class 9 Packing group Ш Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Not applicable

Registry.

Control of precursors and essential chemicals for the Not applicable

preparation of drugs.

The ingredients of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

SECTION 16. OTHER INFORMATION

Revision Date 30.09.2023 Date format dd.mm.yyyy



Metamizol Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 12.07.2023 10558924-00011 Date of first issue: 14.01.2022 3.1 30.09.2023

Internal technical data, data from raw material SDSs, OECD

Further information

Sources of key data used to compile the Material Safety

eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Data Sheet

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8