

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
Date of first issue: 14.01.2022

SECTION 1. IDENTIFICATION

Product name : Metamizol Injection Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Blood)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.
H402 Harmful to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
 Date of first issue: 14.01.2022

Precautionary Statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe mist or vapors.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P391 Collect spillage.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
 Contact with dust can cause mechanical irritation or drying of the skin.
 May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Metamizol	68-89-3	>= 30 -< 50
Benzyl alcohol	100-51-6	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12.07.2023
3.1	30.09.2023	10558924-00011	Date of first issue: 14.01.2022

If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on

Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12.07.2023
3.1	30.09.2023	10558924-00011	Date of first issue: 14.01.2022

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|---|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
 Date of first issue: 14.01.2022

Metamizol	68-89-3	TWA	3 mg/m ³ (OEB 1)	Internal
-----------	---------	-----	-----------------------------	----------

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
Date of first issue: 14.01.2022

Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
Date of first issue: 14.01.2022

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Metamizol:**

Acute oral toxicity : LD50 Oral (Rat): 3.000 mg/kg
Target Organs: Central nervous system

LD50 Oral (Rabbit): 2.150 mg/kg
Target Organs: Central nervous system

LD50 Oral (Guinea pig): 1.000 mg/kg
Target Organs: Central nervous system

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:**Benzyl alcohol:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
Date of first issue: 14.01.2022

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Metamizol:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: Mutagenicity (in vitro mammalian cytogenetic test)
Test system: Chinese hamster lung cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
Date of first issue: 14.01.2022

Carcinogenicity

Not classified based on available information.

Components:**Metamizol:**

Species : Mouse, male
Application Route : oral (feed)
Exposure time : 2 Years
: 375 mg/kg bw/day
Result : negative

Species : Mouse, female
Application Route : oral (feed)
Exposure time : 2 Years
: 442 mg/kg bw/day
Result : negative

Species : Rat, male
Application Route : oral (drinking water)
Exposure time : 2 Years
: 150 mg/kg bw/day
Result : negative

Species : Rat, female
Application Route : oral (drinking water)
Exposure time : 2 Years
: 193 mg/kg bw/day
Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:**Metamizol:**

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Early Embryonic Development: NOAEL: 100 mg/kg body weight
Result: Fetotoxicity., Maternal toxicity observed., May cause adverse reproductive effects.

Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral

Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12.07.2023
3.1	30.09.2023	10558924-00011	Date of first issue: 14.01.2022

Early Embryonic Development: NOAEL: 400 mg/kg body weight
Result: Fetotoxicity., Increased resorptions.

Test Type: Fertility/early embryonic development
Species: Rabbit
Application Route: Oral
Early Embryonic Development: NOAEL: 25 mg/kg body weight
Result: Fetotoxicity., Increased resorptions.

Effects on fetal development : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Result: Maternal toxicity observed., Reduced maternal body weight gain., Reduced maternal food consumption., Reduced number of viable fetuses.

Reproductive toxicity - Assessment : Suspected of damaging fertility. Suspected of damaging the unborn child.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Components:

Metamizol:

Routes of exposure : Oral
Target Organs : Blood
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Metamizol:

Species : Rat

Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12.07.2023
3.1	30.09.2023	10558924-00011	Date of first issue: 14.01.2022

NOAEL : 50 mg/kg
 Application Route : Subcutaneous
 Exposure time : 28 d
 Target Organs : Blood
 Symptoms : blood effects

Species : Rat
 NOAEL : 150 mg/kg
 Application Route : Intravenous
 Exposure time : 28 d
 Target Organs : Blood
 Symptoms : blood effects

Species : Rat
 NOAEL : 300 mg/kg
 Application Route : Oral
 Exposure time : 26 Weeks
 Target Organs : Blood
 Symptoms : blood effects

Species : Dog
 NOAEL : 150 mg/kg
 Application Route : Subcutaneous
 Exposure time : 28 d
 Target Organs : Blood
 Symptoms : blood effects

Species : Dog
 NOAEL : 50 mg/kg
 Application Route : Intravenous
 Exposure time : 28 d
 Target Organs : Blood, Gastrointestinal tract
 Symptoms : blood effects, Salivation, Vomiting

Species : Dog
 NOAEL : 100 mg/kg
 Application Route : Oral
 Exposure time : 26 Weeks
 Target Organs : Blood, Liver, Kidney, spleen
 Symptoms : blood effects

Benzyl alcohol:

Species : Rat
 NOAEL : 1,072 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 28 Days
 Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
 Date of first issue: 14.01.2022

Experience with human exposure

Components:

Metamizol:

Ingestion : Target Organs: Blood
 Symptoms: blood effects, Bloody urine, Diarrhea, Nausea, Rash, hypotension

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Metamizol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 47 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 50,8 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0,725 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
Date of first issue: 14.01.2022

Persistence and degradability**Components:****Metamizol:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 18 - 23 %

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential**Components:****Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1,05

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Metamizol)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

Metamizol Injection Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 10558924-00011 Date of last issue: 12.07.2023
Date of first issue: 14.01.2022

(Metamizol)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Metamizol)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023
Date format : dd.mm.yyyy

Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12.07.2023
3.1	30.09.2023	10558924-00011	Date of first issue: 14.01.2022

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8