

Metamizol Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 12.07.2023 30.09.2023 10558933-00011 Date of first issue: 14.01.2022 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Metamizol Injection Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company **MSD**

20 Spartan Road

1619 Spartan, South Africa

Telephone +27119239300

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 2 H361: Suspected of damaging fertility or the un-

born child.

Specific target organ toxicity - repeated

exposure, Category 1

Long-term (chronic) aquatic hazard, Category 2

H372: Causes damage to organs through pro-

longed or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word Danger

Hazard statements Suspected of damaging fertility or the unborn child.

> H372 Causes damage to organs through prolonged or re-



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

peated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Metamizol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Metamizol	68-89-3 200-694-7	Repr. 2; H361 STOT RE 1; H372 (Blood) Aquatic Chronic 2; H411	>= 30 - < 50
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.



Metamizol Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 12.07.2023 30.09.2023 10558933-00011 Date of first issue: 14.01.2022 3.1

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of contact, immediately flush skin with soap and plenty In case of skin contact

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Suspected of damaging fertility or the unborn child. Risks

Causes damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

fighting

Specific hazards during fire- : Exposure to combustion products may be a hazard to health.



Metamizol Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 12.07.2023 30.09.2023 10558933-00011 Date of first issue: 14.01.2022 3.1

Hazardous combustion prod: Carbon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent material. Methods for cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Metamizol	68-89-3	TWA	3 mg/m3 (OEB 1)	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects Value	
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic effects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic effects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

	` ,	` '
Substance name	Environmental Compartment	Value
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg
	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558933-00011 Date of first issue: 14.01.2022

Hand protection

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid
Colour : colourless

Odour : No data available
Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

Flash point

oint and boiling : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available Partition coefficient: n- : Not applicable

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558933-00011 Date of first issue: 14.01.2022

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : Not applicable

Molecular weight : No data available

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Metamizol:

Acute oral toxicity : LD50 Oral (Rat): 3.000 mg/kg

Target Organs: Central nervous system

LD50 Oral (Rabbit): 2.150 mg/kg Target Organs: Central nervous system

LD50 Oral (Guinea pig): 1.000 mg/kg Target Organs: Central nervous system

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



Metamizol Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 12.07.2023 30.09.2023 10558933-00011 Date of first issue: 14.01.2022 3.1

Components:

Benzyl alcohol:

Maximisation Test Test Type Exposure routes Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Metamizol:

Genotoxicity in vitro Test Type: Ames test

Result: negative

Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Test system: Chinese hamster lung cells

Result: negative

Genotoxicity in vivo Test Type: Micronucleus test

> Species: Mouse Result: negative

Benzyl alcohol:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Metamizol:

Species : Mouse, male Application Route : oral (feed) Exposure time : 2 Years

: 375 mg/kg bw/day

Result : negative

Species Mouse, female **Application Route** oral (feed) Exposure time 2 Years

442 mg/kg bw/day

Result negative



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558933-00011 Date of first issue: 14.01.2022

Species : Rat, male

Application Route : oral (drinking water)

Exposure time : 2 Years

: 150 mg/kg bw/day

Result : negative

Species : Rat, female

Application Route : oral (drinking water)

Exposure time : 2 Years

193 mg/kg bw/day

Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

Metamizol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 100 mg/kg body

weight

Result: Fetotoxicity, Maternal toxicity observed., May cause

adverse reproductive effects.

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 400 mg/kg body

weiaht

Result: Fetotoxicity, Increased resorptions.

Test Type: Fertility/early embryonic development

Species: Rabbit Application Route: Oral

Early Embryonic Development: NOAEL: 25 mg/kg body

weight

Result: Fetotoxicity, Increased resorptions.

Effects on foetal develop-

ment

Test Type: Two-generation study

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 250 mg/kg body weight Result: Maternal toxicity observed., Reduced maternal body weight gain, Reduced maternal food consumption, Reduced

number of viable fetuses



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

Reproductive toxicity - As-

sessment

Suspected of damaging fertility. Suspected of damaging the

unborn child.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Metamizol:

Exposure routes : Oral Target Organs : Blood

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Metamizol:

Species : Rat

NOAEL : 50 mg/kg

Application Route : Subcutaneous

Exposure time : 28 d
Target Organs : Blood
Symptoms : blood effects

Species : Rat
NOAEL : 150 mg/kg
Application Route : Intravenous
Exposure time : 28 d
Target Organs : Blood
Symptoms : blood effects

Species : Rat
NOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 26 Weeks
Target Organs : Blood



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558933-00011 Date of first issue: 14.01.2022

Symptoms : blood effects

Species : Dog

NOAEL : 150 mg/kg Application Route : Subcutaneous

Exposure time : 28 d
Target Organs : Blood
Symptoms : blood effects

Species : Dog NOAEL : 50 mg/kg Application Route : Intravenous

Exposure time : 28 d

Target Organs : Blood, Gastrointestinal tract Symptoms : blood effects, Salivation, Vomiting

Species : Dog
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 26 Weeks

Target Organs : Blood, Liver, Kidney, spleen

Symptoms : blood effects

Benzyl alcohol:

Species : Rat NOAEL : 1,072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Metamizol:

Ingestion : Target Organs: Blood

Symptoms: blood effects, Bloody urine, Diarrhoea, Nausea,

Rash, hypotension

SECTION 12: Ecological information

12.1 Toxicity

Components:

Metamizol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 47 mg/l



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

aguatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

50,8 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: 0,725 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 51 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

Metamizol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 18 - 23 %

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

12.3 Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-

octanol/water

: log Pow: 1,05

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Metamizol)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Metamizol)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Metamizol)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Metamizol)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Metamizol)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo

aircraft)

964



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

Packing instruction (LQ) : Y964 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information



Metamizol Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.07.2023

 3.1
 30.09.2023
 10558933-00011
 Date of first issue: 14.01.2022

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H302 : Harmful if swallowed.

H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H361 : Suspected of damaging fertility or the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information



Metamizol Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 12.07.2023 3.1 30.09.2023 10558933-00011 Date of first issue: 14.01.2022

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Repr. 2 H361 Calculation method STOT RE 1 H372 Calculation method Aquatic Chronic 2 H411 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN

Sheet