according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	6365217-00010	Date of first issue: 2020/09/21

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Milbemycin Oxime / Lufenuron Formulation			
Manufacturer or supplier's de Company	ətai :	i ls MSD			
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331			
Telephone	:	+1-908-740-4000			
Emergency telephone number	:	86-571-87268110			
E-mail address	:	EHSDATASTEWARD@msd.com			
Recommended use of the chemical and restrictions on use					
Recommended use Restrictions on use	:	Veterinary product Not applicable			

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance Colour Odour	:	solid brown odourless		
May cause an allergic skin reaction. May damage the unborn child. Causes damage to org through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.				
GHS Classification				
Skin sensitisation	:	Category 1		
Reproductive toxicity	:	Category 1B		
Specific target organ toxicity - repeated exposure	:	Category 1		
Short-term (acute) aquatic hazard	:	Category 1		
Long-term (chronic) aquatic hazard	:	Category 1		

GHS label elements

_

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

rsion	Revision Date: 2024/09/28	SDS Number: 6365217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21
Hazar	d pictograms	:	!
Signal	l word	: Danger	v v
Hazar	d statements	H360D May da H372 Causes exposure.	se an allergic skin reaction. amage the unborn child. damage to organs through prolonged or repeated ic to aquatic life with long lasting effects.
Preca	utionary statements	P202 Do not h and understoo P260 Do not b P264 Wash sk P270 Do not e P272 Contami the workplace. P273 Avoid re	reathe dust/ fume/ gas/ mist/ vapours/ spray. in thoroughly after handling. at, drink or smoke when using this product. nated work clothing should not be allowed out of lease to the environment. otective gloves/ protective clothing/ eye protec-
		P308 + P313 I attention. P333 + P313 I vice/ attention.	Take off contaminated clothing and wash it before
		Storage: P405 Store loc	sked up.
		Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste

Health hazards

May cause an allergic skin reaction. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	6365217-00010	Date of first issue: 2020/09/21

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Lufenuron (ISO)	103055-07-8	>= 30 -< 50
Cellulose	9004-34-6	>= 10 -< 20
Starch	9005-25-8	>= 1 -< 10
Milbemycin Oxime	129496-10-2	>= 1 -< 2.5

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ac vice immediately.
		When symptoms persist or in all cases of doubt seek medic advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and ple of water.
		Remove contaminated clothing and shoes. Get medical attention.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	
		Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting.
		Get medical attention.
		Rinse mouth thoroughly with water.
Most important symptoms	:	May cause an allergic skin reaction.
and effects, both acute and		May damage the unborn child.
delayed		Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
		Treat symptomatically and supportively.

Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Versio 3.0	on	Revision Date: 2024/09/28		0S Number: 65217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21
	Jnsuita nedia	ble extinguishing	:	None known.	
Specific hazards during fire- fighting		:	Exposure to comb	pustion products may be a hazard to health.	
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (I Metal oxides	NOx)
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special or firefi	protective equipment ghters	:		e, wear self-contained breathing apparatus. ective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures		Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions		Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up		Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling		
Technical measures	: See Engineering measures under EXPOSURE	
	CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust	

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Version 3.0	Revision Date: 2024/09/28	SDS Number: 6365217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21
Advice on safe handling		Do not breathe Do not swallov Avoid contact Wash skin tho Handle in acco practice, base sessment Keep containe Do not eat, dri	with eyes. roughly after handling. ordance with good industrial hygiene and safety d on the results of the workplace exposure as- r tightly closed. nk or smoke when using this product. revent spills, waste and minimize release to the
Stora	ige		
Cond	itions for safe storage	Store locked u Keep tightly cl	•
Mate	rials to avoid		ith the following product types:
Pack	aging material	: Unsuitable ma	terial: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Lufenuron (ISO)	103055-07-8	TWA	60 µg/m3 (OEB 3)	Internal
	Further informa	ation: DSEN		
		Wipe limit	100 µg/100 cm2	Internal
Cellulose	9004-34-6	PC-TWA	10 mg/m3	CN OEL
		TWA	10 mg/m3	ACGIH
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
Milbemycin Oxime	129496-10-2	TWA	0.1 mg/m3 (OEB2)	Internal

Engineering measures

: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

		Date of last issue: 2024/04/06 Date of first issue: 2020/09/21	
:	sure assessment o	xhaust ventilation is not available or expo- lemonstrates exposures outside the rec- nes, use respiratory protection.	
ion :	Wear safety glasse If the work environ mists or aerosols, Wear a faceshield potential for direct	es with side shields or goggles. ment or activity involves dusty conditions, wear the appropriate goggles. or other full face protection if there is a contact to the face with dusts, mists, or	
rotection :	 Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially 		
	somannated olot	ing.	
: (Chemical-resistant	gloves	
-	Consider double a	loving	
res :	If exposure to cher eye flushing syster ing place. When using do not Contaminated wor workplace. Wash contaminate The effective opera engineering contro appropriate degow industrial hygiene	nical is likely during typical use, provide ns and safety showers close to the work- t eat, drink or smoke. k clothing should not be allowed out of the d clothing before re-use. ation of a facility should include review of ls, proper personal protective equipment, ning and decontamination procedures, monitoring, medical surveillance and the	
	ection : tion : rotection : res : res : res :	ection : If adequate local e sure assessment of ommended guideli : Particulates type tion : Wear safety glasse If the work environ mists or aerosols, Wear a faceshield potential for direct aerosols. rotection : Work uniform or la Additional body ga task being perform posable suits) to a Use appropriate de contaminated cloth : Chemical-resistant : Consider double g If exposure to cher eye flushing syster ing place. When using do not Contaminated work workplace. Wash contaminate The effective opera engineering contro appropriate degow	

9. PF YSICA CHI IICAL ROPE

Appearance	:	solid
Colour	:	brown
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

VersionRevision Date:SDS Number:Date of last issue: 2024/04/063.02024/09/286365217-00010Date of first issue: 2020/09/21	
---	--

Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic		Not applicable
Explosive properties	:	Not explosive
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents





rsion	Revision Date: 2024/09/28	SDS Numl 6365217-0	
Hazaı produ	dous decomposition	: No ha	azardous decomposition products are known.
тохіс		ATION	
Expos	sure routes	: Skin co Ingesti Eye co	ion
Acute	e toxicity		
Not cl	assified based on ava	lable informa	ition.
Produ			
Acute	oral toxicity		toxicity estimate: > 5,000 mg/kg d: Calculation method
Acute	inhalation toxicity	Exposi Test at	toxicity estimate: > 10 mg/l ure time: 4 h tmosphere: dust/mist d: Calculation method
Acute	dermal toxicity		toxicity estimate: > 5,000 mg/kg d: Calculation method
<u>Comp</u>	oonents:		
	uron (ISO):		
Acute	oral toxicity	: LD50 ((Rat): > 2,000 mg/kg
		LD50 ((Mouse): > 2,000 mg/kg
Acute	inhalation toxicity		(Rat): 2,350 mg/m3 tmosphere: dust/mist
Acute	dermal toxicity	: LD50 ((Rabbit): > 2,000 mg/kg
II Cellu	050.		
	oral toxicity	: LD50 ((Rat): > 5,000 mg/kg
Acute	inhalation toxicity	Exposi	(Rat): > 5.8 mg/l ure time: 4 h tmosphere: dust/mist
Acute	dermal toxicity	: LD50 ((Rabbit): > 2,000 mg/kg
II Starc	h:		
	oral toxicity	: LD50 ((Rat): > 5,000 mg/kg

according to GB/T 16483 and GB/T 17519



rsion)	Revision Date: 2024/09/28	SDS Number: 6365217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21
Milbe	emycin Oxime:		
	oral toxicity	: LD50 (Rat): 53	2 - 863 mg/kg
		LD50 (Mouse):	722 - 946 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 1,2 Exposure time: Test atmosphe	4 h
Acute	e dermal toxicity	: LD50 (Rat): > 2	2,000 mg/kg
	corrosion/irritation		
	lassified based on ava	ailable information.	
Com	ponents:		
Lufer	nuron (ISO):		
Speci		: Rabbit	
Metho Resu		: Draize Test : No skin irritatio	n
	-		
Milbe	emycin Oxime:		
Speci	es	: Rabbit	
Metho Resu		: OECD Test Gu : No skin irritatio	
	us eye damage/eye lassified based on ava		
_	ponents:		
Lufer	nuron (ISO):		
Speci	es	: Rabbit	
Resu		: No eye irritation : Draize Test	า
Metho	Ju	. Draize rest	
Starc	h:		
Speci		: Rabbit	
Resu	lt	: No eye irritation	1
	emycin Oxime:		
Speci Resu		: Rabbit : No eye irritation	n
Resp	iratory or skin sensi	tisation	
-	sensitisation		
	อธกอกเอสแบก		

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	6365217-00010	Date of first issue: 2020/09/21

Respiratory sensitisation

Not classified based on available information.

Components:

Lufenuron (ISO):

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: May cause sensitisation by skin contact.
Test Type Species Assessment Result	: Sensitiser

Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Test Type Exposure routes Species Result	:	negative

Milbemycin Oxime:

Exposure routes Species Result	: Skin contact
Species	: Guinea pig
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Lufenuron (ISO):	
Genotoxicity in vitro :	Test Type: Ames test Result: negative
	Test Type: Mouse Lymphoma Test system: Chinese hamster cells Result: negative
	Test Type: Cytogenetic assay Test system: Chinese hamster ovary cells Result: negative
	Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
	Test system: Human lymphocytes Result: negative
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/28	SDS Number: 6365217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21
		Result: nega	tive
		Test Type: L lar cells Species: Ra Result: nega	
	cell mutagenicity -	: Weight of ev cell mutager	ridence does not support classification as a gerr n.
Cellu	lose:		
Geno	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
		Test Type: Ir Result: nega	n vitro mammalian cell gene mutation test ative
Geno	toxicity in vivo	cytogenetic a Species: Mo	use Route: Ingestion
Starc	h:		
Geno	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
Milbe	mycin Oxime:		
	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
		Test Type: C Result: nega	Chromosome aberration test in vitro ttive
Geno	toxicity in vivo	: Test Type: N cytogenetic : Species: Mo Result: nega	use
Carci	nogenicity		
	assified based on av	ailable information.	
Comp	oonents:		
Lufen	uron (ISO):		

Species Application Route Exposure time Result	: Rat
Application Route	: Ingestion
Exposure time	: 18 month(s)
Result	: negative

according to GB/T 16483 and GB/T 17519



rsion)	Revision Date: 2024/09/28	SDS Numbe 6365217-00	
Carcir ment	nogenicity - Assess-	: Weight o cinogen	of evidence does not support classification as a car-
Cellul	ose:		
Specie		: Rat	
	ation Route sure time	: Ingestio : 72 week	
Result		: negative	
•	oductive toxicity amage the unborn chi	ld.	
Comp	onents:		
Lufen	uron (ISO):		
Effect	s on fertility	Species Applicat General Early Er weight	be: Two-generation reproduction toxicity study : Rat ion Route: Oral Toxicity - Parent: NOAEL: 8.3 mg/kg wet weight nbryonic Development: NOAEL: 20.9 mg/kg body Animal testing did not show any effects on fertility.
Effects ment	s on foetal develop-	Species Applicat General Develop Symptor	be: Development : Rat ion Route: Oral Toxicity Maternal: NOAEL: 500 mg/kg body weight mental Toxicity: NOAEL: 1,000 mg/kg body weight ms: No adverse effects s: No significant adverse effects were reported
		Species Applicat General Embryo	be: Fertility/early embryonic development : Rat ion Route: Ingestion Toxicity Maternal: NOAEL: 20.9 mg/kg body weight foetal toxicity: 8.3 mg/kg body weight foetal abnormalities
Repro sessm	ductive toxicity - As- nent		vidence of adverse effects on development, based of experiments.
Cellul	ose:		
	s on fertility	Species Applicat	be: One-generation reproduction toxicity study : Rat ion Route: Ingestion negative

according to GB/T 16483 and GB/T 17519



ersion .0	Revision Date: 2024/09/28)S Number: 65217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21
			Application Rout Result: negative	e: Ingestion
II Miller				
	mycin Oxime: is on fertility	:	Test Type: One- Species: Dog Application Rout Result: negative	generation reproduction toxicity study e: Ingestion
Effect ment	s on foetal develop-	:	Test Type: Emb Species: Rat Application Rout Result: negative	ryo-foetal development e: Ingestion
			Test Type: Emb Species: Rabbit Application Rout Result: negative	ryo-foetal development e: Ingestion
			Test Type: Emb Species: Dog Application Rout Result: negative	ryo-foetal development e: Ingestion
	- single exposure lassified based on avail	lable	information.	
Com	oonents:			
Lufer	uron (ISO):			
Asses	· /	:	The substance of organ toxicant, s	r mixture is not classified as specific target ingle exposure.
Cause	 repeated exposure es damage to organs the second seco		h prolonged or re	peated exposure.
Expos	nuron (ISO): sure routes et Organs ssment	:	Shown to produce	system, Lungs, Liver, Stomach ce significant health effects in animals at con-) mg/kg bw or less.
Expos Targe	e mycin Oxime: sure routes et Organs ssment	:		system ce significant health effects in animals at con-) mg/kg bw or less.

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

	e of last issue: 2024/04/06 e of first issue: 2020/09/21
--	---

Repeated dose toxicity

Components:

Lufenuron (ISO): Species NOAEL Application Route Exposure time Target Organs Symptoms		Rat 5.34 mg/kg oral (feed) 4 Months Central nervous system, digestive system central nervous system effects
Species NOAEL Application Route Exposure time Symptoms		Rat 1.93 mg/kg oral (feed) 2 yr central nervous system effects, Convulsions
Species NOAEL Application Route Exposure time Target Organs Symptoms		Mouse 2.12 mg/kg oral (feed) 18 Months Central nervous system, Liver, Prostate central nervous system effects, Convulsions
Species NOAEL Application Route Exposure time Target Organs Symptoms		Dog 7.02 mg/kg oral (feed) 1 yr Central nervous system, Liver, Lungs Convulsions, Fatality, Irregularities
Cellulose: Species NOAEL Application Route Exposure time	: : : :	Rat >= 9,000 mg/kg Ingestion 90 Days
Starch: Species NOAEL Application Route Exposure time Method		Rat >= 2,000 mg/kg Skin contact 28 Days OECD Test Guideline 410
Milbemycin Oxime: Species NOAEL	:	Rat 3 mg/kg

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Version 3.0	Revision Date: 2024/09/28	-	DS Number: 65217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21
LOAEL Application Route Exposure time Symptoms Species LOAEL Application Route Exposure time Symptoms			15 mg/kg Ingestion 90 Days Liver disorders, B Dog 8.6 mg/kg Ingestion 3 Days Tremors	lood disorders
Not cla	tion toxicity ssified based on avail ence with human ex			
	onents:			
	uron (ISO):			
Genera	al Information	:	Remarks: May be May cause neuro	e harmful if swallowed. toxic effects.
Milber	nycin Oxime:			
Ingesti	on	:	Vomiting, Tremor	ation, Convulsions, Diarrhoea, Weakness, s, Coma on Animal Evidence
12. ECOLO	GICAL INFORMATIO	N		

Ecotoxicity

Components:

Lufenuron (ISO):

Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): > 73,100 μg/l Exposure time: 96 h Method: OECD Test Guideline 203
	LC50 (Oncorhynchus mykiss (rainbow trout)): > 29,000 μg/l Exposure time: 96 h Method: OECD Test Guideline 203
	LC50 (Oncorhynchus mykiss (rainbow trout)): 370 µg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Americamysis): 0.042 μg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
	EC50 (Daphnia magna (Water flea)): 0.41 μg/l

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/28		0S Number: 65217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21	
II			Exposure time: 48		
			Method: OECD To	est Guideline 202	
Toxicit plants	ty to algae/aquatic	:	EC50 (Raphidoce μg/l Exposure time: 72 Method: OECD To		
			EC50 (Scenedesr Exposure time: 72 Method: OECD To		
	tor (Acute aquatic tox-	:	10,000		
	icity) Toxicity to fish (Chronic tox- icity)		NOEC (Oncorhyn Exposure time: 33 Method: OECD Te		
			NOEC (Oncorhyn Exposure time: 38 Method: OECD Te		
	ty to daphnia and other c invertebrates (Chron- city)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te		
			NOEC (Daphnia r Exposure time: 21 Method: OECD Te		
			NOEC (Chironom Exposure time: 21 Method: OECD To		
M-Fac toxicity	tor (Chronic aquatic ⁄)	:	10		
Cellul Toxicit	ose: ty to fish	:	Exposure time: 48	ipes (Japanese medaka)): > 100 mg/l } h on data from similar materials	
Milber	mycin Oxime:				
	ty to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.16 µg/l S h	
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.03 μg/l Exposure time: 48 h		
Toxicit plants	ty to algae/aquatic	:	EC50: > 87 μg/l Exposure time: 72	2 h	

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Version 3.0	Revision Date: 2024/09/28		OS Number: 65217-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/09/21	
M-Fa icity)	ctor (Acute aquatic tox-	:	10,000		
Toxic	ity to daphnia and other tic invertebrates (Chron- icity)	:	NOEC (Daphnia	a magna (Water flea)): 0.01 μg/l	
M-Fa toxici	ctor (Chronic aquatic ty)	:	10,000		
Persi	istence and degradabil	ity			
Com	ponents:				
Cellu	llose:				
Biode	egradability	:	Result: Readily	biodegradable.	
Bioa	ccumulative potential				
Com	ponents:				
Lufe	nuron (ISO):				
Bioac	ccumulation	:	Bioconcentratio	nis macrochirus (Bluegill sunfish) n factor (BCF): 28 Test Guideline 305	
	Partition coefficient: n- octanol/water		log Pow: 5.12		
Milbe	emycin Oxime:				
Bioac	cumulation	:	Bioconcentration factor (BCF): 440		
	ion coefficient: n- ol/water	:	log Pow: 7		
Mobi	lity in soil				
Com	ponents:				
Lufe	nuron (ISO):				
	bution among environ- al compartments	:		Test Guideline 106	
	r adverse effects ata available				
13. DISPO	SAL CONSIDERATION	IS			
-	osal methods e from residues	:		of waste into sewer.	
_			Dispose of in ac	cordance with local regulations.	

Contaminated packaging : Empty containers should be taken to an approved waste han-

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	6365217-00010	Date of first issue: 2020/09/21

dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
		N.O.S.
		(Milbemycin Oxime, Lufenuron (ISO))
Class	:	9
Packing group	:	
	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s.
		(Milbemycin Oxime, Lufenuron (ISO))
Class	:	9
Packing group	:	
Labels	:	Miscellaneous
Packing instruction (cargo	:	956
aircraft)		056
Packing instruction (passen- ger aircraft)	•	956
Environmentally hazardous		ves
•	•	yes
IMDG-Code		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
		N.O.S.
Class		(Milbemycin Oxime, Lufenuron (ISO))
Class	÷	9 III
Packing group Labels	:	9
EmS Code	:	9 F-A, S-F
Marine pollutant	:	yes
	•	yoo

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268	 UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
UN number	N.O.S.
Proper shipping name	(Milbemycin Oxime, Lufenuron (ISO))
Class	: 9
Packing group	: III



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	6365217-00010	Date of first issue: 2020/09/21

Labels	:	9
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Rogalatione on ourory man	agomont of Hazaraoao	ononnoulo
Catalogue of Hazardous Che	emicals	: This product is not listed in the cata- logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de- termination.
Identification of Major Hazard 18218)	d Installations for Hazardo	lous Chemicals (GB : Not listed
Hazardous Chemicals for Pr SAWS	iority Management under	r : Not listed
Bogulations on Labour Dra	testion in Workplasses	where Toxic Substances are Used
Catalogue of Highly Toxic Cl	nemicals	: Not listed
Regulation of Environment and Export of Toxic Chemi		First Import of Chemicals and the Import
China Severely Restricted Te and Export	oxic Chemicals for Import	rt : Not listed
Regulation on the Adminis	tration of Precursor Che	nemicals
Catalogue and Classification		
Yangtze River Protection L	aw	
This product does not contai	n any dangerous chemica	cals prohibited for inland river transport.
The components of this pr	oduct are reported in the	he following inventories:
AICS	: not determined	J J J J J J J J J J J J J J J J J J J
DSL	: not determined	
IECSC	: not determined	

according to GB/T 16483 and GB/T 17519



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	6365217-00010	Date of first issue: 2020/09/21

16. OTHER INFORMATION

Revision Date	:	2024/09/28
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.		

Date format	:	yyyy/mm/dd	
Full text of other abbreviations			
ACGIH CN OEL	:	USA. ACGIH Threshold Limit Values (TLV) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.	
ACGIH / TWA CN OEL / PC-TWA		8-hour, time-weighted average Permissible concentration - time weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



according to GB/T 16483 and GB/T 17519

Milbemycin Oxime / Lufenuron Formulation

Version Revision Date: 3.0 2024/09/28

SDS Number: 6365217-00010

Date of last issue: 2024/04/06 Date of first issue: 2020/09/21

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN/EN