

| Version | Revision Date: | SDS Number:   | Date of last issue: 06.04.2024  |
|---------|----------------|---------------|---------------------------------|
| 4.1     | 28.09.2024     | 6387040-00010 | Date of first issue: 21.09.2020 |

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

| <b>1.1 Product identifier</b><br>Trade name | :     | Milbemycin Oxime / Lufenuron Formulation     |
|---|-------|--|
| 1.2 Relevant identified uses of             | the s | ubstance or mixture and uses advised against |
| Use of the Sub-<br>stance/Mixture           |       | Veterinary product                           |
| Recommended restrictions on use             | :     | Not applicable                               |
| 1.3 Details of the supplier of the          | e saf | ety data sheet                               |
| Company                                     | :     | MSD<br>Kilsheelan<br>Clonmel Tipperary, IE   |
| Telephone                                   | :     | 353-51-601000                                |
| E-mail address of person                    | :     | EHSDATASTEWARD@msd.com                       |

#### 1.4 Emergency telephone number

responsible for the SDS

1-908-423-6000

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1

H317: May cause an allergic skin reaction. H360D: May damage the unborn child. H372: Causes damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Milbemycin Oxime / Lufenuron Formulation

| Version<br>4.1 | Revision Date: 28.09.2024 | - | DS Number:<br>387040-0001     | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020   |
|----------------|---------------------------|---|-------------------------------|---|
| На             | zard pictograms           | : |                               | !   |
| Sig            | inal word                 | : | Danger                        | • •   |
| На             | zard statements           | : | H317<br>H360D<br>H372<br>H410 | May cause an allergic skin reaction.<br>May damage the unborn child.<br>Causes damage to organs through prolonged or<br>repeated exposure.<br>Very toxic to aquatic life with long lasting effects. |
| Pre            | ecautionary statements    | : | Prevention:                   |   |
|                |                           |   | P201<br>P273<br>P280          | Obtain special instructions before use.<br>Avoid release to the environment.<br>Wear protective gloves/ protective clothing/ eye<br>protection/ face protection.                                    |
|                |                           |   | Response:                     |   |
|                |                           |   | P308 + P313                   | 3 IF exposed or concerned: Get medical advice/ attention.   |
|                |                           |   | P333 + P313                   | 3 If skin irritation or rash occurs: Get medical advice/ attention.   |
|                |                           |   | P391                          | Collect spillage.   |

#### Hazardous components which must be listed on the label:

Lufenuron (ISO)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

| Chemical name   | CAS-No.             | Classification     | Concentration |
|-----------------|---------------------|--------------------|---------------|
|                 | EC-No.              |                    | (% w/w)       |
|                 | Index-No.           |                    |               |
|                 | Registration number |                    |               |
| Lufenuron (ISO) | 103055-07-8         | Skin Sens. 1; H317 | >= 30 - < 50  |

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Milbemycin Oxime / Lufenuron Formulation**

| Version<br>4.1 | Revision Date:<br>28.09.2024 | SDS Number:<br>6387040-00010 | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020  |              |
|----------------|------------------------------|------------------------------|--|--------------|
|                |                              | 410-690-9<br>616-050-00-7    | Repr. 1B; H360D<br>STOT RE 1; H372<br>(Central nervous<br>system, Lungs, Liver,<br>Stomach)<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br>M-Factor (Acute<br>aquatic toxicity):<br>10,000<br>M-Factor (Chronic<br>aquatic toxicity): 10 |              |
| Milbe          | mycin Oxime                  | 129496-10-2                  | Acute Tox. 4; H302<br>Acute Tox. 4; H332<br>STOT RE 1; H372<br>(Central nervous<br>system)<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br>M-Factor (Acute<br>aquatic toxicity):<br>10,000<br>M-Factor (Chronic<br>aquatic toxicity):     | >= 1 - < 2.5 |
|                |                              |                              | Acute toxicity esti-<br>mate<br>Acute oral toxicity:<br>500 mg/kg<br>Acute inhalation tox-<br>icity (dust/mist): 1.2<br>mg/l   |              |

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.



| Version<br>4.1 | Revision Date: 28.09.2024 | -    | DS Number:<br>87040-00010   | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020   |  |  |
|----------------|---------------------------|------|---|---|--|--|
| Prote          | ction of first-aiders     | :    | and use the reco  | lers should pay attention to self-protection,<br>mmended personal protective equipment<br>al for exposure exists (see section 8). |  |  |
| lf inha        | aled                      | :    | If inhaled, remov<br>Get medical atte   |   |  |  |
| In cas         | se of skin contact        | :    | In case of contact, immediately flush skin with soap and p<br>of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |   |  |  |
| In cas         | se of eye contact         | :    |   | water as a precaution.<br>ntion if irritation develops and persists.  |  |  |
| lf swa         | llowed                    | :    | Get medical atte  | NOT induce vomiting.<br>ntion.<br>roughly with water.   |  |  |
| 4.2 Most i     | mportant symptoms a       | nd e | effects, both acut  | e and delayed   |  |  |
| Risks          |                           | :    | May damage the  | lergic skin reaction.<br>unborn child.<br>to organs through prolonged or repeated   |  |  |
| 4.3 Indica     | tion of any immediate     | meo  | dical attention an  | d special treatment needed  |  |  |
| Treati         | ment                      | :    | Treat symptomation  | tically and supportively.   |  |  |
| SECTION        | 15: Firefighting meas     | sur  | es  |   |  |  |
| 5.1 Exting     | uishing media             |      |   |   |  |  |
| Suitat         | ole extinguishing media   | :    | Water spray<br>Alcohol-resistant<br>Carbon dioxide (<br>Dry chemical  |   |  |  |
| Unsui<br>media | itable extinguishing<br>a | :    | None known.   |   |  |  |
| 5.2 Specia     | al hazards arising from   | the  | e substance or m  | ixture  |  |  |
| -              | fic hazards during fire-  |      |   | bustion products may be a hazard to health.   |  |  |
| Hazaı<br>ucts  | rdous combustion prod-    | :    | Carbon oxides<br>Nitrogen oxides<br>Metal oxides  | (NOx)   |  |  |



| Version | Revision Date: | SDS Number:   | Date of last issue: 06.04.2024  |
|---------|----------------|---------------|---------------------------------|
| 4.1     | 28.09.2024     | 6387040-00010 | Date of first issue: 21.09.2020 |

#### 5.3 Advice for firefighters

| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |
|---|---|---|
| Specific extinguishing meth-<br>ods           | : | Use extinguishing measures that are appropriate to local cir-<br>cumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do<br>so.<br>Evacuate area. |

### **SECTION 6:** Accidental release measures

|                                     | e equipment and emergency procedures<br>Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal pro-<br>tective equipment recommendations (see section 8).  |
|-------------------------------------|--|
| 6.2 Environmental precautions       |  |
| Environmental precautions :         | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages<br>cannot be contained.   |
| 6.3 Methods and material for contai | nment and cleaning up  |
| Methods for cleaning up :           | Sweep up or vacuum up spillage and collect in suitable con-<br>tainer for disposal.<br>Local or national regulations may apply to releases and dis-<br>posal of this material, as well as those materials and items<br>employed in the cleanup of releases. You will need to deter-<br>mine which regulations are applicable.<br>Sections 13 and 15 of this SDS provide information regarding<br>certain local or national requirements. |

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

| Technical measures      | : See Engineering measures under EXPOSURE<br>CONTROLS/PERSONAL PROTECTION section.  |
|-------------------------|---|
| Local/Total ventilation | <ul> <li>If sufficient ventilation is unavailable, use with local exhaust ventilation.</li> </ul>   |
| Advice on safe handling | <ul> <li>Do not get on skin or clothing.</li> <li>Do not breathe dust, fume, gas, mist, vapours or spray.</li> <li>Do not swallow.</li> </ul> |



| Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety<br>practice, based on the results of the workplace exposure as-<br>sessment<br>Keep container tightly closed.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the<br>environment.Hygiene measures:If exposure to chemical is likely during typical use, provide eye<br>flushing systems and safety showers close to the working<br>place. When using do not eat, drink or smoke. Contaminated<br>work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of<br>engineering controls, proper personal protective equipment,<br>appropriate degowning and decontamination procedures,<br>industrial hygiene monitoring, medical surveillance and the<br>use of administrative controls.7.2 Conditions for safe storage<br>areas and containers:Keep in properly labelled containers. Store locked up. Keep<br>tightly closed. Store in accordance with the particular national<br>regulations.Advice on common storage<br>Earler is storage before substances and mixtures<br>Organic peroxides<br>Explosives<br>GasesDo not store with the following product types:<br>Store jorkids before substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases7.3 Specific end use(s)<br>Specific use(s):No data available | Version<br>4.1 | Revision Date:<br>28.09.2024 |     | DS Number:<br>87040-00010   | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |
|--|----------------|------------------------------|-----|---|---|
| Requirements for storage areas and containers       :       Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.         Advice on common storage       :       Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases         7.3 Specific end use(s)       :   | Hygie          | ene measures                 | :   | <ul> <li>Wash skin thoroughly after handling.</li> <li>Handle in accordance with good industrial hygiene and safet practice, based on the results of the workplace exposure assessment</li> <li>Keep container tightly closed.</li> <li>Do not eat, drink or smoke when using this product.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> <li>If exposure to chemical is likely during typical use, provide environment.</li> <li>If exposure to chemical is likely showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wash contaminated clothing before re-use.</li> <li>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the</li> </ul> |   |
| areas and containers       tightly closed. Store in accordance with the particular national regulations.         Advice on common storage       :       Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases         7.3 Specific end use(s)   | 7.2 Condi      | tions for safe storage,      | inc | luding any incom  | patibilities  |
| Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases<br>7.3 Specific end use(s)  |                |                              | :   | tightly closed. Sto   |   |
| ,  | Advic          | e on common storage          | :   | Strong oxidizing a<br>Self-reactive subs<br>Organic peroxide<br>Explosives  | agents<br>stances and mixtures                                    |
| ,  | 7.3 Specif     | ic end use(s)                |     |   |   |
|  | -              | • •                          | :   | No data available   |   |

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components      | CAS-No.         | Value type (Form of exposure)                | Control parameters | Basis    |
|-----------------|-----------------|--|--------------------|----------|
| Lufenuron (ISO) | 103055-07-<br>8 | TWA  | 60 µg/m3 (OEB 3)   | Internal |
|                 | Further inform  | nation: DSEN                                 |                    |          |
|                 |                 | Wipe limit                                   | 100 µg/100 cm2     | Internal |
| Cellulose       | 9004-34-6       | OELV - 8 hrs<br>(TWA)                        | 10 mg/m3           | IE OEL   |
| Starch          | 9005-25-8       | OELV - 8 hrs<br>(TWA) (Respira-<br>ble dust) | 4 mg/m3            | IE OEL   |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Milbemycin Oxime / Lufenuron Formulation

| Vers<br>4.1 | ion Revision Da<br>28.09.2024 |                 |   | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |          |
|-------------|-------------------------------|-----------------|---|---|----------|
|             |                               |                 | OELV - 8 hrs<br>(TWA) (inhalable<br>dust) | 10 mg/m3<br>e   | IE OEL   |
|             | Milbemycin Oxime              | 129496-10-<br>2 | TWA                                       | 0.1 mg/m3 (OEB2)  | Internal |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name  | Environmental Compartment | Value    |
|-----------------|---------------------------|----------|
| Lufenuron (ISO) | Water                     | 0.2 µg/l |

#### 8.2 Exposure controls

#### **Engineering measures**

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

| i oroonar protootiro oquipin          |   |  |
|---------------------------------------|---|--|
| Eye/face protection                   | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions,<br>mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a<br>potential for direct contact to the face with dusts, mists, or<br>aerosols.            |
| Hand protection                       |   |  |
| Material                              | : | Chemical-resistant gloves  |
| Remarks<br>Skin and body protection   | : | Consider double gloving.<br>Work uniform or laboratory coat.<br>Additional body garments should be used based upon the<br>task being performed (e.g., sleevelets, apron, gauntlets, dis-<br>posable suits) to avoid exposed skin surfaces.<br>Use appropriate degowning techniques to remove potentially<br>contaminated clothing. |
| Respiratory protection<br>Filter type | : | If adequate local exhaust ventilation is not available or expo-<br>sure assessment demonstrates exposures outside the rec-<br>ommended guidelines, use respiratory protection.<br>Equipment should conform to I.S. EN 143<br>Particulates type (P)   |
|                                       |   |  |

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

| Physical state | : | solid     |
|----------------|---|-----------|
| Colour         | : | brown     |
| Odour          | : | odourless |



| Vers<br>4.1 | sion                                    | Revision Date:<br>28.09.2024            |   | S Number:<br>7040-00010 | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |
|-------------|---|---|---|-------------------------|---|
|             |   |   |   |                         |   |
|             | Odour 7                                 | Threshold                               | : | No data available       | 2   |
|             | Melting                                 | point/freezing point                    | : | No data available       | 9   |
|             | Initial be<br>range                     | oiling point and boiling                | : | No data available       | )   |
|             | Flamma                                  | ability (solid, gas)                    | : | No data available       |   |
|             | Flamma                                  | ability (liquids)                       | : | Not applicable          |   |
|             |   | explosion limit / Upper<br>bility limit | : | No data available       |   |
|             |   | explosion limit / Lower<br>bility limit | : | No data available       |   |
|             | Flash p                                 | oint                                    | : | Not applicable          |   |
|             | Auto-igi                                | nition temperature                      | : | No data available       |   |
|             | Decom                                   | position temperature                    | : | No data available       | )   |
|             | рН                                      |   | : | No data available       | )   |
|             | Viscosit<br>Visc                        | ty<br>osity, kinematic                  | : | Not applicable          |   |
|             | Solubili<br>Wate                        | ty(ies)<br>er solubility                | : | soluble                 |   |
|             | Partition<br>octanol                    | n coefficient: n-<br>/water             | : | Not applicable          |   |
|             | Vapour                                  | pressure                                | : | Not applicable          |   |
|             | Relative                                | e density                               | : | No data available       | )   |
|             | Density                                 | ,                                       | : | No data available       | )   |
|             | Relative                                | e vapour density                        | : | Not applicable          |   |
|             |   | characteristics<br>icle size            | : | No data available       |   |
| 9.2 (       | <b>Other in</b><br>Explosi <sup>,</sup> | formation<br>ves                        | : | Not explosive           |   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Milbemycin Oxime / Lufenuron Formulation

| Version<br>4.1                                 | Revision Date:<br>28.09.2024                         | -      | S Number:<br>37040-00010   | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |  |  |  |
|--|--|--------|--|---|--|--|--|
| Oxidizing properties                           |  | :      | The substance o  | r mixture is not classified as oxidizing.                         |  |  |  |
| Evaporation rate                               |  |        | Not applicable   |   |  |  |  |
| Moleo  | cular weight   | :      | No data available  |   |  |  |  |
| SECTION  | N 10: Stability and rea                              | activ  | vity   |   |  |  |  |
| <b>10.1 Reac</b><br>Not c                      | t <b>ivity</b><br>lassified as a reactivity h        | azaı   | rd.  |   |  |  |  |
|  | nical stability<br>e under normal condition          | IS.    |  |   |  |  |  |
| 10.3 Poss                                      | bility of hazardous rea                              | actic  | ons  |   |  |  |  |
| Haza   | rdous reactions                                      | :      | Can react with st  | rong oxidizing agents.  |  |  |  |
| 10.4 Cond                                      | litions to avoid                                     |        |  |   |  |  |  |
| Cond   | itions to avoid                                      | :      | None known.  |   |  |  |  |
| 10.5 Incoi                                     | mpatible materials                                   |        |  |   |  |  |  |
| Mater  | rials to avoid                                       | :      | Oxidizing agents   |   |  |  |  |
| 10.6 Haza                                      | 10.6 Hazardous decomposition products                |        |  |   |  |  |  |
| No hazardous decomposition products are known. |  |        |  |   |  |  |  |
|  | N 11: Toxicological in mation on hazard class        |        |  | ulation (EC) No 1272/2008   |  |  |  |
| Inforr<br>expos                                | nation on likely routes of<br>sure                   | :      | Skin contact<br>Ingestion<br>Eye contact   |   |  |  |  |
|  | <mark>e toxicity</mark><br>lassified based on availa | ıble i | information  |   |  |  |  |
| Product:                                       |  |        |  |   |  |  |  |
|  | e oral toxicity                                      | :      | Acute toxicity esti<br>Method: Calculati   | mate: > 2,000 mg/kg<br>on method                                  |  |  |  |
| Acute  | e inhalation toxicity                                | :      | Acute toxicity esti<br>Exposure time: 4<br>Test atmosphere:<br>Method: Calculati | h<br>dust/mist  |  |  |  |

### Components:

| Lufenuron (ISO):    |   |                           |
|---------------------|---|---------------------------|
| Acute oral toxicity | : | LD50 (Rat): > 2,000 mg/kg |



|   | Revision Date: 28.09.2024  |          | DS Number:<br>87040-00010  | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |  |  |  |
|---|--|----------|--|---|--|--|--|
|   |  |          | LD50 (Mouse):  | > 2.000 mg/kg   |  |  |  |
|   |  |          | ED50 (Modse).  | > 2,000 mg/kg   |  |  |  |
| Acute inhalation toxicity   |  | :        | LC50 (Rat): 2,350 mg/m3<br>Test atmosphere: dust/mist                              |   |  |  |  |
| Acute dermal toxicity   |  | :        | LD50 (Rabbit): > 2,000 mg/kg   |   |  |  |  |
| Milbe   | emycin Oxime:  |          |  |   |  |  |  |
| Acute   | e oral toxicity  | :        | LD50 (Rat): 532  | 2 - 863 mg/kg   |  |  |  |
|   |  |          | LD50 (Mouse):  | 722 - 946 mg/kg   |  |  |  |
| Acute   | e inhalation toxicity  | :        | LC50 (Rat): 1,20   |   |  |  |  |
|   |  |          | Exposure time:<br>Test atmospher   |   |  |  |  |
| Acute   | e dermal toxicity  | :        | LD50 (Rat): > 2  | ,000 mg/kg  |  |  |  |
| Com   | ponents:   |          |  |   |  |  |  |
| <b>Lufer</b><br>Spec<br>Methe<br>Resu                                     | od   | :        | Rabbit<br>Draize Test<br>No skin irritatior  | 1   |  |  |  |
| Spec<br>Meth<br>Resu  | ies<br>od<br>It  | :        | Draize Test  | 1   |  |  |  |
| Spec<br>Meth<br>Resu  | ies<br>od<br>It<br>emycin Oxime:<br>ies<br>od  |          | Draize Test  | deline 404  |  |  |  |
| Spec<br>Metho<br>Resu<br><b>Milbe</b><br>Spec<br>Metho<br>Resu            | ies<br>od<br>It<br>emycin Oxime:<br>ies<br>od  |          | Draize Test<br>No skin irritation<br>Rabbit<br>OECD Test Gui<br>No skin irritation | deline 404  |  |  |  |
| Spec<br>Metho<br>Resu<br>Milbe<br>Spec<br>Metho<br>Resu<br>Serio          | ies<br>od<br>It<br>emycin Oxime:<br>ies<br>od<br>It  | irritati | Draize Test<br>No skin irritation<br>Rabbit<br>OECD Test Gui<br>No skin irritation | deline 404  |  |  |  |
| Spec<br>Metho<br>Resu<br>Milbe<br>Spec<br>Metho<br>Resu<br>Seric<br>Not c | ies<br>od<br>It<br>emycin Oxime:<br>ies<br>od<br>It<br><b>ous eye damage/eye</b>   | irritati | Draize Test<br>No skin irritation<br>Rabbit<br>OECD Test Gui<br>No skin irritation | deline 404  |  |  |  |
| Spec<br>Methor<br>Resu<br>Spec<br>Methor<br>Resu<br>Serio<br>Not c        | ies<br>od<br>It<br>emycin Oxime:<br>ies<br>od<br>It<br><b>bus eye damage/eye</b><br>lassified based on ava   | irritati | Draize Test<br>No skin irritation<br>Rabbit<br>OECD Test Gui<br>No skin irritation | deline 404  |  |  |  |
| Spec<br>Methor<br>Resu<br>Spec<br>Methor<br>Resu<br>Serio<br>Not c        | ies<br>od<br>It<br><b>emycin Oxime:</b><br>ies<br>od<br>It<br><b>ous eye damage/eye</b><br>lassified based on ava<br><b>ponents:</b><br><b>nuron (ISO):</b><br>ies | irritati | Draize Test<br>No skin irritation<br>Rabbit<br>OECD Test Gui<br>No skin irritation | deline 404  |  |  |  |

# Milbemycin Oxime:

| •       |   |                   |
|---------|---|-------------------|
| Species | : | Rabbit            |
| Result  | : | No eye irritation |



| Version | Revision Date: | SDS Number:   | Date of last issue: 06.04.2024  |
|---------|----------------|---------------|---------------------------------|
| 4.1     | 28.09.2024     | 6387040-00010 | Date of first issue: 21.09.2020 |

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### Lufenuron (ISO):

| Test Type :  | Maximisation Test                        |
|--------------|--|
| Species :    | Guinea pig                               |
| Assessment : | May cause sensitisation by skin contact. |
| Result :     | Sensitiser                               |

#### Milbemycin Oxime:

| Exposure routes | : | Skin contact |
|-----------------|---|--------------|
| Species         | : | Guinea pig   |
| Result          | : | negative     |

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Lufenuron (ISO):

| Genotoxicity in vitro |   | Test Type: Ames test<br>Result: negative   |
|-----------------------|---|--|
|                       |   | Test Type: Mouse Lymphoma<br>Test system: Chinese hamster cells<br>Result: negative  |
|                       |   | Test Type: Cytogenetic assay<br>Test system: Chinese hamster ovary cells<br>Result: negative   |
|                       |   | Test Type: DNA damage and repair, unscheduled DNA syn-<br>thesis in mammalian cells (in vitro)<br>Test system: rat hepatocytes<br>Result: negative |
|                       |   | Test system: Human lymphocytes<br>Result: negative   |
| Genotoxicity in vivo  | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo<br>cytogenetic assay)<br>Species: Mouse<br>Result: negative                            |
|                       |   | Test Type: Unscheduled DNA synthesis test (UDS) in testicular cells  |



| ersion<br>1    | Revision Date: 28.09.2024                    |      | OS Number:<br>87040-00010   | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020  |
|----------------|--|------|---|--|
|                |  |      | Species: Rat<br>Result: negative  |  |
| Germ<br>sessm  | cell mutagenicity- As-<br>nent               | :    | Weight of evidend cell mutagen.   | ce does not support classification as a germ   |
| Milbe          | mycin Oxime:                                 |      |   |  |
|                | toxicity in vitro                            | :    | Test Type: Bacte<br>Result: negative  | rial reverse mutation assay (AMES)   |
|                |  |      | Test Type: Chron<br>Result: negative  | nosome aberration test in vitro  |
| Genot          | toxicity in vivo                             | :    | Test Type: Mammalian erythrocyte micronucleus test (in vivo<br>cytogenetic assay)<br>Species: Mouse<br>Result: negative |  |
|                | nogenicity<br>assified based on availa       | able | information.  |  |
| Comp           | oonents:                                     |      |   |  |
| Lufen          | uron (ISO):                                  |      |   |  |
| Speci          |  | :    | Rat   |  |
|                | ation Route                                  | :    | Ingestion<br>18 month(s)  |  |
| Resul          |  | :    | negative  |  |
| Carcir<br>ment | nogenicity - Assess-                         | :    | : Weight of evidence does not support classification as a ca cinogen  |  |
| -              | oductive toxicity<br>lamage the unborn child | d.   |   |  |
| Comp           | oonents:                                     |      |   |  |
| Lufen          | uron (ISO):                                  |      |   |  |
|                | s on fertility                               | :    | Species: Rat<br>Application Route<br>General Toxicity<br>Early Embryonic<br>weight                                      | eneration reproduction toxicity study<br>e: Oral<br>- Parent: NOAEL: 8.3 mg/kg wet weight<br>Development: NOAEL: 20.9 mg/kg body<br>sting did not show any effects on fertility. |
| Effect<br>ment | s on foetal develop-                         | :    |   |  |



| Remarks: No significant adverse effects were reported         Test Type: Fertility/early embryonic development         Species: Rat         Application Route: Ingestion         General toxicity Maternal: NOAEL: 20.9 mg/kg body weight         Result: foetal abnormalities         Reproductive toxicity - Assessment         Clear evidence of adverse effects on development, based or         animal experiments.         Milbemycin Oxime:         Effects on fertility         Effects on foetal development         ment         Species: Rat         Application Route: Ingestion         Result: negative         Effects on foetal development         Species: Rat         Application Route: Ingestion         Result: negative         Effects on foetal development         Species: Rat         Application Route: Ingestion         Result: negative         Test Type: Embryo-foetal development         Species: Rat         Application Route: Ingestion         Result: negative         Test Type: Embryo-foetal development         Species: Dog         Application Route: Ingestion         Result: negative         Stot classified based on available information.         <   | rsion       | Revision Date: 28.09.2024 | SDS Number:<br>6387040-00010                           | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020  |
|---|-------------|---------------------------|--|--|
| Species: Rat<br>Application Route: Ingestion<br>General Toxicity Maternal: NOAEL: 20.9 mg/kg body weight<br>Result: foetal abnormalities         Reproductive toxicity - As-<br>sessment       : Clear evidence of adverse effects on development, based of<br>animal experiments.         Milbemycin Oxime:       :         Effects on fertility       : Test Type: One-generation reproduction toxicity study<br>Species: Dog<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative         STOT - single exposure       : Test Type: Embryo-foetal development<br>Species: Dog<br>Application Route: Ingestion<br>Result: negative         STOT - single exposure       : The substance or mixture is not classified as specific target<br>organ toxicant, single exposure.         STOT - repeated exposure       : The substance or mixture is not classified as specific target<br>organ toxicant, single exposure. |             |                           | Remarks: N   | lo significant adverse effects were reported   |
| sessment       animal experiments.         Milbemycin Oxime:       Effects on fertility       : Test Type: One-generation reproduction toxicity study.<br>Species: Dog<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Ratbill<br>Application Route: Ingestion<br>Result: negative         Stort - single exposure<br>Not classified based on available information.       Test Type: Embryo-foetal development<br>Species: Dog<br>Application Route: Ingestion<br>Result: negative         Stort - single exposure<br>Not classified based on available information.       Components:<br>Lufenuron (ISO):<br>Assessment         Stort - repeated exposure<br>Causes damage to organs through prolonged or repeated exposure.       The substance or mixture is not classified as specific target<br>organ toxicant, single exposure.  |             |                           | Species: Ra<br>Application<br>General To<br>Embryo-foe | at<br>Route: Ingestion<br>xicity Maternal: NOAEL: 20.9 mg/kg body weigh<br>tal toxicity: 8.3 mg/kg body weight |
| Effects on fertility       : Test Type: One-generation reproduction toxicity study<br>Species: Dog<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative         Effects on foetal develop-<br>ment       : Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Ingestion<br>Result: negative         Stort - single exposure<br>Not classified based on available information.       Components:         Lufenuron (ISO):<br>Assessment       : The substance or mixture is not classified as specific target<br>organ toxicant, single exposure.         STOT - repeated exposure<br>Causes damage to organs through prolonged or repeated exposure.  | •           | •                         |  | •  |
| Species: Dog       Application Route: Ingestion         Result: negative       Effects on foetal development         ment       Species: Rat         Application Route: Ingestion       Result: negative         Test Type: Embryo-foetal development       Species: Rat         Application Route: Ingestion       Result: negative         Test Type: Embryo-foetal development       Species: Rabbit         Application Route: Ingestion       Result: negative         Test Type: Embryo-foetal development       Species: Dog         Application Route: Ingestion       Result: negative         Stot - single exposure       Not classified based on available information.         Components:       Lufenuron (ISO):         Assessment       : The substance or mixture is not classified as specific target organ toxicant, single exposure.         STOT - repeated exposure       Causes damage to organs through prolonged or repeated exposure.   | Milbe       | mycin Oxime:              |  |  |
| ment       Species: Rat<br>Application Route: Ingestion<br>Result: negative         Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Ingestion<br>Result: negative         Test Type: Embryo-foetal development<br>Species: Dog<br>Application Route: Ingestion<br>Result: negative         STOT - single exposure         Not classified based on available information.         Components:         Lufenuron (ISO):<br>Assessment         Assessment         :       The substance or mixture is not classified as specific target<br>organ toxicant, single exposure.         STOT - repeated exposure         Causes damage to organs through prolonged or repeated exposure.   | Effect      | s on fertility            | Species: Do<br>Application                             | og<br>Route: Ingestion   |
| Species: Rabbit         Application Route: Ingestion         Result: negative         Test Type: Embryo-foetal development         Species: Dog         Application Route: Ingestion         Result: negative         STOT - single exposure         Not classified based on available information.         Components:         Lufenuron (ISO):         Assessment       : The substance or mixture is not classified as specific target organ toxicant, single exposure.         STOT - repeated exposure         Causes damage to organs through prolonged or repeated exposure.   |             |                           | Species: Ra<br>Application                             | at<br>Route: Ingestion   |
| Species: Dog<br>Application Route: Ingestion<br>Result: negative<br>STOT - single exposure<br>Not classified based on available information.<br>Components:<br>Lufenuron (ISO):<br>Assessment : The substance or mixture is not classified as specific target<br>organ toxicant, single exposure.<br>STOT - repeated exposure<br>Causes damage to organs through prolonged or repeated exposure.  |             |                           | Species: Ra<br>Application                             | abbit<br>Route: Ingestion  |
| Not classified based on available information.         Components:         Lufenuron (ISO):         Assessment       : The substance or mixture is not classified as specific target organ toxicant, single exposure.         STOT - repeated exposure         Causes damage to organs through prolonged or repeated exposure.  |             |                           | Species: Do<br>Application                             | og<br>Route: Ingestion   |
| Lufenuron (ISO):         Assessment       : The substance or mixture is not classified as specific target organ toxicant, single exposure.         STOT - repeated exposure         Causes damage to organs through prolonged or repeated exposure.   |             | • •                       | able information.                                      |  |
| Assessment       : The substance or mixture is not classified as specific target organ toxicant, single exposure.         STOT - repeated exposure         Causes damage to organs through prolonged or repeated exposure.  | <u>Comp</u> | oonents:                  |  |  |
| Causes damage to organs through prolonged or repeated exposure.   |             |                           |  |  |
|   |             | • •                       |  | or repeated exposure   |
|   |             |                           |  |  |

| Lufenuror | n (ISO): |
|-----------|----------|
| -         |          |

| Exposure routes | : Oral  |
|-----------------|---|
| Target Organs   | : Central nervous system, Lungs, Liver, Stomach   |
| Assessment      | : Shown to produce significant health effects in animals at con-<br>centrations of 10 mg/kg bw or less. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



| Version<br>4.1 | Revision Date: 28.09.2024 | SDS Number:<br>6387040-00010 | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |
|----------------|---------------------------|------------------------------|---|
|                |                           |                              |   |
| Milbe          | emycin Oxime:             |                              |   |
|                | sure routes               | : Ingestion                  |   |
|                | et Organs                 | : Central nervou             | s system  |
|                | ssment                    |                              | uce significant health effects in animals at con-                 |
|                |                           |                              | 0 mg/kg bw or less.   |
| Repe           | ated dose toxicity        |                              |   |
| Com            | oonents:                  |                              |   |
| Lufer          | nuron (ISO):              |                              |   |
| Speci          |                           | : Rat                        |   |
| NOAE           |                           | : 5.34 mg/kg                 |   |
|                | cation Route              | : oral (feed)                |   |
|                | sure time                 | : 4 Months                   |   |
|                | et Organs                 |                              | s system, digestive system  |
| Symp           | otoms                     | : central nervous            | s system effects  |
| Speci          | es                        | : Rat                        |   |
| NOAE           | ΞL                        | : 1.93 mg/kg                 |   |
|                | cation Route              | : oral (feed)                |   |
|                | sure time                 | : 2 yr                       |   |
| Symp           | otoms                     | : central nervous            | s system effects, Convulsions                                     |
| Speci          |                           | : Mouse                      |   |
| NOAE           |                           | : 2.12 mg/kg                 |   |
|                | cation Route              | : oral (feed)                |   |
|                | sure time                 | : 18 Months                  |   |
| Targe<br>Symp  | et Organs<br>otoms        |                              | s system, Liver, Prostate<br>s system effects, Convulsions        |
| Speci          | es                        | : Dog                        |   |
| NOAE           |                           | : 7.02 mg/kg                 |   |
| Applic         | cation Route              | : oral (feed)                |   |
|                | sure time                 | : 1 yr                       |   |
|                | et Organs                 |                              | s system, Liver, Lungs  |
| Symp           |                           |                              | atality, Irregularities   |
| Milbe          | mycin Oxime:              |                              |   |
| Speci          | •                         | : Rat                        |   |
| NOAE           |                           | : 3 mg/kg                    |   |
| LOAE           |                           | : 15 mg/kg                   |   |
|                | cation Route              | : Ingestion                  |   |
|                | sure time                 | : 90 Days                    |   |
| Symp           |                           |                              | , Blood disorders   |
| Speci          |                           | : Dog                        |   |
| LÖAE           | EL                        | : 8.6 mg/kg                  |   |
|                | cation Route              | : Ingestion                  |   |
| Expos          | sure time                 | : 3 Days                     |   |



| Vers<br>4.1   | sion  | Revision Date:<br>28.09.2024          | •       | DS Number:<br>387040-00010  | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |  |
|---|---|---------------------------------------|---------|---|---|--|
|   | Symptoms :  |                                       | Tremors |   |   |  |
|   | Aspiration toxicity<br>Not classified based on available information. |                                       |         |   |   |  |
| 11.2  | 11.2 Information on other hazards                                     |                                       |         |   |   |  |
|   | Endocrine disrupting properties                                       |                                       |         |   |   |  |
|   | <u>Produ</u><br>Assess  |                                       | :       | <ul> <li>The substance/mixture does not contain components con<br/>ered to have endocrine disrupting properties according to<br/>REACH Article 57(f) or Commission Delegated regulation<br/>(EU) 2017/2100 or Commission Regulation (EU) 2018/60<br/>levels of 0.1% or higher.</li> </ul> |   |  |
|   | Exper   | ience with human ex                   | posi    | ure   |   |  |
|   | <u>Comp</u>   | onents:                               |         |   |   |  |
|   |   | u <b>ron (ISO):</b><br>al Information | :       | : Remarks: May be harmful if swallowed.<br>May cause neurotoxic effects.  |   |  |
|   | Milber  | nycin Oxime:                          |         | -   |   |  |
|   | Ingesti   | on                                    | :       | : Symptoms: Salivation, Convulsions, Diarrhoea, Weakness,<br>Vomiting, Tremors, Coma<br>Remarks: Based on Animal Evidence   |   |  |
| SEC   | CTION   | 12: Ecological info                   | rma     | ation   |   |  |
| 12.1  | Toxici  | ty                                    |         |   |   |  |
|   | Comp  | onents:                               |         |   |   |  |
|   | Lufen   | uron (ISO):                           |         |   |   |  |
|   | Toxicity to fish :  |                                       | :       | LC50 (Oncorhynchus mykiss (rainbow trout)): > 73,100 μg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203   |   |  |
|   |   |                                       |         | LC50 (Oncorhynchus mykiss (rainbow trout)): > 29,000 µg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203   |   |  |
| LC50 (Oncorhynchus mykiss (rainbow trout)): 3<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203 |   |                                       | 6 h     |   |   |  |

Toxicity to daphnia and other : EC50 (Americamysis): 0.042 µg/l aquatic invertebrates EC50 (Americamysis): 0.042 µg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035

EC50 (Daphnia magna (Water flea)): 0.41 µg/l



| Version<br>4.1 | Revision Date: 28.09.2024  | - | 9S Number:<br>87040-00010   | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |
|----------------|--|---|---|---|
|                |  |   | Exposure time: 48<br>Method: OECD Te  |   |
|                | Toxicity to algae/aquatic plants                                       |   | EC50 (Raphidoce<br>µg/l<br>Exposure time: 72<br>Method: OECD Te             |   |
|                |  |   | EC50 (Scenedesr<br>Exposure time: 72<br>Method: OECD To                     |   |
| M-F<br>icity   | Factor (Acute aquatic tox-<br>/)                                       | : | 10,000  |   |
| To><br>icity   | ticity to fish (Chronic tox-<br>/)                                     | : | NOEC: 80 µg/l<br>Exposure time: 33<br>Species: Oncorhy<br>Method: OECD Te   | nchus mykiss (rainbow trout)                                      |
|                |  |   | NOEC: 20 µg/l<br>Exposure time: 35<br>Species: Oncorhy<br>Method: OECD Te   | nchus mykiss (rainbow trout)                                      |
| aqu            | cicity to daphnia and other<br>natic invertebrates (Chron-<br>oxicity) |   | NOEC: 8.38 µg/l<br>Exposure time: 21<br>Species: Daphnia<br>Method: OECD Te | magna (Water flea)  |
|                |  |   | NOEC: 90 µg/l<br>Exposure time: 21<br>Species: Daphnia<br>Method: OECD Te   | magna (Water flea)  |
|                |  |   | NOEC: 2 µg/l<br>Exposure time: 21<br>Species: Chironor<br>Method: OECD Te   | mus riparius (harlequin fly)                                      |
|                | Factor (Chronic aquatic city)  | : | 10  |   |
| Mil            | bemycin Oxime:   |   |   |   |
|                | cicity to fish   | : | LC50 (Oncorhync<br>Exposure time: 96  | hus mykiss (rainbow trout)): 0.16 μg/l<br>δ h                     |
|                | cicity to daphnia and other attic invertebrates                        | : | EC50 (Daphnia m<br>Exposure time: 48  | nagna (Water flea)): 0.03 μg/l<br>3 h                             |
| Tox<br>plai    | ricity to algae/aquatic<br>nts   | : | EC50 : > 87 μg/l<br>Exposure time: 72                                       | 2 h   |
|                |  |   |   |   |



| Version<br>4.1 | Revision Date:<br>28.09.2024  | -     | DS Number:<br>87040-00010                                | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020  |  |
|----------------|---|-------|--|--|--|
| M-F<br>icity   | actor (Acute aquatic tox-<br>)  | :     | 10,000   |  |  |
| aqu            | Toxicity to daphnia and other aquatic invertebrates (Chron-<br>ic toxicity) |       | : NOEC: 0.01 µg/l<br>Species: Daphnia magna (Water flea) |  |  |
|                | actor (Chronic aquatic  | :     | 10,000   |  |  |
|                | sistence and degradabil<br>data available                                   | lity  |  |  |  |
| 12.3 Bio       | accumulative potential  |       |  |  |  |
| Con            | nponents:   |       |  |  |  |
| Lufe           | enuron (ISO):   |       |  |  |  |
| Bioa           | accumulation  | :     | Bioconcentration   | s macrochirus (Bluegill sunfish)<br>factor (BCF): 28<br>est Guideline 305  |  |
|                | ition coefficient: n-<br>Inol/water   | :     | log Pow: 5.12  |  |  |
| Milk           | emycin Oxime:   |       |  |  |  |
| Bioa           | accumulation  | :     | : Bioconcentration factor (BCF): 440                     |  |  |
|                | ition coefficient: n-<br>nol/water  | :     | : log Pow: 7   |  |  |
| 12.4 Mol       | bility in soil  |       |  |  |  |
| Con            | nponents:   |       |  |  |  |
| Lufe           | enuron (ISO):   |       |  |  |  |
|                | ribution among environ-<br>ntal compartments                                | :     | log Koc: 5.38<br>Method: OECD T                          | est Guideline 106  |  |
| 12.5 Res       | sults of PBT and vPvB as  | sse   | ssment   |  |  |
| Pro            | duct:   |       |  |  |  |
| Ass            | essment   | :     | to be either persis                                      | nixture contains no components considered<br>stent, bioaccumulative and toxic (PBT), or<br>nd very bioaccumulative (vPvB) at levels of   |  |
| 12.6 End       | locrine disrupting prope  | ertie | es   |  |  |
|                | duct:   |       |  |  |  |
| Ass            | essment   | :     | ered to have end<br>REACH Article 5                      | ixture does not contain components consid-<br>ocrine disrupting properties according to<br>7(f) or Commission Delegated regulation<br>or Commission Regulation (EU) 2018/605 at<br>higher. |  |



| Version | Revision Date: | SDS Number:   | Date of last issue: 06.04.2024  |
|---------|----------------|---------------|---------------------------------|
| 4.1     | 28.09.2024     | 6387040-00010 | Date of first issue: 21.09.2020 |

### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

| Product                | : | Dispose of in accordance with local regulations.<br>According to the European Waste Catalogue, Waste Codes<br>are not product specific, but application specific.<br>Waste codes should be assigned by the user, preferably in<br>discussion with the waste disposal authorities.<br>Do not dispose of waste into sewer. |
|------------------------|---|--|
| Contaminated packaging | : | Empty containers should be taken to an approved waste han-<br>dling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product.   |

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

| ADN                             | : | UN 3077   |   |
|---------------------------------|---|---|---|
| ADR                             | : | UN 3077   |   |
| RID                             | : | UN 3077   |   |
| IMDG                            | : | UN 3077   |   |
| ΙΑΤΑ                            | : | UN 3077   |   |
| 14.2 UN proper shipping name    |   |   |   |
| ADN                             | : | ENVIRONMENTALLY<br>N.O.S.<br>(Milbemycin Oxime, L | ( HAZARDOUS SUBSTANCE, SOLID,<br>ufenuron (ISO))  |
| ADR                             | : | ENVIRONMENTALLY<br>N.O.S.<br>(Milbemycin Oxime, L | ( HAZARDOUS SUBSTANCE, SOLID,<br>ufenuron (ISO))  |
| RID                             | : | ENVIRONMENTALLY<br>N.O.S.<br>(Milbemycin Oxime, L | ( HAZARDOUS SUBSTANCE, SOLID,<br>ufenuron (ISO))  |
| IMDG                            | : | ENVIRONMENTALLY<br>N.O.S.<br>(Milbemycin Oxime, L | ( HAZARDOUS SUBSTANCE, SOLID,<br>ufenuron (ISO))  |
| ΙΑΤΑ                            | : | Environmentally haza<br>(Milbemycin Oxime, L      | rdous substance, solid, n.o.s.<br>ufenuron (ISO)) |
| 14.3 Transport hazard class(es) |   |   |   |
|                                 |   | Class   | Subsidiary risks                                  |
| ADN                             | : | 9   |   |

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



| Vers<br>4.1 | sion                               | Revision Date:<br>28.09.2024   |       | 0S Number:<br>87040-00010           | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |
|-------------|------------------------------------|--|-------|-------------------------------------|---|
|             | ADR                                |  | :     | 9                                   |   |
|             | RID                                |  | :     | 9                                   |   |
|             | IMDG                               |  | :     | 9                                   |   |
|             | ΙΑΤΑ                               |  | :     | 9                                   |   |
| 14.4        | Packir                             | ng group   |       |                                     |   |
|             | Classif                            | g group<br>ication Code<br>I Identification Number                     | :     | III<br>M7<br>90<br>9                |   |
|             | Classif<br>Hazard<br>Labels        | g group<br>ication Code<br>I Identification Number<br>restriction code | :     | III<br>M7<br>90<br>9<br>(-)         |   |
|             | Classif                            | g group<br>ication Code<br>I Identification Number                     | : : : | III<br>M7<br>90<br>9                |   |
|             | IMDG<br>Packing<br>Labels<br>EmS C | g group<br>ode   | :     | III<br>9<br>F-A, S-F                |   |
|             | aircraft<br>Packin                 | g instruction (cargo   | :     | 956<br>Y956<br>III<br>Miscellaneous |   |
|             | Packing<br>ger airc<br>Packing     | g instruction (LQ)   | :     | 956<br>Y956                         |   |
|             | Labels                             | g group  | ÷     | III<br>Miscellaneous                |   |
| 14.5        | 14.5 Environmental hazards         |  |       |                                     |   |
|             | <b>ADN</b><br>Enviror              | nmentally hazardous  | :     | yes                                 |   |
|             | ADR                                | nmentally hazardous  | :     | yes                                 |   |
|             | <b>RID</b><br>Enviror              | nmentally hazardous  | :     | yes                                 |   |



| Version<br>4.1 | Revision Date: 28.09.2024           | SDS Number:<br>6387040-00010 | Date of last issue: 06.04.2024<br>Date of first issue: 21.09.2020 |
|----------------|-------------------------------------|------------------------------|---|
| IMDG<br>Marin  | <b>)</b><br>ne pollutant            | : yes                        |   |
|                | (Passenger)<br>onmentally hazardous | : ves                        |   |

: ves

## Environmentally hazardous 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

IATA (Cargo)

: Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| REACH - Restrictions on the manufacture, placing on<br>the market and use of certain dangerous substances,<br>mixtures and articles (Annex XVII) | :    | Conditions of restriction for the fol-<br>lowing entries should be considered:<br>Number on list 75: If you intend to<br>use this product as tattoo ink, please<br>contact your vendor.   |
|--|------|---|
|  |      | Substance(s) or mixture(s) are listed<br>here according to their appearance<br>in the regulation, irrespective of their<br>use/purpose or the conditions of the<br>restriction. Please refer to the condi-<br>tions in corresponding Regulation to<br>determine whether an entry is appli-<br>cable to the placing on the market or<br>not. |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).  | :    | Not applicable  |
| Regulation (EC) on substances that deplete the ozone layer   | :    | Not applicable  |
| Regulation (EU) 2019/1021 on persistent organic pollu-<br>tants (recast)   | :    | Not applicable  |
| Regulation (EU) No 649/2012 of the European Parlia-<br>ment and the Council concerning the export and import<br>of dangerous chemicals           | :    | Lufenuron (ISO)   |
| REACH - List of substances subject to authorisation<br>(Annex XIV)   | :    | Not applicable  |
| Seveso III: Directive 2012/18/EU of the European Parliar   | nent | t and of the Council on the control of  |
| major-accident hazards involving dangerous substances.   |      |   |



| Version<br>4.1 | Revision Date: 28.09.2024 | SDS Number:<br>6387040-00010       |     | last issue: 06.04<br>first issue: 21.09 |                     |
|----------------|---------------------------|------------------------------------|-----|---|---------------------|
| E1             |                           | ENVIRONMEN <sup>-</sup><br>HAZARDS | ΓAL | Quantity 1<br>100 t                     | Quantity 2<br>200 t |

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

| The components of this product | t are reported in the | he following inventories: |
|--------------------------------|-----------------------|---------------------------|
|--------------------------------|-----------------------|---------------------------|

| AICS  | : | not determined |
|-------|---|----------------|
| DSL   | : | not determined |
| IECSC | : | not determined |

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

| Other information  |    | Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.  |
|--|----|---|
| Full text of H-Statements  |    | Harmful if swallowed.   |
| H302<br>H317<br>H332<br>H360D<br>H372  |    | May cause an allergic skin reaction.<br>Harmful if inhaled.<br>May damage the unborn child.<br>Causes damage to organs through prolonged or repeated  |
| H372<br>H400<br>H410   |    | exposure.<br>Causes damage to organs through prolonged or repeated<br>exposure if swallowed.<br>Very toxic to aquatic life.<br>Very toxic to aquatic life with long lasting effects.  |
| Full text of other abbreviatio   | ns |   |
| Acute Tox.<br>Aquatic Acute<br>Aquatic Chronic<br>Repr.<br>Skin Sens.<br>STOT RE<br>IE OEL |    | Acute toxicity<br>Short-term (acute) aquatic hazard<br>Long-term (chronic) aquatic hazard<br>Reproductive toxicity<br>Skin sensitisation<br>Specific target organ toxicity - repeated exposure<br>Ireland. List of Chemical Agents and Carcinogens with Occu-<br>pational Exposure Limit Values - Code of Practice, Schedule 1<br>and 2 |
| IE OEL / OELV - 8 hrs (TWA)  | :  | Occupational exposure limit value (8-hour reference period)   |



| Version | Revision Date: | SDS Number:   | Date of last issue: 06.04.2024  |
|---------|----------------|---------------|---------------------------------|
| 4.1     | 28.09.2024     | 6387040-00010 | Date of first issue: 21.09.2020 |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

| Sources of key data used to compile the Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD<br>eChem Portal search results and European Chemicals Agen-<br>cy, http://echa.europa.eu/ |
|---|---|--|
|   |   |  |

**Classification procedure:** 

### Classification of the mixture:

|       | -                     |
|-------|-----------------------|
| H317  | Calculation method    |
| H360D | Calculation method    |
| H372  | Calculation method    |
| H400  | Calculation method    |
| H410  | Calculation method    |
|       | H360D<br>H372<br>H400 |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.



| Version | Revision Date: | SDS Number:   | Date of last issue: 06.04.2024  |
|---------|----------------|---------------|---------------------------------|
| 4.1     | 28.09.2024     | 6387040-00010 | Date of first issue: 21.09.2020 |

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN