

Version 4.4	Revision Date: 28.09.2024	SDS Number: 7567880-0001	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
SECTION	1: IDENTIFICATION		
Product name		: Milbemycir	n Oxime / Lufenuron / Praziquantel Formulation
Manu	ifacturer or supplier's	s details	
Comp	Company :		stralia Pty Limited (trading as MSD Animal Health)
Address :		: 91-105 Ha Bendigo 3	rpin Street 550, Victoria Austrailia

Recommended use of the chemical and restrictions on use				
E-mail address	:	EHSDATASTEWARD@msd.com		
Emergency telephone number :	:	Poisons Information Centre: Phone 13 11 26		
Telephone :	:	1 800 033 461		

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Skin sensitisation	:	Category 1
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Central nervous system, Lungs, Liver, Stomach)
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H317 May cause an allergic skin reaction. H360D May damage the unborn child. H373 May cause damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated expo- sure if swallowed.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024	
4.4	28.09.2024	7567880-00011	Date of first issue: 20.11.2020	

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 30 -< 60
Glycerine	56-81-5	>= 10 -< 30
Lufenuron (ISO)	103055-07-8	>= 1 -< 10
Sucrose	57-50-1	< 10
Savorysel Bacon Flavor	Not Assigned	< 10
praziquantel	55268-74-1	< 10
Milbemycin Oxime	129496-10-2	< 1

### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical ad- vice immediately.</li> </ul>
	When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty



Version 4.4	Revision Date: 28.09.2024	-	0S Number: 67880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020	
lf sv Mos	ase of eye contact wallowed st important symptoms	::	Get medical atten Wash clothing bed Thoroughly clean If in eyes, rinse we Get medical atten If swallowed, DO Get medical atten Rinse mouth thoro May cause an alle	fore reuse. shoes before reuse. ell with water. tion if irritation develops and persists. NOT induce vomiting. tion. bughly with water. ergic skin reaction.	
and effects, both acute and delayed Protection of first-aiders		:	<ul> <li>May damage the unborn child.</li> <li>May cause damage to organs through prolonged or repeate exposure if swallowed.</li> <li>Contact with dust can cause mechanical irritation or drying of the skin.</li> <li>Dust contact with the eyes can lead to mechanical irritation.</li> <li>First Aid responders should pay attention to self-protection,</li> </ul>		
Not	Notes to physician		and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.		
SECTIO	N 5. FIREFIGHTING MEA	SU	RES		
Suit	able extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical		
Uns	suitable extinguishing dia	:	None known.		
Spe figh	ecific hazards during fire- ting	:	Exposure to comb	oustion products may be a hazard to health.	
Haz	zardous combustion prod-	:	Carbon oxides Nitrogen oxides (I Metal oxides Chlorine compour		
Spe ods	cific extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do	

: 2Z

Use personal protective equipment.

In the event of fire, wear self-contained breathing apparatus.

Special protective equipment : for firefighters

Hazchem Code



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.4	28.09.2024	7567880-00011	Date of first issue: 20.11.2020

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	<ul> <li>Use personal protective equipment.</li> <li>Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).</li> </ul>
Environmental precautions	<ul> <li>Avoid release to the environment.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Retain and dispose of contaminated wash water.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> <li>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</li> <li>Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.</li> <li>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</li> <li>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</li> </ul>

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing.
Advice on oure numaring		Do not breathe dust, fume, gas, mist, vapours or spray. Do not swallow. Avoid contact with eyes.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
		Keep container tightly closed.
		Minimize dust generation and accumulation.
		Keep container closed when not in use. Keep away from heat and sources of ignition.
		Take precautionary measures against static discharges.



Version 4.4	Revision Date: 28.09.2024	SDS Number: 7567880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
Hygi	ene measures	<ul> <li>Take care to pr environment.</li> <li>If exposure to o flushing system place.</li> <li>When using do Contaminated workplace.</li> <li>Wash contamir The effective o engineering co appropriate des</li> </ul>	k or smoke when using this product. event spills, waste and minimize release to the chemical is likely during typical use, provide eye as and safety showers close to the working not eat, drink or smoke. work clothing should not be allowed out of the nated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the
Conc	litions for safe storage	use of administ : Keep in proper Store locked up Keep tightly clo	y labelled containers.
Mate	rials to avoid	Store in accord	ance with the particular national regulations. th the following product types:

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

:

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH
Glycerine	56-81-5	TWA (Mist)	10 mg/m3	AU OEL
Lufenuron (ISO)	103055-07-8	TWA	60 µg/m3 (OEB 3)	Internal
	Further informa	ation: DSEN		
		Wipe limit	100 µg/100 cm2	Internal
Sucrose	57-50-1	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH
Savorysel Bacon Flavor	Not Assigned	Wipe limit	OEB 2 (>= 100 < 1000 µg/m3)	Internal
praziquantel	55268-74-1	TWA	0.5 mg/m3 (OEB 2)	Internal
Milbemycin Oxime	129496-10-2	TWA	0.1 mg/m3 (OEB2)	Internal

#### Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of



\_\_\_\_

# Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 4.4	Revision Date: 28.09.2024		OS Number: 67880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
			the compound to tainment devices) Minimize open ha	
Pers	onal protective equipr	nent		
Resp	iratory protection	:	sure assessment	exhaust ventilation is not available or expo- demonstrates exposures outside the rec- lines, use respiratory protection.
	Iter type protection	:		lates and organic vapour type
M	aterial	:	Chemical-resistar	nt gloves
	emarks protection	:	If the work enviro mists or aerosols Wear a faceshield	gloving. ses with side shields or goggles. nment or activity involves dusty conditions, , wear the appropriate goggles. d or other full face protection if there is a t contact to the face with dusts, mists, or
Skin	and body protection	:	task being perform posable suits) to a	arments should be used based upon the med (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. degowning techniques to remove potentially

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.



Vers 4.4	sion	Revision Date: 28.09.2024	-	S Number: 7880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
	Flamm	ability (liquids)	:	Not applicable	
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Vapou	rpressure	:	Not applicable	
	Relativ	e vapour density	:	Not applicable	
	Relativ	e density	:	No data available	9
	Density	/	:	No data available	9
	Solubil Wat	ity(ies) ter solubility	:	soluble	
	Partitio octano	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ity cosity, kinematic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	ılar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	No data available	9

### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	: :	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials Hazardous decomposition	:	Oxidizing agents



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.4	28.09.2024	7567880-00011	Date of first issue: 20.11.2020

#### products

TION 11. TOXICOLOGICA	L INFORMATION
Exposure routes	: Inhalation Skin contact Ingestion Eye contact
Acute toxicity Not classified based on ava	ailable information.
Components:	
Starch:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg
Glycerine:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	: LD50 (Guinea pig): > 5,000 mg/kg
Lufenuron (ISO):	
Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg
	LD50 (Mouse): > 2,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 2,350 mg/m3 Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg
Sucrose:	
Acute oral toxicity	: LD50 (Rat): 29,700 mg/kg
Savorysel Bacon Flavor:	
Acute oral toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	: Remarks: Not classified due to lack of data.
Acute dermal toxicity	: Remarks: Based on available data, the classification criteria are not met.
praziquantel:	
Acute oral toxicity	: LD50 (Rat): 2,480 mg/kg



Version 4.4	Revision Date: 28.09.2024		S Number: 67880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
			LD50 (Mouse):	2,454 mg/kg
			LD50 (Dog): > 2	200 mg/kg
			LD50 (Rabbit):	1,050 mg/kg
Milbe	emycin Oxime:			
	e oral toxicity	:	LD50 (Rat): 532	2 - 863 mg/kg
			LD50 (Mouse):	722 - 946 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 1,2 Exposure time: Test atmosphere	4 h
Acute	e dermal toxicity	:	LD50 (Rat): > 2	2,000 mg/kg
<u>Com</u>	classified based on ava ponents:	ailable	information.	
-	erine:			
Spec Resu		:	Rabbit No skin irritatio	n
Lufe	nuron (ISO):			
Spec		:	Rabbit	
Meth Resu		:	Draize Test No skin irritatio	n
Savo	orysel Bacon Flavor:			
Rem	•	:	Based on data May irritate skir	from similar materials n.
-	iquantel:			
Spec Meth		:	Rabbit Draize Test	
Rem		:	slight irritation	
Milbe	emycin Oxime:			
Spec		:	Rabbit	
Meth Resu		:	OECD Test Gu No skin irritation	
	-	•		



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.4	28.09.2024	7567880-00011	Date of first issue: 20.11.2020

### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:** Starch: Species : Rabbit Result : No eye irritation Glycerine: Species Rabbit : Result : No eye irritation Lufenuron (ISO): Species Rabbit : Result : No eye irritation Method : Draize Test Savorysel Bacon Flavor: Remarks : Based on data from similar materials May irritate eyes. praziquantel: Species Rabbit ÷ Result Mild eye irritation : Method : Draize Test Milbemycin Oxime: Species Rabbit : Result : No eye irritation Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** Not classified based on available information. **Components:** Starch: st

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative



	Revision Date: 28.09.2024	SDS Number 7567880-000	
Lufer	uron (ISO):		
Test 7		: Maximisa	tion Test
Speci	es	: Guinea p	
	ssment		e sensitisation by skin contact.
Resul	t	: Sensitise	r
Savo	rysel Bacon Flavor:		
Rema	ırks	: Not class	ified due to lack of data.
prazio	quantel:		
Test 7	Гуре	: Maximisa	tion Test
	sure routes	: Dermal	
Speci		: Guinea p	
Resul	t	: NOT a SKI	n sensitizer.
	mycin Oxime:		
	sure routes	: Skin cont	
Speci Resul		: Guinea p : negative	ıg
	•		
	nic toxicity		
Germ	cell mutagenicity	ailable informatio	<b>0</b>
<b>Germ</b> Not cl	cell mutagenicity assified based on ava	ailable informatio	n.
Germ Not cl <u>Com</u> t	cell mutagenicity assified based on ava conents:	ailable informatio	n.
Germ Not cl <u>Comp</u> Starc	cell mutagenicity assified based on ava conents:		e: Bacterial reverse mutation assay (AMES)
Germ Not cl <u>Comp</u> Starc	cell mutagenicity assified based on ava <u>conents:</u> h: toxicity in vitro	: Test Type	e: Bacterial reverse mutation assay (AMES)
Germ Not cl Comp Starc Geno	cell mutagenicity assified based on ava <u>conents:</u> h: toxicity in vitro	: Test Type Result: ne	e: Bacterial reverse mutation assay (AMES) egative e: In vitro mammalian cell gene mutation test
Germ Not cl Comp Starc Geno	cell mutagenicity assified based on ava <u>conents:</u> h: toxicity in vitro	: Test Type Result: ne : Test Type Result: ne	e: Bacterial reverse mutation assay (AMES) egative e: In vitro mammalian cell gene mutation test egative e: Bacterial reverse mutation assay (AMES)
Germ Not cl Comp Starc Geno	cell mutagenicity assified based on ava <u>conents:</u> h: toxicity in vitro	: Test Type Result: ne : Test Type Result: ne Test Type Result: ne	e: Bacterial reverse mutation assay (AMES) egative e: In vitro mammalian cell gene mutation test egative e: Bacterial reverse mutation assay (AMES) egative e: Chromosome aberration test in vitro
Germ Not cl Comp Starc Geno	cell mutagenicity assified based on ava <u>conents:</u> h: toxicity in vitro	: Test Type Result: ne : Test Type Result: ne Test Type Result: ne Test Type Result: ne Test Type	e: Bacterial reverse mutation assay (AMES) egative e: In vitro mammalian cell gene mutation test egative e: Bacterial reverse mutation assay (AMES) egative e: Chromosome aberration test in vitro egative e: DNA damage and repair, unscheduled DNA syn- mammalian cells (in vitro)
Germ Not cl Comp Starc Geno Glyce Geno	cell mutagenicity assified based on ava <u>conents:</u> h: toxicity in vitro	: Test Type Result: ne : Test Type Result: ne Test Type Result: ne Test Type Result: ne Test Type thesis in	e: Bacterial reverse mutation assay (AMES) egative e: In vitro mammalian cell gene mutation test egative e: Bacterial reverse mutation assay (AMES) egative e: Chromosome aberration test in vitro egative e: DNA damage and repair, unscheduled DNA syn- mammalian cells (in vitro)



ersion 4	Revision Date: 28.09.2024	SDS Number: 7567880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
		Deputt perceti	
		Result: negativ	/e
			use Lymphoma Chinese hamster cells /e
			togenetic assay Chinese hamster ovary cells /e
		Test system: F Result: negativ	łuman lymphocytes /e
Geno	toxicity in vivo	: Test Type: Ma cytogenetic as Species: Mous Result: negativ	Se
		Test Type: Un lar cells Species: Rat Result: negativ	scheduled DNA synthesis test (UDS) in testic
	cell mutagenicity - ssment	: Weight of evid cell mutagen.	ence does not support classification as a gerr
Sucro	ose:		
Geno	toxicity in vitro	: Test Type: In v Result: negativ	vitro mammalian cell gene mutation test ve
Savo	rysel Bacon Flavor:		
Geno	toxicity in vitro	: Remarks: Not	classified due to lack of data.
Geno	toxicity in vivo	: Remarks: Not	classified due to lack of data.
prazio	quantel:		
-	toxicity in vitro	: Test Type: Bao Result: negativ	cterial reverse mutation assay (AMES) /e
			romosomal aberration Chinese hamster cells /e
Cono	toxicity in vivo	· Test Type: Mic	cronucleus test



ersion 4	Revision Date: 28.09.2024	SDS Number: 7567880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
		Species: Ra Result: neg	
Milbe	mycin Oxime:		
Genotoxicity in vitro		: Test Type: I Result: neg	Bacterial reverse mutation assay (AMES) ative
		Test Type: ( Result: neg	Chromosome aberration test in vitro ative
Genotoxicity in vivo		: Test Type: I cytogenetic Species: Mo Result: neg	buse
	nogenicity assified based on avai	lable information.	
Comp	oonents:		
Glyce	erine:		
Speci		: Rat	
	cation Route	: Ingestion	
	sure time	: 2 Years	
Resul	t	: negative	
Lufen	nuron (ISO):		
Speci		: Rat	
	cation Route	: Ingestion	
Expos	sure time t	: 18 month(s) : negative	
		-	
Carcir ment	nogenicity - Assess-	: Weight of end	vidence does not support classification as a car-
prazio	quantel:		
Speci		: Hamster	
	cation Route	: Oral	
	sure time	: 80 weeks	and y weight
NOAE Resul		: 100 mg/kg k : negative	oouy weigin
Rema			nt adverse effects were reported
Speci	es	: Rat	
Applic	cation Route	: Oral	
Expos	sure time	: 104 weeks	
NOAE Resul		: 250 mg/kg k	body weight
	L	: negative	



ersion 1	Revision Date: 28.09.2024		0S Number: 67880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
Rema	rko		No cignificant o	duoroo offacto wara rapartad
Rema	IIKS	•	NO SIGNILICANT A	dverse effects were reported
-	oductive toxicity lamage the unborn chil	ld.		
<u>Comp</u>	oonents:			
<b>Glycerine:</b> Effects on fertility		:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative	
Effects on foetal develop- ment		:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative	
Lufer	uron (ISO):			
Effects on fertility		:	Species: Rat Application Rou General Toxicit Early Embryoni weight	-generation reproduction toxicity study tte: Oral y - Parent: NOAEL: 8.3 mg/kg wet weight c Development: NOAEL: 20.9 mg/kg body testing did not show any effects on fertility.
Effects on foetal develop- ment		:	Developmental Symptoms: No Remarks: No si Test Type: Fert Species: Rat Application Rou General Toxicit	ite: Oral y Maternal: NOAEL: 500 mg/kg body weight Toxicity: NOAEL: 1,000 mg/kg body weight adverse effects gnificant adverse effects were reported ility/early embryonic development ite: Ingestion y Maternal: NOAEL: 20.9 mg/kg body weight oxicity: 8.3 mg/kg body weight
•	Reproductive toxicity - As- sessment		Clear evidence animal experim	of adverse effects on development, based o ents.
	rysel Bacon Flavor:			
Effect	s on fertility	:	Remarks: No da	ata available
Effect	s on foetal develop-	:	Remarks: No da	ata available



		SDS Number:Date of last issue: 06.04.20247567880-00011Date of first issue: 20.11.2020
ment		
	nuantel:	
praziquantel: Effects on fertility		: Test Type: Fertility Species: Rat Remarks: No significant adverse effects were reported
		Test Type: Fertility Species: Mouse Remarks: No significant adverse effects were reported
Effects on foetal develop- ment		: Test Type: Development Species: Rat Remarks: No significant adverse effects were reported
		Test Type: Development Species: Mouse Remarks: No significant adverse effects were reported
Milbe	mycin Oxime:	
Effect	s on fertility	: Test Type: One-generation reproduction toxicity study Species: Dog Application Route: Ingestion Result: negative
Effect ment	s on foetal develop-	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative
		Test Type: Embryo-foetal development Species: Dog Application Route: Ingestion Result: negative
	- single exposure assified based on ava	able information.
	oonents:	
Lufer	uron (ISO):	
	ssment	: The substance or mixture is not classified as specific targe organ toxicant, single exposure.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.4	28.09.2024	7567880-00011	Date of first issue: 20.11.2020

### STOT - repeated exposure

May cause damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.

#### **Components:**

Lufenuron (ISO): Exposure routes Target Organs Assessment	<ul> <li>Oral</li> <li>Central nervous system, Lungs, Liver, Stomach</li> <li>Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.</li> </ul>
	<ul> <li>Ingestion</li> <li>Central nervous system</li> <li>Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.</li> </ul>
Repeated dose toxicity	
Components:	
	<ul> <li>Rat</li> <li>&gt;= 2,000 mg/kg</li> <li>Skin contact</li> <li>28 Days</li> <li>OECD Test Guideline 410</li> </ul>
<b>Glycerine:</b> Species NOAEL LOAEL Application Route Exposure time	<ul> <li>Rat</li> <li>0.167 mg/l</li> <li>0.622 mg/l</li> <li>inhalation (dust/mist/fume)</li> <li>13 Weeks</li> </ul>
Species NOAEL Application Route Exposure time	: Rat : 8,000 - 10,000 mg/kg : Ingestion : 2 yr
Species NOAEL Application Route Exposure time	<ul> <li>Rabbit</li> <li>5,040 mg/kg</li> <li>Skin contact</li> <li>45 Weeks</li> </ul>
<b>Lufenuron (ISO):</b> Species NOAEL	: Rat : 5.34 mg/kg
	16 / 24



Version 4.4	Revision Date: 28.09.2024	SDS Numbe 7567880-000	
	cation Route	: oral (feed : 4 Months	,
Targe	et Organs ptoms		ervous system, digestive system ervous system effects
Expo		: Rat : 1.93 mg/ : oral (feed : 2 yr : central n	•
Expo Targe			1)
Expo Targe			
<b>Savo</b> Rema	o <b>rysel Bacon Flavor:</b> arks	: Not class	ified due to lack of data.
Spec NOA	EL cation Route	: Rat : 1,000 mg : Oral : No signif	y/kg icant adverse effects were reported
	EL EL cation Route et Organs		
Spec NOA LOAI Appli Expo	EL	: Rat : 3 mg/kg : 15 mg/kg : Ingestion : 90 Days : Liver disc	

### SAFETY DATA SHEET



rsion	Revision Date: 28.09.2024		OS Number: 67880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
Speci		:	Dog	
LOAE	L Cation Route	:	8.6 mg/kg Ingestion	
	sure time	:	3 Days	
Symp	otoms	:	Tremors	
Aspir	ation toxicity			
Not c	lassified based on ava	ailable	information.	
Ехре	rience with human e	exposi	ire	
<u>Com</u>	oonents:			
	nuron (ISO):			
General Information		:	Remarks: May May cause neu	be harmful if swallowed. rotoxic effects.
Savo	rysel Bacon Flavor:			
General Information		:	Remarks: Base May irritate skir May irritate eye	
prazi	quantel:			
Inhala	ation	:		adache, Tiredness, Dizziness, Gastrointestir rease body temperature, Allergic reactions
Milbe	emycin Oxime:			
Inges	tion	:	Vomiting, Trem	vation, Convulsions, Diarrhoea, Weakness, ors, Coma d on Animal Evidence
Furth	er information			
<u>Com</u>	oonents:			
Savo	rysel Bacon Flavor:			
Rema	arks	:	No toxicology ir	formation is available.

Ecotoxicity						
Components:						
<b>Glycerine:</b> Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h				
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h				



Versic 4.4	'n	Revision Date: 28.09.2024		9S Number: 67880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
Т	oxicity	to microorganisms	:	NOEC (Pseudomo Exposure time: 16 Method: DIN 38 4	
L	ufenu	ron (ISO):			
	Toxicity to fish		:	LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
				LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
				LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
		to daphnia and other invertebrates	:	EC50 (Americamy Exposure time: 96 Method: US-EPA	6 h
				EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	oxicity lants	to algae/aquatic	:	EC50 (Raphidoce μg/l Exposure time: 72 Method: OECD Te	
				EC50 (Scenedesr Exposure time: 72 Method: OECD Te	
	oxicity city)	to fish (Chronic tox-	:	NOEC (Oncorhyn Exposure time: 33 Method: OECD Te	chus mykiss (rainbow trout)): 80 μg/l s d est Guideline 210
				NOEC (Oncorhyn Exposure time: 35 Method: OECD Te	
а		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia n Exposure time: 21 Method: OECD Te	
				NOEC (Daphnia n Exposure time: 21 Method: OECD Te	



Version 4.4	Revision Date: 28.09.2024		OS Number: 67880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020
			NOEC (Chironom Exposure time: 21 Method: OECD To	
prazig	uantel:			
	Toxicity to fish		LC50 (Carassius Exposure time: 96 Method: OECD To	
			LC50 (Danio rerio Exposure time: 96 Method: OECD Te	
	y to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxicit	y to microorganisms	:	Exposure time: 3	ation inhibition of activated sludge
Milber	nycin Oxime:			
Toxicit	y to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.16 μg/l δ h
	y to daphnia and other cinvertebrates	:	EC50 (Daphnia m Exposure time: 48	hagna (Water flea)): 0.03 μg/l 3 h
Toxicit plants	y to algae/aquatic	:	EC50: > 87 μg/l Exposure time: 72	2 h
	y to daphnia and other c invertebrates (Chron- city)	:	NOEC (Daphnia r	nagna (Water flea)): 0.01 μg/l
Persis	stence and degradabili	ty		
Comp	onents:			
Glyce				
Biodeg	gradability	:	Result: Readily bi Biodegradation: S Exposure time: 30 Method: OECD To	92 %



Version 4.4	Revision Date: 28.09.2024	SDS Number: 7567880-00011	Date of last issue: 06.04.2024 Date of first issue: 20.11.2020					
Bioa	Bioaccumulative potential							
Com	Components:							
Glyce	erine:							
	ion coefficient: n-	: log Pow: -1.75	5					

octanol/water	·	log Fow1.75
Lufenuron (ISO):		
Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 28 Method: OECD Test Guideline 305
Partition coefficient: n- octanol/water	:	log Pow: 5.12
Sucrose:		
Partition coefficient: n- octanol/water	:	Pow: < 1
praziquantel:		
Partition coefficient: n- octanol/water	:	log Pow: 2.012 pH: 7
Milbemycin Oxime:		
Bioaccumulation	:	Bioconcentration factor (BCF): 440
Partition coefficient: n- octanol/water	:	log Pow: 7
Mobility in soil		
Components:		
Lufenuron (ISO):		
Distribution among environ- mental compartments	:	log Koc: 5.38 Method: OECD Test Guideline 106
Other adverse effects		
No data available		

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han-
		dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.



Version	Revision Date:
4.4	28.09.2024

SDS Number: 7567880-00011 Date of last issue: 06.04.2024 Date of first issue: 20.11.2020

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

Class:9Packing group:IIILabels:9Environmentally hazardous:yesIATA-DGR	<b>UNRTDG</b> UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
UN/ID No. : UN 3077 Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Milbemycin Oxime, Lufenuron (ISO)) Class : 9 Packing group : III Labels : Miscellaneous Packing instruction (cargo : 956 aircraft) Packing instruction (passen- ger aircraft) Environmentally hazardous : 956 IMDG-Code UN number : UN 3077 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO)) Class : 9 Packing group : III Labels : 9 Packing group : III Labels : 9 EmS Code : F-A, S-F	Labels	:	9
Proper shipping name:Environmentally hazardous substance, solid, n.o.s. (Milbemycin Oxime, Lufenuron (ISO))Class:9Packing group:IIILabels:MiscellaneousPacking instruction (cargo aircraft):956Packing instruction (passen- ger aircraft):956IMDG-Code:yesUN number:UN 3077Proper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))Class:9Packing group:III LabelsLabels:9EmS Code::	IATA-DGR		
Class:9Packing group:IIILabels:MiscellaneousPacking instruction (cargo:956aircraft):956Packing instruction (passen- ger aircraft):956Environmentally hazardous:yesIMDG-CodeUN 3077VN number:UN 3077Proper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))Class:9Packing group:IIILabels:9ErmS Code:F-A, S-F		:	
Packing group:IIILabels:MiscellaneousPacking instruction (cargo:956aircraft):956Packing instruction (passen- ger aircraft):956Environmentally hazardous:yesIMDG-Code:yesUN number:UN 3077Proper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))Class:9Packing group:IIILabels:9EmS Code:F-A, S-F	Proper shipping name	:	
Labels:MiscellaneousPacking instruction (cargo aircraft)956Packing instruction (passenger aircraft):Packing instruction (passenger aircraft):Environmentally hazardous:VN number:UN number:Proper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))Class:Packing group:Labels:9EmS Code:F-A, S-F		:	
Packing instruction (cargo aircraft)956Packing instruction (passen- ger aircraft)956ger aircraft)956Environmentally hazardous:YesIMDG-CodeUN number:UN number:Proper shipping name:Environmentally name:Environmentally hazardous:IMDG-CodeUN number:UN number:Proper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))Class:Packing group:Labels:S Ode:F-A, S-F		:	
aircraft) Packing instruction (passen- ger aircraft) Environmentally hazardous : yes <b>IMDG-Code</b> UN number : UN 3077 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO)) Class : 9 Packing group : III Labels : 9 EmS Code : F-A, S-F		:	
ger aircraft) Environmentally hazardous: yesIMDG-Code UN number: UN 3077Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))Class: 9Packing group: III LabelsLabels: 9EmS Code: F-A, S-F	aircraft)	:	956
IMDG-Code       UN 3077         UN number       : UN 3077         Proper shipping name       : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))         Class       : 9         Packing group       : III         Labels       : 9         EmS Code       : F-A, S-F		:	956
UN number : UN 3077 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO)) Class : 9 Packing group : III Labels : 9 EmS Code : F-A, S-F	Environmentally hazardous	:	yes
Proper shipping name       :       ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))         Class       :       9         Packing group       :       III         Labels       :       9         EmS Code       :       F-A, S-F	IMDG-Code		
N.O.S.         (Milbemycin Oxime, Lufenuron (ISO))         Class       9         Packing group       1         Labels       9         EmS Code       F-A, S-F	UN number	:	UN 3077
Class:9Packing group:IIILabels:9EmS Code:F-A, S-F	Proper shipping name	:	
Packing group     :     III       Labels     :     9       EmS Code     :     F-A, S-F			(Milbemycin Oxime, Lufenuron (ISO))
Labels: 9EmS Code: F-A, S-F	Class	:	
EmS Code : F-A, S-F		:	
· · · ·		:	
Marine pollutant : yes		:	
	Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

<b>ADG</b> UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
Class Packing group Labels Hazchem Code	: : :	9 III 9 2Z



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.4	28.09.2024	7567880-00011	Date of first issue: 20.11.2020

Environmentally hazardous : yes

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mix- ture				
Therapeutic Goods (Poisons : Standard) Instrument		the original publication to check for onditions or threshold limits that might		
Prohibition/Licensing Requireme	ents :	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.		
The components of this product are reported in the following inventories:				
AICS :	not determined			
DSL :	not determined			

not determined

#### SECTION 16: ANY OTHER RELEVANT INFORMATION

:

IECSC

Further information Revision Date Sources of key data used to compile the Safety Data Sheet	:	28.09.2024 Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/	
Date format	:	dd.mm.yyyy	
Full text of other abbreviations			
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.	
ACGIH / TWA	:	8-hour, time-weighted average	
AU OEL / TWA		Exposure standard - time weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.4	28.09.2024	7567880-00011	Date of first issue: 20.11.2020

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN