

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 2.6      Revision Date: 30.09.2023      SDS Number: 7567905-00009      Date of last issue: 04.04.2023  
Date of first issue: 20.11.2020

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Milbemycin Oxime / Lufenuron / Praziquantel Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification in accordance with ABNT NBR 14725 Standard**

Skin sensitization : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Central nervous system, Lungs, Liver, Stomach)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements in accordance with ABNT NBR 14725 Standard**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H360D May damage the unborn child.  
H373 May cause damage to organs (Central nervous system,

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 2.6      Revision Date: 30.09.2023      SDS Number: 7567905-00009      Date of last issue: 04.04.2023  
Date of first issue: 20.11.2020

Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

**Prevention:**

P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Starch	9005-25-8		>= 30 -< 50
Lufenuron (ISO)	103055-07-8	Acute toxicity (Oral), Category 5 Acute toxicity (Dermal), Category 5 Skin sensitization, Category 1 Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure (Oral) (Central nervous system, Lungs, Liver, Stomach), Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	>= 5 -< 10
Sucrose	57-50-1		>= 5 -< 10
Savorysel Bacon Flavor	Not Assigned		>= 5 -< 10

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 2.6      Revision Date: 30.09.2023      SDS Number: 7567905-00009      Date of last issue: 04.04.2023  
Date of first issue: 20.11.2020

Praziquantel	55268-74-1	Acute toxicity (Oral), Category 5 Short-term (acute) aquatic hazard, Category 3 Long-term (chronic) aquatic hazard, Category 3	$\geq 2,5$ -< 5
Sodium chloride	7647-14-5	Acute toxicity (Oral), Category 5	$\geq 1$ -< 5
Milbemycin Oxime	129496-10-2	Acute toxicity (Oral), Category 4 Acute toxicity (Inhalation), Category 4 Acute toxicity (Dermal), Category 5 Specific target organ toxicity - repeated exposure (Central nervous system), Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	$\geq 0,25$ -< 1

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and : May cause an allergic skin reaction.  
May damage the unborn child.

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 2.6	Revision Date: 30.09.2023	SDS Number: 7567905-00009	Date of last issue: 04.04.2023 Date of first issue: 20.11.2020
----------------	------------------------------	------------------------------	---

delayed	May cause damage to organs through prolonged or repeated exposure if swallowed. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Metal oxides Chlorine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 2.6	Revision Date: 30.09.2023	SDS Number: 7567905-00009	Date of last issue: 04.04.2023 Date of first issue: 20.11.2020
----------------	------------------------------	------------------------------	---

---

disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.   |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe dust, fume, gas, mist, vapors or spray.<br>Do not swallow.<br>Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Contaminated work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.   |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases   |

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 2.6      Revision Date: 30.09.2023      SDS Number: 7567905-00009      Date of last issue: 04.04.2023  
 Date of first issue: 20.11.2020

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	ACGIH
Lufenuron (ISO)	103055-07-8	TWA	OEB 3 (>= 10 < 100 µg/m <sup>3</sup> )	Internal
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	ACGIH
Savorysel Bacon Flavor	Not Assigned	Wipe limit	OEB 2 (>= 100 < 1000 µg/m <sup>3</sup> )	Internal
Praziquantel	55268-74-1	TWA	0.5 mg/m <sup>3</sup> (OEB 2)	Internal
Milbemycin Oxime	129496-10-2	TWA	0.1 mg/m <sup>3</sup> (OEB2)	Internal

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

#### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapor type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : solid

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

Color	:	brown
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

Molecular weight : No data available

Particle size : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure :  
Inhalation  
Skin contact  
Ingestion  
Eye contact**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

**Components:****Starch:**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg

**Lufenuron (ISO):**

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg LD50 (Mouse): > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 2.350 mg/m <sup>3</sup> Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg



**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

**Sucrose:**

Acute oral toxicity : LD50 (Rat): 29.700 mg/kg

**Savorysel Bacon Flavor:**

Acute oral toxicity : Remarks: Based on available data, the classification criteria are not met.

Acute inhalation toxicity : Remarks: Not classified due to lack of data.

Acute dermal toxicity : Remarks: Based on available data, the classification criteria are not met.

**Praziquantel:**Acute oral toxicity : LD50 (Rat): 2.480 mg/kg  
LD50 (Mouse): 2.454 mg/kg  
LD50 (Dog): > 200 mg/kg  
LD50 (Rabbit): 1.050 mg/kg**Sodium chloride:**Acute oral toxicity : LD50 (Rat): 3.550 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 42 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg**Milbemycin Oxime:**Acute oral toxicity : LD50 (Rat): 532 - 863 mg/kg  
LD50 (Mouse): 722 - 946 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 1.200 mg/m<sup>3</sup>  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Lufenuron (ISO):**Species : Rabbit  
Method : Draize Test

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

Result : No skin irritation

**Savorysel Bacon Flavor:**

Remarks : Based on data from similar materials  
May irritate skin.

**Praziquantel:**

Species : Rabbit  
Method : Draize Test  
Remarks : slight irritation

**Sodium chloride:**

Species : Rabbit  
Result : No skin irritation

**Milbemycin Oxime:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Starch:**

Species : Rabbit  
Result : No eye irritation

**Lufenuron (ISO):**

Species : Rabbit  
Result : No eye irritation  
Method : Draize Test

**Savorysel Bacon Flavor:**

Remarks : Based on data from similar materials  
May irritate eyes.

**Praziquantel:**

Species : Rabbit  
Result : Mild eye irritation  
Method : Draize Test

**Sodium chloride:**

Species : Rabbit  
Result : No eye irritation

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 2.6      Revision Date: 30.09.2023      SDS Number: 7567905-00009      Date of last issue: 04.04.2023  
Date of first issue: 20.11.2020

---

### Milbemycin Oxime:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Starch:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### Lufenuron (ISO):

Test Type : Maximization Test  
Species : Guinea pig  
Assessment : May cause sensitization by skin contact.  
Result : Sensitizer

#### Savorysel Bacon Flavor:

Remarks : Not classified due to lack of data.

#### Praziquantel:

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

#### Sodium chloride:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : negative

#### Milbemycin Oxime:

Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

### Components:

#### **Starch:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

#### **Lufenuron (ISO):**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: Mouse Lymphoma  
Test system: Chinese hamster cells  
Result: negative

Test Type: Cytogenetic assay  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

Test Type: Unscheduled DNA synthesis test (UDS) in testicular cells  
Species: Rat  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Sucrose:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

#### **Savorysel Bacon Flavor:**

Genotoxicity in vitro : Remarks: Not classified due to lack of data.

Genotoxicity in vivo : Remarks: Not classified due to lack of data.

#### **Praziquantel:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

- Test Type: Chromosomal aberration  
Test system: Chinese hamster cells  
Result: negative
- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Result: negative
- Sodium chloride:**
- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: positive
- Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: Saccharomyces cerevisiae, gene mutation assay (in vitro)  
Result: positive
- Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive
- Test Type: Chromosome aberration test in vitro  
Result: positive
- Test Type: Chromosome aberration test in vitro  
Result: negative
- Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative
- Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: positive
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.
- Milbemycin Oxime:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

cytogenetic assay)  
Species: Mouse  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Lufenuron (ISO):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 18 month(s)  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**Praziquantel:**

Species : Hamster  
Application Route : Oral  
Exposure time : 80 weeks  
NOAEL : 100 mg/kg body weight  
Result : negative  
Remarks : No significant adverse effects were reported

Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
NOAEL : 250 mg/kg body weight  
Result : negative  
Remarks : No significant adverse effects were reported

**Sodium chloride:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****Lufenuron (ISO):**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 8,3 mg/kg wet weight  
Early Embryonic Development: NOAEL: 20,9 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 2.6      Revision Date: 30.09.2023      SDS Number: 7567905-00009      Date of last issue: 04.04.2023  
Date of first issue: 20.11.2020

---

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 500 mg/kg body weight  
Developmental Toxicity: NOAEL: 1.000 mg/kg body weight  
Symptoms: No adverse effects.  
Remarks: No significant adverse effects were reported

Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 20,9 mg/kg body weight  
Embryo-fetal toxicity.: 8,3 mg/kg body weight  
Result: Fetal abnormalities.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**Savorysel Bacon Flavor:**

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

**Praziquantel:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Remarks: No significant adverse effects were reported

Test Type: Fertility  
Species: Mouse  
Remarks: No significant adverse effects were reported

Effects on fetal development : Test Type: Development  
Species: Rat  
Remarks: No significant adverse effects were reported

Test Type: Development  
Species: Mouse  
Remarks: No significant adverse effects were reported

**Milbemycin Oxime:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Dog  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 2.6	Revision Date: 30.09.2023	SDS Number: 7567905-00009	Date of last issue: 04.04.2023 Date of first issue: 20.11.2020
----------------	------------------------------	------------------------------	---

---

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: negative

Test Type: Embryo-fetal development  
Species: Dog  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

Not classified based on available information.

#### Components:

##### Lufenuron (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

May cause damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.

#### Components:

##### Lufenuron (ISO):

Routes of exposure : Oral  
Target Organs : Central nervous system, Lungs, Liver, Stomach  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

##### Milbemycin Oxime:

Routes of exposure : Ingestion  
Target Organs : Central nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### Starch:

Species : Rat  
NOAEL :  $\geq 2.000$  mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410

##### Lufenuron (ISO):

Species : Rat



## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

NOAEL : 5,34 mg/kg  
 Application Route : oral (feed)  
 Exposure time : 4 Months  
 Target Organs : Central nervous system, digestive system  
 Symptoms : central nervous system effects

Species : Rat  
 NOAEL : 1,93 mg/kg  
 Application Route : oral (feed)  
 Exposure time : 2 y  
 Symptoms : central nervous system effects, Convulsions

Species : Mouse  
 NOAEL : 2,12 mg/kg  
 Application Route : oral (feed)  
 Exposure time : 18 Months  
 Target Organs : Central nervous system, Liver, Prostate  
 Symptoms : central nervous system effects, Convulsions

Species : Dog  
 NOAEL : 7,02 mg/kg  
 Application Route : oral (feed)  
 Exposure time : 1 y  
 Target Organs : Central nervous system, Liver, Lungs  
 Symptoms : Convulsions, Fatality, Irregularities

### Savorysel Bacon Flavor:

Remarks : Not classified due to lack of data.

### Praziquantel:

Species : Rat  
 NOAEL : 1.000 mg/kg  
 Application Route : Oral  
 Remarks : No significant adverse effects were reported

Species : Dog  
 NOAEL : 60 mg/kg  
 LOAEL : 180 mg/kg  
 Application Route : Oral  
 Target Organs : Gastrointestinal tract  
 Remarks : No significant adverse effects were reported

### Sodium chloride:

Species : Rat  
 LOAEL : 2.533 mg/kg  
 Application Route : Ingestion  
 Exposure time : 2 y

### Milbemycin Oxime:

Species : Rat  
 NOAEL : 3 mg/kg

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

LOAEL : 15 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Symptoms : Liver disorders, Blood disorders

Species : Dog  
 LOAEL : 8,6 mg/kg  
 Application Route : Ingestion  
 Exposure time : 3 Days  
 Symptoms : Tremors

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **Lufenuron (ISO):**

General Information : Remarks: May be harmful if swallowed.  
 May cause neurotoxic effects.

#### **Savorysel Bacon Flavor:**

General Information : Remarks: Based on data from similar materials  
 May irritate skin.  
 May irritate eyes.

#### **Praziquantel:**

Inhalation : Symptoms: Headache, Tiredness, Dizziness, Gastrointestinal discomfort, decrease body temperature, Allergic reactions

#### **Milbemycin Oxime:**

Ingestion : Symptoms: Salivation, Convulsions, Diarrhea, Weakness, Vomiting, Tremors, Coma  
 Remarks: Based on Animal Evidence

### Further information

#### Components:

#### **Savorysel Bacon Flavor:**

Remarks : No toxicology information is available.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Lufenuron (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 73.100 µg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

		LC50 (Oncorhynchus mykiss (rainbow trout)): > 29.000 µg/l Exposure time: 96 h Method: OECD Test Guideline 203
		LC50 (Oncorhynchus mykiss (rainbow trout)): 370 µg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 0,042 µg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 209 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Scenedesmus subspicatus): 17 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10.000
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 80 µg/l Exposure time: 33 d Method: OECD Test Guideline 210
		NOEC (Oncorhynchus mykiss (rainbow trout)): 20 µg/l Exposure time: 359 d Method: OECD Test Guideline 229
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 8,38 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
		NOEC (Daphnia magna (Water flea)): 90 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
		NOEC (Chironomus riparius (harlequin fly)): 2 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	10
<b>Praziquantel:</b>		
Toxicity to fish	:	LC50 (Carassius auratus (goldfish)): 29,2 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203
		LC50 (Danio rerio (zebra fish)): 31,6 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 35 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

### Sodium chloride:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.840 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.136 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50: > 2.000 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 252 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia pulex (Water flea)): 314 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10: > 1.000 mg/l

### Milbemycin Oxime:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,16 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,03 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50: > 87 µg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10.000

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,01 µg/l

M-Factor (Chronic aquatic toxicity) : 10.000

### Persistence and degradability

No data available

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 2.6      Revision Date: 30.09.2023      SDS Number: 7567905-00009      Date of last issue: 04.04.2023  
Date of first issue: 20.11.2020

---

**Bioaccumulative potential****Components:****Lufenuron (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 28  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5,12

**Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

**Praziquantel:**

Partition coefficient: n-octanol/water : log Pow: 2,012  
pH: 7

**Milbemycin Oxime:**

Bioaccumulation : Bioconcentration factor (BCF): 440

Partition coefficient: n-octanol/water : log Pow: 7

**Mobility in soil****Components:****Lufenuron (ISO):**

Distribution among environmental compartments : log Koc: 5,38  
Method: OECD Test Guideline 106

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

---

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

N.O.S.  
(Milbemycin Oxime, Lufenuron (ISO))

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Milbemycin Oxime, Lufenuron (ISO))

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Milbemycin Oxime, Lufenuron (ISO))

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### ANTT

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Milbemycin Oxime, Lufenuron (ISO))

Class : 9  
Packing group : III  
Labels : 9  
Hazard Identification Number : 90

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**Revision Date : 30.09.2023  
Date format : dd.mm.yyyy**Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7567905-00009	Date of first issue: 20.11.2020

---

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8