

Version	Revision Date:
3.0	2024/09/28

SDS Number: 7567908-00011 Date of last issue: 2024/04/06 Date of first issue: 2020/11/20

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	Milbemycin Oxime / Lufenuron / Praziquantel Formulation			
Manufacturer or supplier's details Company : MSD					
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331			
Telephone	:	+1-908-740-4000			
Emergency telephone number	:	86-571-87268110			
E-mail address	:	EHSDATASTEWARD@msd.com			
Recommended use of the chemical and restrictions on use					
Recommended use Restrictions on use	:	Veterinary product Not applicable			

# 2. HAZARDS IDENTIFICATION

## Emergency Overview

Appearance Colour Odour	: : :	solid brown characteristic
, ,		n. May damage the unborn child. May cause damage to organs bosure. Very toxic to aquatic life with long lasting effects.
GHS Classification		
Skin sensitisation	:	Category 1
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - repeated exposure	:	Category 2
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

\_\_\_\_

according to GB/T 16483 and GB/T 17519



# Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 3.0	Revision Date: 2024/09/28	SDS Number: 7567908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
	<b>5 label elements</b> ard pictograms		!
Sign	al word	: Danger	$\mathbf{v}$
Haza	ard statements	H360D May dar H373 May caus peated exposure	e an allergic skin reaction. nage the unborn child. e damage to organs through prolonged or re- e. to aquatic life with long lasting effects.
Prec	autionary statements	P202 Do not ha and understood P260 Do not bre P272 Contamina the workplace. P273 Avoid rele	eathe dust/ fume/ gas/ mist/ vapours/ spray. ated work clothing should not be allowed out of ase to the environment. ective gloves/ protective clothing/ eye protec-
		P308 + P313 IF attention. P333 + P313 If vice/ attention.	ON SKIN: Wash with plenty of water. exposed or concerned: Get medical advice/ skin irritation or rash occurs: Get medical ad- ake off contaminated clothing and wash it before illage.
		Storage: P405 Store lock	ed up.
		<b>Disposal:</b> P501 Dispose o disposal plant.	f contents/ container to an approved waste

## Physical and chemical hazards

Not classified based on available information.

## Health hazards

May cause an allergic skin reaction. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

: Mixture

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 30 -< 50
Lufenuron (ISO)	103055-07-8	>= 2.5 -< 10
Sucrose	57-50-1	>= 1 -< 10
Savorysel Bacon Flavor	Not Assigned	>= 1 -< 10
praziquantel	55268-74-1	>= 2.5 -< 10
Sodium chloride	7647-14-5	>= 1 -< 10
Milbemycin Oxime	129496-10-2	>= 0.25 -< 1

## 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately.
		When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water.
		Remove contaminated clothing and shoes. Get medical attention.
		Wash clothing before reuse.
In case of eye contact	:	•
If swallowed	:	
•• •• • • •		<b>3</b> ,
	:	
delayed		May cause damage to organs through prolonged or repeated exposure.
		Contact with dust can cause mechanical irritation or drying of the skin.
		Dust contact with the eves can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
In case of eye contact If swallowed Most important symptoms and effects, both acute and delayed Protection of first-aiders	: : :	Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. If in eyes, rinse well with water. Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. May cause an allergic skin reaction. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.



Vers 3.0	sion	Revision Date: 2024/09/28	-	0S Number: 67908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
	Notes 1	o physician	:	when the potentia	nmended personal protective equipment I for exposure exists (see section 8). cally and supportively.
5. FI	REFIG	HTING MEASURES			
	Suitabl	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuita media	able extinguishing	:	None known.	
	Specifi fighting	c hazards during fire-	:	Exposure to comb	pustion products may be a hazard to health.
	Hazaro ucts	lous combustion prod-	:	Carbon oxides Nitrogen oxides (I Metal oxides Chlorine compour	
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Specia for firef	l protective equipment ighters	:		e, wear self-contained breathing apparatus. ective equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

Handling		
Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding
		and bonding, or inert atmospheres.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing.
		Do not breathe dust, fume, gas, mist, vapours or spray. Do not swallow.
		Avoid contact with eyes.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
		Keep container tightly closed.
		Minimize dust generation and accumulation.
		Keep container closed when not in use.
		Keep away from heat and sources of ignition.
		Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.
		Take care to prevent spills, waste and minimize release to the
		environment.
Avoidance of contact	:	Oxidizing agents
Storage		
Conditions for safe storage	:	Keep in properly labelled containers. Store locked up.
		Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents
Packaging material	:	Unsuitable material: None known.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
Lufenuron (ISO)	103055-07-8	TWA	60 µg/m3 (OEB 3)	Internal
	Further informa	ation: DSEN		
		Wipe limit	100 µg/100 cm2	Internal
Sucrose	57-50-1	TWA	10 mg/m3	ACGIH
Savorysel Bacon Flavor	Not Assigned	Wipe limit	OEB 2 (>= 100 < 1000 µg/m3)	Internal
praziquantel	55268-74-1	TWA	0.5 mg/m3 (OEB 2)	Internal
Milbemycin Oxime	129496-10-2	TWA	0.1 mg/m3 (OEB2)	Internal

Engineering measures	<ul> <li>All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.</li> <li>Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).</li> <li>Minimize open handling.</li> </ul>
Personal protective equipment	nt
Respiratory protection	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type	Combined particulates and organic vapour type
Eye/face protection	<ul> <li>Wear safety glasses with side shields or goggles.</li> <li>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.</li> <li>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.</li> </ul>
<b>_</b>	

Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hand protection	<b>J</b>

: Chemical-resistant gloves

Material



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20
	marks ne measures	eye flushing sys ing place. When using do r Contaminated w workplace. Wash contamina The effective op engineering con appropriate dego	nemical is likely during typical use, provide tems and safety showers close to the work- not eat, drink or smoke. York clothing should not be allowed out of the ated clothing before re-use. eration of a facility should include review of trols, proper personal protective equipment, owning and decontamination procedures, ne monitoring, medical surveillance and the

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable



Vers 3.0	sion	Revision Date: 2024/09/28		S Number: 7908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
	Relative	e density	:	No data available	9
	Density	,	:	No data available	9
	Solubili Wat	ity(ies) er solubility	:	soluble	
		n coefficient: n-	:	Not applicable	
	octanol Auto-ig	/water nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
		ng properties	:		r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	No data available	
10. \$	STABIL		(		
		rity cal stability ility of hazardous reac-	:	Stable under nor May form explosi dling or other me	ve dust-air mixture during processing, han-
	Incomp	ons to avoid patible materials lous decomposition ts	: : :	Heat, flames and Avoid dust forma Oxidizing agents No hazardous de	tion.

# **11. TOXICOLOGICAL INFORMATION**

Exposure routes	: Inhalation Skin contact
	Ingestion Eye contact

### Acute toxicity

Not classified based on available information.



Version 3.0	Revision Date: 2024/09/28		DS Number: 67908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
Prod	uct:			
Acute	e oral toxicity	:	Acute toxicity es Method: Calcula	timate: > 5,000 mg/kg tion method
Acute	e dermal toxicity	:	Acute toxicity es Method: Calcula	timate: > 5,000 mg/kg tion method
Com	ponents:			
Stard	ch:			
Acute	e oral toxicity	:	LD50 (Rat): > 5,	000 mg/kg
Acute	e dermal toxicity	:	LD50 (Rabbit): >	> 2,000 mg/kg
Lufe	nuron (ISO):			
Acute	e oral toxicity	:	LD50 (Rat): > 2,	000 mg/kg
			LD50 (Mouse): :	> 2,000 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 2,35 Test atmospher	
Acute	e dermal toxicity	:	LD50 (Rabbit): >	> 2,000 mg/kg
Sucr	ose:			
Acute	e oral toxicity	:	LD50 (Rat): 29,7	700 mg/kg
Savo	orysel Bacon Flavor:			
	e oral toxicity	:	Remarks: Based are not met.	d on available data, the classification criteria
Acute	e inhalation toxicity	:	Remarks: Not cl	assified due to lack of data.
Acute	e dermal toxicity	:	Remarks: Based are not met.	d on available data, the classification criteria
II prazi	iquantel:			
	e oral toxicity	:	LD50 (Rat): 2,48	30 mg/kg
			LD50 (Mouse): 2	2,454 mg/kg
			LD50 (Dog): > 2	00 mg/kg
			LD50 (Rabbit): 1	,050 mg/kg
II				



## according to GB/T 16483 and GB/T 17519

# Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

# Sodium chloride:

Acute oral toxicity	:	LD50 (Rat): 3,550 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 42 mg/l Exposure time: 1 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg
Milbemycin Oxime:		
Acute oral toxicity	:	LD50 (Rat): 532 - 863 mg/kg
		LD50 (Mouse): 722 - 946 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 1,200 mg/m3 Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg
Skin corrosion/irritation		

Not classified based on available information.

## Components:

## Lufenuron (ISO):

Species Method Result	: Rabbit
Method	: Draize Test
Result	: No skin irritation

## Savorysel Bacon Flavor:

Remarks	:	Based on data from similar materials
		May irritate skin.

: Rabbit

# praziquantel:

Species	:	Rabbit
Method	:	Draize Test
Remarks	:	slight irritation

# Sodium chloride:

Species	:	Rabbit
Species Result	:	No skin irritation

# Milbemycin Oxime:

Species



Version 3.0	Revision Date: 2024/09/28	SDS Number: 7567908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
Meth Resu	od lt	: OECD Test Gu : No skin irritatio	
	ous eye damage/eye lassified based on ava		
	ponents:		
Starc	ch:		
Spec Resu		: Rabbit : No eye irritatio	n
Lufei	nuron (ISO):		
Spec		: Rabbit	
Resu Meth		: No eye irritatio : Draize Test	n
Savo	orysel Bacon Flavor:		
Rema	arks	: Based on data May irritate eye	from similar materials es.
prazi	quantel:		
Spec		: Rabbit	
Resu Meth		: Mild eye irritati : Draize Test	on
Sodi	um chloride:		
Spec Resu	L.	: Rabbit : No eye irritatio	n
Milbe	emycin Oxime:		
Spec Resu		: Rabbit : No eye irritatio	n
Resp	piratory or skin sensi	tisation	
-	sensitisation cause an allergic skin	reaction.	
Resp	piratory sensitisation		
Not c	lassified based on ava	ailable information.	
Com	ponents:		
Starc			
Test	l vne	<ul> <li>Maximisation 1</li> </ul>	est

: Maximisation Test

according to GB/T 16483 and GB/T 17519



Version 3.0	Revision Date: 2024/09/28		0S Number: 67908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
Expo Spec Resu			Skin contact Guinea pig negative	
••			negative	
Lufei Test	nuron (ISO): Type		Maximisation Tes	st
Spec	ies ssment	:	Guinea pig	tisation by skin contact.
	orysel Bacon Flavor:			
Rema	arks	:	Not classified due	e to lack of data.
prazi	quantel:			
Test Expo Spec Resu	sure routes ies	::	Maximisation Tes Dermal Guinea pig Not a skin sensiti	
Sodi	um chloride:			
Test	Type sure routes ies	:	Local lymph node Skin contact Mouse negative	e assay (LLNA)
Milbe	emycin Oxime:			
	sure routes ies	: : :	Skin contact Guinea pig negative	
	n cell mutagenicity lassified based on ava	ailable	information.	
<u>Com</u>	ponents:			
Stard Geno	<b>:h:</b> otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
	n <b>uron (ISO):</b> otoxicity in vitro	:	Test Type: Ames	test
			Result: negative Test Type: Mous Test system: Chi	e Lymphoma nese hamster cells

according to GB/T 16483 and GB/T 17519



Version 3.0	Revision Date: 2024/09/28	SDS Number: 7567908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
П		Result: negat	tive
			ytogenetic assay Chinese hamster ovary cells tive
		thesis in man	NA damage and repair, unscheduled DNA syn- nmalian cells (in vitro) rat hepatocytes ive
		Test system: Result: negat	Human lymphocytes tive
Genc	otoxicity in vivo	: Test Type: M cytogenetic a Species: Mou Result: negat	JSE
		Test Type: U lar cells Species: Rat Result: negat	nscheduled DNA synthesis test (UDS) in testicu-
	n cell mutagenicity - ssment	: Weight of evi cell mutagen	dence does not support classification as a germ
Sucr	ose:		
	otoxicity in vitro	: Test Type: In Result: negat	vitro mammalian cell gene mutation test ive
Savo	rysel Bacon Flavor:		
	otoxicity in vitro	: Remarks: No	t classified due to lack of data.
Genc	otoxicity in vivo	: Remarks: No	t classified due to lack of data.
prazi	quantel:		
	otoxicity in vitro	: Test Type: Back Result: negat	acterial reverse mutation assay (AMES) tive
			hromosomal aberration Chinese hamster cells tive
Genc	otoxicity in vivo	: Test Type: M Species: Rat Result: negat	
11			





rsion	Revision Date: 2024/09/28	SDS Nu 7567908		Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
	ım chloride:			
Genot	toxicity in vitro		Type: In viti ult: positive	o mammalian cell gene mutation test
			Type: Bacte Ilt: negative	erial reverse mutation assay (AMES)
		(in vi	••	haromyces cerevisiae, gene mutation assay
		thesi		damage and repair, unscheduled DNA syn- alian cells (in vitro)
			Type: Chro ult: positive	mosome aberration test in vitro
			Type: Chro ult: negative	mosome aberration test in vitro
Genot	toxicity in vivo	Spec Appli	cies: Mouse	o micronucleus test e: Intraperitoneal injection
		cytog Spec Appli	genetic test, cies: Rat ication Rout	genicity (in vivo mammalian bone-marrow chromosomal analysis) e: Intraperitoneal injection
0			ult: positive	· · · · · · · · · · · · · · · · · · ·
	cell mutagenicity - sment		nutagen.	ce does not support classification as a germ
Milbe	mycin Oxime:			
Genot	toxicity in vitro		Type: Bacte ult: negative	erial reverse mutation assay (AMES)
			Type: Chro ult: negative	mosome aberration test in vitro
Genot	toxicity in vivo	cytog Spec	Type: Mam genetic assa cies: Mouse ult: negative	malian erythrocyte micronucleus test (in vivo y)



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

## Carcinogenicity

Not classified based on available information.

## Components:

Lufenuron (ISO):	
Species Application Route Exposure time Result	<ul> <li>Rat</li> <li>Ingestion</li> <li>18 month(s)</li> <li>negative</li> </ul>
Carcinogenicity - Assess- ment	: Weight of evidence does not support classification as a car- cinogen
praziquantel:	
Species Application Route Exposure time NOAEL Result Remarks	<ul> <li>Hamster</li> <li>Oral</li> <li>80 weeks</li> <li>100 mg/kg body weight</li> <li>negative</li> <li>No significant adverse effects were reported</li> </ul>
Species Application Route Exposure time NOAEL Result Remarks	<ul> <li>Rat</li> <li>Oral</li> <li>104 weeks</li> <li>250 mg/kg body weight</li> <li>negative</li> <li>No significant adverse effects were reported</li> </ul>
Sodium chloride:	
Species Application Route Exposure time Result	: Rat : Ingestion : 2 Years : negative

### **Reproductive toxicity**

May damage the unborn child.

### **Components:**

# Lufenuron (ISO): Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 8.3 mg/kg wet weight Early Embryonic Development: NOAEL: 20.9 mg/kg body weight Result: Animal testing did not show any effects on fertility.



## according to GB/T 16483 and GB/T 17519

# Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 3.0	Revision Date: 2024/09/28	SDS Number: 7567908-0001	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
Effec ment	ts on foetal develop-	Species: R Application General To Developme Symptoms	Development at Route: Oral exicity Maternal: NOAEL: 500 mg/kg body weight ental Toxicity: NOAEL: 1,000 mg/kg body weight No adverse effects No significant adverse effects were reported
		Species: R Application General To Embryo-foo	Fertility/early embryonic development at Route: Ingestion exicity Maternal: NOAEL: 20.9 mg/kg body weight etal toxicity: 8.3 mg/kg body weight tal abnormalities
Repression session	oductive toxicity - As- nent	: Clear evide animal exp	ence of adverse effects on development, based on eriments.
	<b>rysel Bacon Flavor:</b> ts on fertility	: Remarks: I	No data available
Effec ment	ts on foetal develop-	: Remarks: I	No data available
prazi	quantel:		
Effec	ts on fertility	: Test Type: Species: R Remarks: I	
		Test Type: Species: M Remarks: I	
Effec ment	ts on foetal develop-	Species: R	Development at No significant adverse effects were reported
		Species: M	Development louse No significant adverse effects were reported
Milbe	emycin Oxime:		
	ts on fertility	Species: D	Route: Ingestion
Effoo	te on footal dovelon	· Toot Turoo	Embrue feetal development

# Effects on foetal develop- : Test Type: Embryo-foetal development

# SAFETY DATA SHEET according to GB/T 16483 and GB/T 17519



# Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

ment	Species: Rat Application Route: Ingestion Result: negative
	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative
	Test Type: Embryo-foetal development Species: Dog Application Route: Ingestion Result: negative

## STOT - single exposure

Not classified based on available information.

## Components:

### Lufenuron (ISO):

Assessment	:	The substance or mixture is not classified as specific target
		organ toxicant, single exposure.

## STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Components:**

## Lufenuron (ISO):

Exposure routes Target Organs Assessment	: Oral
Target Organs	: Central nervous system, Lungs, Liver, Stomach
Assessment	: Shown to produce significant health effects in animals at con-
	centrations of 10 mg/kg bw or less.

### Milbemycin Oxime:

Exposure routes Target Organs Assessment	: Ingestion
Target Organs	: Central nervous system
Assessment	: Shown to produce significant health effects in animals at con-
	centrations of 10 mg/kg bw or less.

## Repeated dose toxicity

### Components:

Starch:		
Species	:	Rat
NOAEL	:	>= 2,000 mg/kg
Species NOAEL Application Route	:	Skin contact

according to GB/T 16483 and GB/T 17519



Version 3.0	Revision Date: 2024/09/28		DS Number: 67908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
Expos	sure time od	:	28 Days OECD Test Gui	deline 410
Speci NOAE Applic Expos Targe Symp Speci NOAE Applic	EL cation Route sure time et Organs otoms		Rat 5.34 mg/kg oral (feed) 4 Months Central nervous central nervous Rat 1.93 mg/kg oral (feed) 2 yr	system, digestive system system effects
Symp Speci NOAE Applic Expos Targe Symp	otoms EL cation Route sure time et Organs otoms		central nervous Mouse 2.12 mg/kg oral (feed) 18 Months Central nervous central nervous	system effects, Convulsions system, Liver, Prostate system effects, Convulsions
Expos Targe Symp	EL cation Route sure time et Organs			system, Liver, Lungs ttality, Irregularities
Rema	•	:	Not classified du	ue to lack of data.
Speci NOAE	EL cation Route	:	Rat 1,000 mg/kg Oral No significant ac	dverse effects were reported
	EL EL cation Route et Organs		Dog 60 mg/kg 180 mg/kg Oral Gastrointestinal No significant ad	tract dverse effects were reported

according to GB/T 16483 and GB/T 17519



# Milbemycin Oxime / Lufenuron / Praziquantel **Formulation**

Version 3.0	Revision Date: 2024/09/28		OS Number: 67908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
Sodiu	um chloride: ies	:	Rat	
	EL cation Route sure time	: : :	2,533 mg/kg Ingestion 2 yr	
Milbe	emycin Oxime:			
	EL EL cation Route sure time		Rat 3 mg/kg 15 mg/kg Ingestion 90 Days Liver disorders, I	Blood disorders
Expo		:	Dog 8.6 mg/kg Ingestion 3 Days Tremors	
•	ration toxicity lassified based on ava	ailable	information.	
Expe	rience with human e	xposi	ıre	
Com	ponents:			
	nuron (ISO): eral Information	:	Remarks: May b May cause neuro	e harmful if swallowed. ptoxic effects.
	rysel Bacon Flavor: eral Information	:	Remarks: Based	on data from similar materials

General Information : May irritate skin. May irritate eyes. praziquantel: Inhalation : Symptoms: Headache, Tiredness, Dizziness, Gastrointestinal discomfort, decrease body temperature, Allergic reactions Milbemycin Oxime: Ingestion Symptoms: Salivation, Convulsions, Diarrhoea, Weakness, : Vomiting, Tremors, Coma Remarks: Based on Animal Evidence **Further information Components:** 

Savorysel Bacon Flavor:



Version 3.0	Revision Date: 2024/09/28		0S Number: 67908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
Rem		:	No toxicology info	ormation is available.
12. ECOL	OGICAL INFORMATION	N		
Ecot	oxicity			
<u>Com</u>	ponents:			
	<b>nuron (ISO):</b> city to fish	:	Exposure time: 96 Method: OECD T	chus mykiss (rainbow trout)): > 73,100 μg/l 5 h est Guideline 203 chus mykiss (rainbow trout)): > 29,000 μg/l
			Exposure time: 96	
			Exposure time: 96	hus mykiss (rainbow trout)): 370 μg/l δ h est Guideline 203
	city to daphnia and other tic invertebrates	:	Exposure time: 90	
			Exposure time: 48	hagna (Water flea)): 0.41 μg/l 3 h est Guideline 202
Toxic plant	city to algae/aquatic s	:	EC50 (Raphidoce µg/l Exposure time: 72 Method: OECD T	
				mus subspicatus): 17 μg/l 2 h
	actor (Acute aquatic tox-	:	10,000	
icity) Toxic icity)	city to fish (Chronic tox-	:	Exposure time: 33	ichus mykiss (rainbow trout)): 80 μg/l 3 d est Guideline 210
			Exposure time: 3	ichus mykiss (rainbow trout)): 20 μg/l 59 d est Guideline 229
Toxic	city to daphnia and other	:	NOEC (Daphnia ı	magna (Water flea)): 8.38 µg/l

# **SAFETY DATA SHEET** according to GB/T 16483 and GB/T 17519



Version 3.0	Revision Date: 2024/09/28		0S Number: 67908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
	atic invertebrates (Chron- oxicity)		Exposure time: 27 Method: OECD T	
			NOEC (Daphnia r Exposure time: 2 <sup>4</sup> Method: OECD T	
			NOEC (Chironom Exposure time: 2' Method: OECD T	
M-F toxi	Factor (Chronic aquatic city)	:	10	
pra	ziquantel:			
Тох	icity to fish	:	LC50 (Carassius Exposure time: 96 Method: OECD T	
			LC50 (Danio reric Exposure time: 96 Method: OECD T	
	icity to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T	
Тох	icity to microorganisms	:	Exposure time: 3	ation inhibition of activated sludge
	<b>lium chloride:</b> icity to fish	:	LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 5,840 mg/l S h
	icity to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 4,136 mg/l 3 h
Tox plar	icity to algae/aquatic nts	:	EC50: > 2,000 mg Exposure time: 96	-
Tox icity	icity to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 33	es promelas (fathead minnow)): 252 mg/l 3 d
aqu	icity to daphnia and other atic invertebrates (Chron-	:	NOEC (Daphnia p Exposure time: 2 <sup>2</sup>	oulex (Water flea)): 314 mg/l I d
	oxicity) icity to microorganisms	:	EC10: > 1,000 mg	g/l



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

# II

# Milbemycin Oxime:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.16 µg/l Exposure time: 96 h
Toxicity to daphnia aquatic invertebrate		EC50 (Daphnia magna (Water flea)): 0.03 μg/l Exposure time: 48 h
Toxicity to algae/aq plants	uatic :	EC50: > 87 μg/l Exposure time: 72 h
M-Factor (Acute aq	uatic tox- :	10,000
icity) Toxicity to daphnia aquatic invertebrate ic toxicity)		NOEC (Daphnia magna (Water flea)): 0.01 µg/l
M-Factor (Chronic a toxicity)	aquatic :	10,000
Persistence and d	egradability	
No data available		
Bioaccumulative p	ootential	
Components:		
Lufenuron (ISO):		
Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 28 Method: OECD Test Guideline 305
Partition coefficient: octanol/water	:n- :	log Pow: 5.12
	: <b>n-</b> :	log Pow: 5.12
octanol/water		log Pow: 5.12 Pow: < 1
octanol/water Sucrose: Partition coefficient: octanol/water praziquantel:	: n- :	
octanol/water Sucrose: Partition coefficient: octanol/water	: n- :	
octanol/water Sucrose: Partition coefficient: octanol/water praziquantel: Partition coefficient:	:n- : :n- :	Pow: < 1 log Pow: 2.012
octanol/water Sucrose: Partition coefficient: octanol/water praziquantel: Partition coefficient: octanol/water	:n- : :n- :	Pow: < 1 log Pow: 2.012



Version 3.0	Revision Date: 2024/09/28		DS Number: 67908-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/11/20
Com Lufer Distril menta Othe	lity in soil ponents: nuron (ISO): bution among environ- al compartments r adverse effects ata available	:	log Koc: 5.38 Method: OECD T	est Guideline 106
13. DISPC	SAL CONSIDERATION	NS		
Wast	osal methods e from residues aminated packaging	:	Dispose of in acc Empty containers dling site for recy	f waste into sewer. ordance with local regulations. should be taken to an approved waste han- cling or disposal. pecified: Dispose of as unused product.
14. TRAN	SPORT INFORMATION	I		
Inter	national Regulations			
UNR UN ni Prope Class Packi Label	<b>TDG</b> umber er shipping name s ing group		N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID, ne, Lufenuron (ISO))
IATA UN/IE Prope Class Packi Label Packi aircra Packi ger ai	<b>-DGR</b> D No. er shipping name ing group ls ing instruction (cargo		UN 3077 Environmentally F (Milbemycin Oxir 9 III Miscellaneous 956 956	nazardous substance, solid, n.o.s. ne, Lufenuron (ISO))
<b>IMDG</b> UN n	Grimentally nazardous G-Code umber er shipping name	:	yes UN 3077 ENVIRONMENT/	ALLY HAZARDOUS SUBSTANCE, SOLID,



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

	N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
Class :	9
Packing group :	III
Labels :	9
EmS Code :	F-A, S-F
Marine pollutant :	yes

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## National Regulations

# GB 6944/12268

UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
Class Packing group Labels Marine pollutant	:	9 III 9 no

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# 15. REGULATORY INFORMATION

National regulatory information Law on the Prevention and Control of Occupational	Diseases
Regulations on Safety Management of Hazardous C	hemicals
Catalogue of Hazardous Chemicals	: This product is not listed in the cata logue of hazardous chemicals, but i meets the definition of hazardous chemicals and its principles of determination.
Identification of Major Hazard Installations for Hazardou 18218)	is Chemicals (GB : Not listed
Hazardous Chemicals for Priority Management under SAWS	: Not listed
Regulations on Labour Protection in Workplaces whether the second	nere Toxic Substances are Used
Catalogue of Highly Toxic Chemicals	: Not listed



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	7567908-00011	Date of first issue: 2020/11/20

# Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed and Export

## **Regulation on the Administration of Precursor Chemicals**

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### **16. OTHER INFORMATION**

Revision Date	:	2024/09/28
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd
Full text of other abbreviatio	ns	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-



Version	Revision Date:	SDS Number:	Da
3.0	2024/09/28	7567908-00011	Da

Date of last issue: 2024/04/06 Date of first issue: 2020/11/20

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent. Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN