according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MineralFix Formulation

Product code : ProteAQ MineralFix

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

# 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

Appearance : powder
Colour : white, beige
Odour : No data available

Causes serious eye damage.

**GHS Classification** 

Serious eye damage/eye irri- :

tation

: Category 1

**GHS** label elements

Hazard pictograms

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Precautionary statements : Prevention:

P280 Wear eye protection/ face protection.

Response:

P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.

#### Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Causes serious eye damage.

#### **Environmental hazards**

Not classified based on available information.

### Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Sodium chloride	7647-14-5	>= 20 -< 30	
Zeolites	1318-02-1	>= 20 -< 30	
Magnesium chloride	7786-30-3	>= 10 -< 20	
Calcium chloride	10043-52-4	>= 10 -< 20	
Potassium chloride	7447-40-7	>= 10 -< 20	
Silica gel, precipitated, crystalline free	112926-00-8	>= 1 -< 10	

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

according to GB/T 16483 and GB/T 17519



## MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Protection of first-aiders

Causes serious eye damage.

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Contact with dust can cause mechanical irritation or drying of

Treat symptomatically and supportively. Notes to physician

the skin.

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Metal oxides

Chlorine compounds Sulphur oxides Silicon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

**6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- :

gency procedures

tive equipment and emer-

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

**Environmental precautions** Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

according to GB/T 16483 and GB/T 17519



### MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## 7. HANDLING AND STORAGE

Handling

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation

Use only with adequate ventilation. Advice on safe handling Do not breathe dust.

Do not swallow.

Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Oxidizing agents

Storage

Conditions for safe storage Keep in properly labelled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Unsuitable material: None known. Packaging material

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Zeolites	1318-02-1	PC-TWA (Total dust)	5 mg/m3	CN OEL	
	Further information: G1 - Carcinogenic to humans				
Magnesium chloride	7786-30-3	TWA	OEB 2 (>= 100 < 1000 μg/m3)	Internal	
Silica gel, precipitated, crystal- line free	112926-00-8	PC-TWA (Total dust)	5 mg/m3	CN OEL	

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white, beige

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 2025/01/22 11504114-00002 2.0 2025/04/14 Date of first issue: 2025/01/22

No data available Decomposition temperature

Viscosity

Viscosity, kinematic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

#### 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Inhalation Exposure routes

> Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

**Components:** 

Sodium chloride:

Acute oral toxicity LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity LC50 (Rat): > 42 mg/l

according to GB/T 16483 and GB/T 17519



### MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Zeolites:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 3.35 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Magnesium chloride:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: The test was conducted according to guideline

Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: The test was conducted according to guideline

Based on data from similar materials

Calcium chloride:

Acute oral toxicity : LD50 (Rat): 2,120 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Potassium chloride:

Acute oral toxicity : LD50 (Rat): 3,020 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Silica gel, precipitated, crystalline free:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.69 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Remarks: Based on data from similar materials

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

#### Sodium chloride:

Species : Rabbit

Result : No skin irritation

### Zeolites:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

## Magnesium chloride:

Species : reconstructed human epidermis (RhE)
Method : Regulation (EC) No. 440/2008, Annex, B.46

Remarks : The test was conducted equivalent or similar to guideline

Based on data from similar materials

Result : No skin irritation

#### **Calcium chloride:**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### Potassium chloride:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Result : No skin irritation

#### Silica gel, precipitated, crystalline free:

Species : Rabbit

Method : OECD Test Guideline 404

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Result : No skin irritation

Remarks : Based on data from similar materials

## Serious eye damage/eye irritation

Causes serious eye damage.

### **Components:**

#### Sodium chloride:

Species : Rabbit

Result : No eye irritation

#### Zeolites:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

### Magnesium chloride:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : The test was conducted according to guideline

Based on data from similar materials

#### Calcium chloride:

Species : Rabbit

Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

### Potassium chloride:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

## Silica gel, precipitated, crystalline free:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

## Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

# Respiratory sensitisation

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

#### **Components:**

#### Sodium chloride:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse Result : negative

### Zeolites:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

### Magnesium chloride:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : The test was conducted according to guideline

Based on data from similar materials

#### Potassium chloride:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

# Germ cell mutagenicity

Not classified based on available information.

# **Components:**

#### Sodium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay

(in vitro) Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Zeolites:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Magnesium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Remarks: The test was conducted according to guideline

Calcium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Potassium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: equivocal

Test Type: Chromosome aberration test in vitro

Result: positive

Silica gel, precipitated, crystalline free:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

#### **Components:**

#### Sodium chloride:

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

### Zeolites:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 22 Months
Result : negative

### Magnesium chloride:

Species : Mouse
Application Route : Ingestion
Exposure time : 96 weeks

Method : OECD Test Guideline 453

Result : negative

Remarks : The test was conducted equivalent or similar to guideline

Based on data from similar materials

### Calcium chloride:

Species : Mouse
Application Route : Ingestion
Exposure time : 96 weeks
Result : negative

Remarks : Based on data from similar materials

### Potassium chloride:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

## Silica gel, precipitated, crystalline free:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Remarks : Based on data from similar materials

according to GB/T 16483 and GB/T 17519



# MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

### Reproductive toxicity

Not classified based on available information.

#### **Components:**

#### Zeolites:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Magnesium chloride:

Effects on fertility Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 422

Result: negative

Remarks: The test was conducted according to guideline

Based on data from similar materials

Effects on foetal develop-

ment

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 414

Result: negative

Remarks: The test was conducted equivalent or similar to

guideline

Based on data from similar materials

Calcium chloride:

Effects on foetal develop-

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Potassium chloride:

Effects on foetal development

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Silica gel, precipitated, crystalline free:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Components:

#### Zeolites:

Assessment : No significant health effects observed in animals at concentra-

tions of 0.2 mg/l/6h/d or less.

### Repeated dose toxicity

### **Components:**

#### Sodium chloride:

Species : Rat

LOAEL : 2,533 mg/kg
Application Route : Ingestion
Exposure time : 2 yr

#### Zeolites:

Species : Rat

NOAEL : 250 - 300 mg/kg

Application Route : Ingestion Exposure time : 90 Days

Species : Monkey LOAEL : 0.001 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 24 Months

# Magnesium chloride:

Species : Rat

NOAEL : 308 mg/kg

LOAEL : 1,600 mg/kg

Application Route : Ingestion

Exposure time : 90 Days

Remarks : Based on data from similar materials

#### Potassium chloride:

Species : Rat

NOAEL : 1,820 mg/kg
Application Route : Ingestion
Exposure time : 2 yr

according to GB/T 16483 and GB/T 17519



### MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

### Silica gel, precipitated, crystalline free:

Species Rat

NOAEL > 4,500 mg/kg Application Route : Ingestion Exposure time : 90 Days

Remarks Based on data from similar materials

#### **Aspiration toxicity**

Not classified based on available information.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

### Components:

# Sodium chloride:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 4,136 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50: > 2,000 mg/l Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

: NOEC (Pimephales promelas (fathead minnow)): 252 mg/l

Exposure time: 33 d

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia pulex (Water flea)): 314 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC10: > 1,000 mg/l

Zeolites:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Method: ISO 6341

Toxicity to algae/aquatic

plants

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOELR (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

according to GB/T 16483 and GB/T 17519



### MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOELR (Pimephales promelas (fathead minnow)): > 1 mg/l

Exposure time: 30 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Magnesium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,119.3 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 548.4 mg/l

Exposure time: 48 h

Remarks: No test guideline followed

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: The test was conducted according to guideline

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: The test was conducted according to guideline

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 321 mg/l

Exposure time: 21 d

Toxicity to microorganisms : N

NOEC (activated sludge): > 900 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: The test was conducted according to guideline

Calcium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Toxicity to algae/aquatic plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Potassium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 880 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 660 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Silica gel, precipitated, crystalline free:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Scenedesmus subspicatus): > 10,000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Components:** 

Zeolites:

Bioaccumulation : Species: Oysters

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

Bioconcentration factor (BCF): 0.34 - 1.44

Partition coefficient: n-

octanol/water

Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### **International Regulations**

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

: Not applicable

**IMDG-Code** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

according to GB/T 16483 and GB/T 17519



### MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

**EmS Code** Not applicable

Marine pollutant nο

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

GB 6944/12268

**UN** number Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable

Marine pollutant no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

**Regulations on Safety Management of Hazardous Chemicals** 

Catalogue of Hazardous Chemicals This product is not listed in the cata-

> logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under Not listed

SAWS

Catalogue of Specially Controlled Hazardous Chemi-Not listed

List of Explosive Precursors Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

: Not listed Catalogue of Highly Toxic Chemicals

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

according to GB/T 16483 and GB/T 17519



### MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

#### **Regulation on the Administration of Precursor Chemicals**

Catalogue and Classification of Precursor Chemicals : Not listed

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### **Regulations of Ozone Depleting Substances Management**

List of Controlled Ozone Depleting Substances Import : Not listed

and Export

List of Controlled Ozone Depleting Substances Not listed

### **Environmental Protection Law**

List of Priority Controlled Chemicals Not listed

List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

### 16. OTHER INFORMATION

**Revision Date** : 2025/04/14

**Further information** 

compile the Safety Data

Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

: yyyy/mm/dd Date format

Full text of other abbreviations

CN OEL Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

CN OEL / PC-TWA Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

according to GB/T 16483 and GB/T 17519



# **MineralFix Formulation**

Version Revision Date: SDS Number: Date of last issue: 2025/01/22 2.0 2025/04/14 11504114-00002 Date of first issue: 2025/01/22

x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN