

Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

SECTION 1. IDENTIFICATION

Product identifier : Mometasone / Clotrimazole / Gentamicin Formulation

Other means of identification : MOMETAMAX OINTMENT (52269)

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Reproductive toxicity : Category 1A

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)	
White mineral oil (petroleum)	8042-47-5		> 90 -<= 100	
clotrimazole	23593-75-1	Acute Tox. (Oral), 4 Acute Tox. (Dermal), 3 Eye Irrit., 2B Repr., 2 STOT RE, (Oral)(Liver, Kidney, Adrenal gland), 2 Aquatic Acute, 1 Aquatic Chronic, 1	1	
Gentamicin	1403-66-3	Repr., 1A STOT RE, (Oral)(Kidney, inner ear), 1 Aquatic Acute, 1 Aquatic Chronic, 1	0,3	
Mometasone	83919-23-7	Repr., 1B STOT RE, (Inhala- tion)(Immune system, Liver, Kidney, Skin), 2 Aquatic Chronic, 1	0,1	

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

: If swallowed, DO NOT induce vomiting.

. If swallowed, DO NOT induce vorniting

Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

If swallowed

May damage the unborn child.

Protection of first-aiders

: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Keep tightly closed.

Store in accordance with the particular national regulations.



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m³	ACGIH	
clotrimazole	23593-75-1	TWA	0.2 mg/m3 (OEB 2)	Internal	
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal	
	Further information: OTO				
Mometasone	83919-23-7	TWA	1 μg/m3 (OEB 4)	Internal	
	Further information: Skin				
		Wipe limit	10 μg/100 cm ²	Internal	

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not

exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

: Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : suspension

Color : white to off-white

Odor : oily

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature

: No data available



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Incompatible materials : Oxidizing agents Hazardous decomposition : No hazardous de

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Components:

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Assessment: The substance or mixture has no acute dermal

toxicity

clotrimazole:

Acute oral toxicity : LD50 (Rat): 708 mg/kg

LD50 (Mouse): 761 mg/kg

LD50 (Rabbit): > 1.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,73 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8.000 - 10.000 mg/kg

LD50 (Mouse): 10.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of :

administration)

LD50 (Rat): 67 - 96 mg/kg

Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg Application Route: Intravenous

Mometasone:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

LD50 (Mouse): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3,3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity (other routes of :

administration)

LD50 (Rat): 300 mg/kg

Application Route: Subcutaneous



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Symptoms: Breathing difficulties

Skin corrosion/irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit

Result : No skin irritation

clotrimazole:

Species : Rabbit

Result : No skin irritation

Gentamicin:

Species : Rabbit

Result : Mild skin irritation

Mometasone:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit

Result : No eye irritation

clotrimazole:

Species : Rabbit

Result : Mild eye irritation

Gentamicin:

Species : Rabbit

Result : Mild eye irritation

Mometasone:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

Respiratory sensitization

Not classified based on available information.

Components:

White mineral oil (petroleum):

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Gentamicin:

Remarks : No data available

Mometasone:

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Assessment : Does not cause skin sensitization.

Result : negative

Remarks : The results of a test on guinea pigs showed this substance to

be a weak skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

clotrimazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

> cytogenetic assay) Species: Rat

Application Route: Oral

Result: negative

Test Type: Mammalian spermatogonial chromosome aberra-

tion test (in vivo) Species: Hamster Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intravenous injection

Result: negative

Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster lung cells

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells

Result: positive

Test Type: Mouse Lymphoma

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

rtesuit. Hegative

Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow Result: negative

Test Type: unscheduled DNA synthesis assay



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

> Species: Rat Cell type: Liver cells Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

clotrimazole:

Species : Rat
Application Route : Oral
Exposure time : 78 weeks
Result : negative

Gentamicin:

Carcinogenicity - Assess- : I

ment

: No data available

Mometasone:

Species : Rat
Application Route : Inhalation
Exposure time : 2 Years

Dose : 0.067 mg/kg body weight

Result : negative

Species : Mouse
Application Route : Inhalation
Exposure time : 19 Months

Dose : 0.160 mg/kg body weight

Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Skin contact

Result: negative



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

clotrimazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Fertility: LOAEL: 50 mg/kg body weight

Result: Effects on fertility.

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryo-fetal toxicity., No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 50 mg/kg body weight Result: Embryo-fetal toxicity., No teratogenic effects.

Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Developmental Toxicity: NOAEL: 200 mg/kg body weight

Result: No effects on fetal development.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 180 mg/kg body weight

Result: No effects on fetal development.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Fertility: NOAEL: 20 mg/kg body weight

Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Developmental Toxicity: NOAEL: 3,6 mg/kg body weight

Result: No embryo-fetal toxicity.



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

Test Type: Embryo-fetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 75 mg/kg body weight

Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Fetal mortality., No malformations were observed.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.

Mometasone:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Subcutaneous

Fertility: NOAEL: 0,015 mg/kg body weight

Symptoms: Reduced embryonic survival, Reduced fetal

weight.

Result: No effects on fertility., Effect on reproduction capacity.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Subcutaneous

Embryo-fetal toxicity.: LOAEL: 0,06 mg/kg body weight Result: Embryotoxic effects., Teratogenicity and developmen-

tal toxicity

Test Type: Embryo-fetal development

Species: Rat

Application Route: Dermal

Embryo-fetal toxicity.: LOAEL: 0,3 mg/kg body weight

Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Dermal

Embryo-fetal toxicity.: LOAEL: 0,15 mg/kg body weight Result: Embryo-fetal toxicity., Malformations were observed.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Subcutaneous

Embryo-fetal toxicity.: LOAEL: 0,15 mg/kg body weight



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Result: Effects on newborn.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Embryo-fetal toxicity.: LOAEL: 0,7 mg/kg body weight Result: Embryo-fetal toxicity., Malformations were observed.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on

sexual function and fertility, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

Mometasone:

Remarks : Based on available data, the classification criteria are not met.

STOT-repeated exposure

Not classified based on available information.

Components:

clotrimazole:

Target Organs : Liver, Kidney, Adrenal gland

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Gentamicin:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Mometasone:

Routes of exposure : inhalation (dust/mist/fume)

Target Organs : Immune system, Liver, Kidney, Skin

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species : Rat
LOAEL : 160 mg/kg
Application Route : Ingestion
Exposure time : 90 Days



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

Species : Rat LOAEL : >= 1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Method : OECD Test Guideline 412

clotrimazole:

Species : Rabbit
LOAEL : 5 - 40 mg/kg
Application Route : Skin contact
Exposure time : 3 Weeks
Target Organs : Skin

Symptoms : Edema, Fissuring, Necrosis, Redness

Species : Rat
LOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 18 Months

Target Organs : Liver, Kidney, Adrenal gland

Species: DogLOAEL: 25 mg/kgApplication Route: Oral

Exposure time : 6 - 12 Months Target Organs : Adrenal gland

Symptoms : Salivation, Lachrymation, Vomiting

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney

Symptoms : Vomiting, Salivation

Species: MonkeyLOAEL: 50 mg/kgApplication Route: SubcutaneousExposure time: 3 Weeks

Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks

Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 10 mg/kg

Application Route : Intramuscular

Exposure time : 52 Weeks



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Target Organs : Kidney, Blood

Species : Rat

NOAEL : 12,5 mg/kg

LOAEL : 50 mg/kg

Application Route : Intramuscular

Exposure time : 13 Weeks

Target Organs : Kidney

Mometasone:

Species : Rat

NOAEL : 0,005 mg/kg
LOAEL : 0,3 mg/kg
Application Route : Oral
Exposure time : 30 d

Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog
LOAEL : 0,5 mg/kg
Application Route : Oral
Exposure time : 30 d

Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat

NOAEL : 0,00013 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 d

Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,

Kidney, Liver, thymus gland

Species : Dog

NOAEL : 0,0005 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 d

Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,

Kidney, thymus gland, Liver

Aspiration toxicity

Not classified based on available information.

Components:

Mometasone:

Not applicable

Experience with human exposure

Components:

clotrimazole:

Skin contact : Symptoms: Rash, Itching, Blistering, Edema, Redness Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

Gentamicin:

Target Organs: Kidney Ingestion

Target Organs: inner ear

Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal

Mometasone:

Symptoms: allergic rhinitis, Headache, pharyngitis, upper res-Inhalation

> piratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact Symptoms: Dermatitis, Itching

Further information

Components:

Mometasone:

Remarks Dermal absorption possible

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l

Exposure time: 28 d

Toxicity to daphnia and other:

ic toxicity)

aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): 1.000 mg/l

Exposure time: 21 d

clotrimazole:

Toxicity to fish LC50 (Brachydanio rerio (zebrafish)): > 0,29 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,02 mg/l

Exposure time: 48 h



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 0,268 mg/l

plants Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0,017 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- : 10

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,025 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,01 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms : EC50: > 10.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Gentamicin:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 86 mg/l

10

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 10 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,5

μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4,7 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1,6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic : 1

100



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

toxicity)

Toxicity to microorganisms EC50: 288,7 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Mometasone:

LC50 (Menidia beryllina (Silverside)): 0,11 mg/l Toxicity to fish

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l

Exposure time: 7 d

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility.

EC50 (Americamysis): > 5 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 3,2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0,00014

mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,34 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

M-Factor (Chronic aquatic Toxicity to microorganisms

toxicity)

100

EC50: > 1.000 mg/lExposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility.

NOEC: 1.000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

Remarks: No toxicity at the limit of solubility.

Persistence and degradability

Components:

White mineral oil (petroleum):

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 31 % Exposure time: 28 d

clotrimazole:

Stability in water : Hydrolysis: 50 %(242 d)

Gentamicin:

Biodegradability : Result: rapidly degradable

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 314

Mometasone:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 28 d

Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)

Method: OECD Test Guideline 111

Bioaccumulative potential

Components:

Gentamicin:

Partition coefficient: n-

: log Pow: < -2

octanol/water

Mometasone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 107,1

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 4,68

Mobility in soil

Components:

Mometasone:

Distribution among environ-

mental compartments

log Koc: 4,02



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(clotrimazole, Gentamicin)

Class Ш Packing group Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(clotrimazole, Gentamicin)

Class 9 Packing group Ш

Miscellaneous Labels

Packing instruction (cargo 964

aircraft)

Packing instruction (passen-964

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(clotrimazole, Gentamicin)

Class 9 Packing group Ш Labels 9 F-A, S-F EmS Code Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation



Mometasone / Clotrimazole / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 9.0 28.09.2024 412811-00025 Date of first issue: 14.12.2015

ANTT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(clotrimazole, Gentamicin)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal

Police

: Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average



Mometasone / Clotrimazole / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 9.0
 28.09.2024
 412811-00025
 Date of first issue: 14.12.2015

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8