

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Mometasone / Clotrimazole / Gentamicin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: suspension
<b>Colour</b>	: white to off-white
<b>Odour</b>	: oily

May damage the unborn child. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

#### GHS Classification

Reproductive toxicity : Category 1A

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

Hazard pictograms :

Signal word : Danger

Hazard statements : H360D May damage the unborn child.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

May damage the unborn child.

### Environmental hazards

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	> 90 -<= 100

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

clotrimazole	23593-75-1	1
Gentamicin	1403-66-3	0.5
Mometasone	83919-23-7	0.1

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.14	2023/09/30	412815-00021	Date of first issue: 2015/12/14

Special protective equipment for firefighters : so.  
Evacuate area.  
In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

Avoidance of contact : environment.  
: Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Gentamicin	1403-66-3	TWA	0.1 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: OTO				
Mometasone	83919-23-7	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Essentially no open handling permitted.  
Use closed processing systems or containment technologies.  
If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.14	2023/09/30	412815-00021	Date of first issue: 2015/12/14

---

Skin and body protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
: Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : white to off-white

Odour : oily

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

### Components:

#### **White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **clotrimazole:**

Acute oral toxicity : LD50 (Rat): 708 mg/kg  
LD50 (Mouse): 761 mg/kg  
LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

#### **Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg  
LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l  
Exposure time: 4 h



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.14	2023/09/30	412815-00021	Date of first issue: 2015/12/14

---

Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

### **Mometasone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg  
Application Route: Subcutaneous  
Symptoms: Breathing difficulties

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Species : Rabbit  
Result : No skin irritation

#### **clotrimazole:**

Species : Rabbit  
Result : No skin irritation

#### **Gentamicin:**

Species : Rabbit  
Result : Mild skin irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

### **Mometasone:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Species : Rabbit  
Result : No eye irritation

#### **clotrimazole:**

Species : Rabbit  
Result : Mild eye irritation

#### **Gentamicin:**

Species : Rabbit  
Result : Mild eye irritation

### **Mometasone:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

#### **Gentamicin:**

Remarks : No data available

### **Mometasone:**

Test Type : Maximisation Test

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative  
Remarks : The results of a test on guinea pigs showed this substance to be a weak skin sensitiser.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### **White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

#### **clotrimazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: in vitro micronucleus test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)  
Species: Hamster  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

### Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intravenous injection  
Result: negative

### Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: Chromosomal aberration  
Test system: Chinese hamster lung cells  
Result: negative  
  
Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: positive  
  
Test Type: Mouse Lymphoma  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative  
  
Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative  
  
Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

### Components:

#### **White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

#### **clotrimazole:**

Species : Rat  
Application Route : Oral  
Exposure time : 78 weeks  
Result : negative

#### **Gentamicin:**

Carcinogenicity - Assessment : No data available

#### **Mometasone:**

Species : Rat  
Application Route : Inhalation  
Exposure time : 2 Years  
Dose : 0.067 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : Inhalation  
Exposure time : 19 Months  
Dose : 0.160 mg/kg body weight  
Result : negative

### **Reproductive toxicity**

May damage the unborn child.

### Components:

#### **White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **clotrimazole:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

- Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 50 mg/kg body weight  
Result: Effects on fertility
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryo-foetal toxicity, No teratogenic effects
- Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 50 mg/kg body weight  
Result: Embryo-foetal toxicity, No teratogenic effects
- Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 200 mg/kg body weight  
Result: No effects on foetal development
- Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 180 mg/kg body weight  
Result: No effects on foetal development
- Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### Gentamicin:

- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Fertility: NOAEL: 20 mg/kg body weight  
Result: No significant adverse effects were reported
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight  
Result: No embryo-foetal toxicity
- Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

Developmental Toxicity: LOAEL: 75 mg/kg body weight  
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### **Mometasone:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 0.015 mg/kg body weight  
Symptoms: Reduced embryonic survival, Reduced foetal weight  
Result: No effects on fertility, Effect on reproduction capacity

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Subcutaneous  
Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight  
Result: Embryotoxic effects., Teratogenicity and developmental toxicity

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Dermal  
Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight  
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Dermal  
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight  
Result: Embryo-foetal toxicity, Malformations were observed.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Subcutaneous

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.14	2023/09/30	412815-00021	Date of first issue: 2015/12/14

---

Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight  
Result: Effects on newborn

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight  
Result: Embryo-foetal toxicity, Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **Mometasone:**

Remarks : Based on available data, the classification criteria are not met.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### **clotrimazole:**

Target Organs : Liver, Kidney, Adrenal gland  
Assessment : May cause damage to organs through prolonged or repeated exposure.

##### **Gentamicin:**

Target Organs : Kidney, inner ear  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **Mometasone:**

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Immune system, Liver, Kidney, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

**White mineral oil (petroleum):**



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

Species : Rat  
LOAEL : 160 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
LOAEL : >= 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 412

### **clotrimazole:**

Species : Rabbit  
LOAEL : 5 - 40 mg/kg  
Application Route : Skin contact  
Exposure time : 3 Weeks  
Target Organs : Skin  
Symptoms : Oedema, Fissuring, Necrosis, Redness

Species : Rat  
LOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Liver, Kidney, Adrenal gland

Species : Dog  
LOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 6 - 12 Months  
Target Organs : Adrenal gland  
Symptoms : Salivation, Lachrymation, Vomiting

### **Gentamicin:**

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Intramuscular  
Exposure time : 12 Months  
Target Organs : Kidney  
Symptoms : Vomiting, Salivation

Species : Monkey  
LOAEL : 50 mg/kg  
Application Route : Subcutaneous  
Exposure time : 3 Weeks  
Target Organs : Kidney, inner ear

Species : Monkey  
LOAEL : 6 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

Application Route : Intramuscular  
Exposure time : 3 Weeks  
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Intramuscular  
Exposure time : 52 Weeks  
Target Organs : Kidney, Blood

Species : Rat  
NOAEL : 12.5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Intramuscular  
Exposure time : 13 Weeks  
Target Organs : Kidney

### **Mometasone:**

Species : Rat  
NOAEL : 0.005 mg/kg  
LOAEL : 0.3 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat  
NOAEL : 0.00013 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog  
NOAEL : 0.0005 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

### **Aspiration toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

### Components:

#### **Mometasone:**

Not applicable

#### **Experience with human exposure**

### Components:

#### **clotrimazole:**

Skin contact : Symptoms: Rash, Itching, Blistering, Oedema, Redness  
Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea

#### **Gentamicin:**

Ingestion : Target Organs: Kidney  
Target Organs: inner ear  
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

#### **Mometasone:**

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion  
Skin contact : Symptoms: Dermatitis, Itching

#### **Further information**

### Components:

#### **Mometasone:**

Remarks : Dermal absorption possible

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### Components:

#### **White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.14	2023/09/30	412815-00021	Date of first issue: 2015/12/14

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
Exposure time: 21 d

### clotrimazole:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.02 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l  
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Gentamicin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 288.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Mometasone:

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l  
Exposure time: 7 d  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

EC50 (Americamysis): > 5 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035  
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.34 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility

### Persistence and degradability

#### Components:

##### **White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

##### **clotrimazole:**

Stability in water : Hydrolysis: 50 %(242 d)

##### **Gentamicin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

##### **Mometasone:**

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.14	2023/09/30	412815-00021	Date of first issue: 2015/12/14

---

Biodegradation: 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)  
Method: OECD Test Guideline 111

### Bioaccumulative potential

#### Components:

##### **Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

##### **Mometasone:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107.1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

### Mobility in soil

#### Components:

##### **Mometasone:**

Distribution among environmental compartments : log Koc: 4.02

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version 4.14      Revision Date: 2023/09/30      SDS Number: 412815-00021      Date of last issue: 2023/04/04  
Date of first issue: 2015/12/14

---

N.O.S.  
(clotrimazole, Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(clotrimazole, Gentamicin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(clotrimazole, Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(clotrimazole, Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.14	2023/09/30	412815-00021	Date of first issue: 2015/12/14

### 15. REGULATORY INFORMATION

#### National regulatory information

##### Law on the Prevention and Control of Occupational Diseases

##### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

##### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 2023/09/30

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.14	2023/09/30	412815-00021	Date of first issue: 2015/12/14

---

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN