

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Mometasone / Clotrimazole / Gentamicin Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD
 Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
 Menuuma factory
 Telephone : 048-588-8411
 E-mail address : EHSDATASTEWARD@msd.com
 Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use



Recommended use : Veterinary product
 Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Reproductive toxicity : Category 1A
 Short-term (acute) aquatic hazard : Category 1
 Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : H360D May damage the unborn child.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
White mineral oil (petroleum)	8042-47-5	> 90 - <= 100	9-1700
clotrimazole	23593-75-1	1	
Gentamicin	1403-66-3	0.5	
Mometasone	83919-23-7	0.1	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- | | | |
|-------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment. |
| Avoidance of contact | : | Oxidizing agents |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

Storage

- | | | |
|-----------------------------|---|--|
| Conditions for safe storage | : | Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents |
| Packaging material | : | Unsuitable material: None known. |

Mometasone / Clotrimazole / Gentamicin For- mulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
Date of first issue: 2015/12/14

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m ³ (OEB 2)	Internal
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
Further information: OTO				
Mometasone	83919-23-7	TWA	1 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the

**Mometasone / Clotrimazole / Gentamicin For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	suspension
Colour	:	white to off-white
Odour	:	oily
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit		
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available

**Mometasone / Clotrimazole / Gentamicin For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

Density and / or relative density
Relative density : No data available

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**White mineral oil (petroleum):**

|| Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
Date of first issue: 2015/12/14

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

clotrimazole:

Acute oral toxicity : LD50 (Rat): 708 mg/kg
LD50 (Mouse): 761 mg/kg
LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg
LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: Intravenous
LD50 (Rat): 371 - 384 mg/kg
Application Route: Intramuscular
LDLo (Monkey): 30 mg/kg
Application Route: Intravenous

Mometasone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l

Mometasone / Clotrimazole / Gentamicin For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

Exposure time: 4 h
 Test atmosphere: dust/mist
 Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist

Acute toxicity (other routes of : LD50 (Rat): 300 mg/kg
 administration) Application Route: Subcutaneous
 Symptoms: Breathing difficulties

Skin corrosion/irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit
 Result : No skin irritation

clotrimazole:

Species : Rabbit
 Result : No skin irritation

Gentamicin:

Species : Rabbit
 Result : Mild skin irritation

Mometasone:

Species : Rabbit
 Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit
 Result : No eye irritation

clotrimazole:

Species : Rabbit
 Result : Mild eye irritation

Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

Gentamicin:

Species	: Rabbit
Result	: Mild eye irritation

Mometasone:

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Gentamicin:

Remarks	: No data available
---------	---------------------

Mometasone:

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Result	: negative
Remarks	: The results of a test on guinea pigs showed this substance to be a weak skin sensitiser.

Germ cell mutagenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

clotrimazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: negative

Test Type: in vitro micronucleus test
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Rat
 Application Route: Oral
 Result: negative

Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)
 Species: Hamster
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intravenous injection
 Result: negative

Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Chromosomal aberration
 Test system: Chinese hamster lung cells
 Result: negative

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Genotoxicity in vivo	: Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive Test Type: Mouse Lymphoma Result: negative : Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative Test Type: Chromosomal aberration Species: Rat Cell type: Bone marrow Result: negative Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species	: Rat
Application Route	: Ingestion
Exposure time	: 24 Months
Result	: negative

clotrimazole:

Species	: Rat
Application Route	: Oral
Exposure time	: 78 weeks
Result	: negative

Gentamicin:

Carcinogenicity - Assessment	: No data available
------------------------------	---------------------

Mometasone:

Species	: Rat
---------	-------

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Application Route : Inhalation
 Exposure time : 2 Years
 Dose : 0.067 mg/kg body weight
 Result : negative

Species : Mouse
 Application Route : Inhalation
 Exposure time : 19 Months
 Dose : 0.160 mg/kg body weight
 Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Skin contact
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

clotrimazole:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Oral
 Fertility: LOAEL: 50 mg/kg body weight
 Result: Effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 100 mg/kg body weight
 Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 50 mg/kg body weight
 Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Oral
 Developmental Toxicity: NOAEL: 200 mg/kg body weight

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Result: No effects on foetal development

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 180 mg/kg body weight
 Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Fertility: NOAEL: 20 mg/kg body weight
 Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rabbit
 Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
 Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 75 mg/kg body weight
 Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 10 mg/kg body weight
 Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 50 mg/kg body weight
 Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

Mometasone:

Effects on fertility : Test Type: Fertility
 Species: Rat
 Application Route: Subcutaneous

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
Date of first issue: 2015/12/14

Effects on foetal development	<p>Fertility: NOAEL: 0.015 mg/kg body weight Symptoms: Reduced embryonic survival, Reduced foetal weight Result: No effects on fertility, Effect on reproduction capacity</p> <p>: Test Type: Embryo-foetal development Species: Mouse Application Route: Subcutaneous Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight Result: Embryotoxic effects., Teratogenicity and developmental toxicity</p> <p>Test Type: Embryo-foetal development Species: Rat Application Route: Dermal Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight Result: Embryo-foetal toxicity</p> <p>Test Type: Embryo-foetal development Species: Rabbit Application Route: Dermal Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight Result: Embryo-foetal toxicity, Malformations were observed.</p> <p>Test Type: Embryo-foetal development Species: Rat Application Route: Subcutaneous Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight Result: Effects on newborn</p> <p>Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight Result: Embryo-foetal toxicity, Malformations were observed.</p>
Reproductive toxicity - Assessment	<p>: Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.</p>

STOT - single exposure

Not classified based on available information.

Components:

Mometasone:

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

Not classified based on available information.

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Components:

clotrimazole:

Target Organs : Liver, Kidney, Adrenal gland
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Gentamicin:

Target Organs : Kidney, inner ear
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Mometasone:

Exposure routes : inhalation (dust/mist/fume)
 Target Organs : Immune system, Liver, Kidney, Skin
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species : Rat
 LOAEL : 160 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Species : Rat
 LOAEL : ≥ 1 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 4 Weeks
 Method : OECD Test Guideline 412

clotrimazole:

Species : Rabbit
 LOAEL : 5 - 40 mg/kg
 Application Route : Skin contact
 Exposure time : 3 Weeks
 Target Organs : Skin
 Symptoms : Oedema, Fissuring, Necrosis, Redness

Species : Rat
 LOAEL : 10 mg/kg
 Application Route : Oral
 Exposure time : 18 Months
 Target Organs : Liver, Kidney, Adrenal gland

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Species : Dog
 LOAEL : 25 mg/kg
 Application Route : Oral
 Exposure time : 6 - 12 Months
 Target Organs : Adrenal gland
 Symptoms : Salivation, Lachrymation, Vomiting

Gentamicin:

Species : Dog
 LOAEL : 3 mg/kg
 Application Route : Intramuscular
 Exposure time : 12 Months
 Target Organs : Kidney
 Symptoms : Vomiting, Salivation

Species : Monkey
 LOAEL : 50 mg/kg
 Application Route : Subcutaneous
 Exposure time : 3 Weeks
 Target Organs : Kidney, inner ear

Species : Monkey
 LOAEL : 6 mg/kg
 Application Route : Intramuscular
 Exposure time : 3 Weeks
 Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
 NOAEL : 5 mg/kg
 LOAEL : 10 mg/kg
 Application Route : Intramuscular
 Exposure time : 52 Weeks
 Target Organs : Kidney, Blood

Species : Rat
 NOAEL : 12.5 mg/kg
 LOAEL : 50 mg/kg
 Application Route : Intramuscular
 Exposure time : 13 Weeks
 Target Organs : Kidney

Mometasone:

Species : Rat
 NOAEL : 0.005 mg/kg
 LOAEL : 0.3 mg/kg
 Application Route : Oral
 Exposure time : 30 d
 Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Species : Dog
 LOAEL : 0.5 mg/kg
 Application Route : Oral
 Exposure time : 30 d
 Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat
 NOAEL : 0.00013 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 90 d
 Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog
 NOAEL : 0.0005 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 90 d
 Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

Aspiration toxicity

Not classified based on available information.

Components:

Mometasone:

|| Not applicable

Experience with human exposure

Components:

clotrimazole:

|| Skin contact : Symptoms: Rash, Itching, Blistering, Oedema, Redness
 || Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea

Gentamicin:

|| Ingestion : Target Organs: Kidney
 Target Organs: inner ear
 Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

Mometasone:

|| Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

|| Skin contact : Symptoms: Dermatitis, Itching

Further information

Components:

Mometasone:

|| Remarks : Dermal absorption possible

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

|| Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

|| Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

|| Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
 Exposure time: 28 d

|| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l
 Exposure time: 21 d

clotrimazole:

|| Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.02 mg/l
 Exposure time: 48 h

|| Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l
 Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l
 Exposure time: 72 h

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.01 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC50: > 10,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Gentamicin:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		LC50 (Americamysis): 30 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	100
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: 288.7 mg/l Exposure time: 3 h Test Type: Respiration inhibition

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Method: OECD Test Guideline 209

Mometasone:

Toxicity to fish	: LC50 (Menidia beryllina (Silverside)): 0.11 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
	LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l Exposure time: 7 d Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
	EC50 (Americamysis): > 5 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.34 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility
	NOEC: 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

||

Persistence and degradability

Components:

White mineral oil (petroleum):

|| Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 31 %
 Exposure time: 28 d

clotrimazole:

|| Stability in water : Hydrolysis: 50 %(242 d)

Gentamicin:

|| Biodegradability : Result: rapidly degradable
 Biodegradation: 100 %
 Exposure time: 28 d
 Method: OECD Test Guideline 314

Mometasone:

|| Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 50 %
 Exposure time: 28 d
 Method: OECD Test Guideline 314

|| Stability in water : Hydrolysis: 50 %(12 d)
 Method: OECD Test Guideline 111

Bioaccumulative potential

Components:

Gentamicin:

|| Partition coefficient: n-octanol/water : log Pow: < -2

Mometasone:

|| Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
 Bioconcentration factor (BCF): 107.1
 Method: OECD Test Guideline 305

|| Partition coefficient: n-octanol/water : log Pow: 4.68

Mobility in soil

Components:

Mometasone:

Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

Distribution among environmental compartments : log Koc: 4.02

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(clotrimazole, Gentamicin)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(clotrimazole, Gentamicin)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(clotrimazole, Gentamicin)

Class : 9

Packing group : III

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
 Date of first issue: 2015/12/14

Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Mineral oil	>=90 - <=100	-

Mometasone / Clotrimazole / Gentamicin Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 412821-00023 Date of last issue: 2023/04/04
Date of first issue: 2015/12/14

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Mineral oil	-

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

|| Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

**Mometasone / Clotrimazole / Gentamicin For-
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	412821-00023	Date of first issue: 2015/12/14

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN