

Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Kidney, inner ear)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : H360D May damage the unborn child.
H373 May cause damage to organs (Kidney, inner ear) through

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

prolonged or repeated exposure if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Gentamicin	1403-66-3	≥ 1 - < 2.5
Posaconazole	171228-49-2	≥ 0.25 - < 1
Mometasone	83919-23-7	≥ 0.25 - < 0.3
3-Mercaptopropane-1,2-diol	96-27-5	< 1

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

In case of eye contact	: Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.
If swallowed	: Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May damage the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal

Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 7.0 Revision Date: 2024/07/06 SDS Number: 772746-00019 Date of last issue: 2024/04/06
 Date of first issue: 2016/06/23

	Further information: OTO			
Posaconazole	171228-49-2	TWA	300 µg/m ³ (OEB 2)	Internal
Mometasone	83919-23-7	TWA	1 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
-----------------------	---	--

Components:**Gentamicin:**

Acute oral toxicity	:	LD50 (Rat): 8,000 - 10,000 mg/kg LD50 (Mouse): 10,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 0.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: No mortality observed at this dose.
Acute toxicity (other routes of administration)	:	LD50 (Rat): 67 - 96 mg/kg Application Route: Intravenous LD50 (Rat): 371 - 384 mg/kg

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg
Application Route: Intravenous**Posaconazole:**Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 3,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Mometasone:Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kgAcute inhalation toxicity : LC50 (Rat): > 3.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.LC50 (Mouse): > 3.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mistAcute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg
Application Route: Subcutaneous
Symptoms: Breathing difficulties**3-Mercaptopropane-1,2-diol:**

Acute oral toxicity : LD50 (Rat): 648 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 673 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Gentamicin:**Species : Rabbit
Result : Mild skin irritation**Posaconazole:**Species : Rabbit
Result : No skin irritation

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Mometasone:

Species	: Rabbit
Result	: No skin irritation

3-Mercaptopropane-1,2-diol:

Species	: Rabbit
Result	: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Gentamicin:**

Species	: Rabbit
Result	: Mild eye irritation

Posaconazole:

Species	: Rabbit
Result	: Mild eye irritation

Mometasone:

Species	: Rabbit
Result	: No eye irritation

3-Mercaptopropane-1,2-diol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Gentamicin:**

Remarks	: No data available
---------	---------------------

Posaconazole:

Test Type	: Magnusson-Kligman-Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Mometasone:

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Result	: negative
Remarks	: The results of a test on guinea pigs showed this substance to be a weak skin sensitiser.

3-Mercaptopropane-1,2-diol:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--

Germ cell mutagenicity

Not classified based on available information.

Components:**Gentamicin:**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intravenous injection Result: negative

Posaconazole:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosomal aberration Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Application Route: Intravenous
Result: negative

Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster lung cells
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: positive

Test Type: Mouse Lymphoma
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: Chromosomal aberration
Species: Rat
Cell type: Bone marrow
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Cell type: Liver cells
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

3-Mercaptopropane-1,2-diol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Gentamicin:**

Carcinogenicity - Assessment : No data available

Posaconazole:

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : positive
Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : positive
Remarks : The mechanism or mode of action is not relevant in humans.

Mometasone:

Species : Rat
Application Route : Inhalation
Exposure time : 2 Years
Dose : 0.067 mg/kg body weight
Result : negative

Species : Mouse
Application Route : Inhalation
Exposure time : 19 Months
Dose : 0.160 mg/kg body weight
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:**Gentamicin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Fertility: NOAEL: 20 mg/kg body weight
Result: No significant adverse effects were reported
Effects on foetal develop- : Test Type: Embryo-foetal development

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

ment

Species: Rabbit
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 75 mg/kg body weight
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 50 mg/kg body weight
Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

Posaconazole:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male
General Toxicity - Parent: NOAEL: 180 mg/kg body weight
Symptoms: No effects on mating performance
Result: negative

Test Type: Fertility/early embryonic development
Species: Rat, female
General Toxicity - Parent: NOAEL: 45 mg/kg body weight
Symptoms: No effects on mating performance
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat, female
Application Route: Oral
Developmental Toxicity: LOAEL: 29 mg/kg body weight
Result: Fetotoxicity, Malformations were observed.

Test Type: Embryo-foetal development
Species: Rabbit, female
Developmental Toxicity: LOAEL: 40 mg/kg body weight
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Assessment

animal experiments.

Mometasone:

Effects on fertility

: Test Type: Fertility
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 0.015 mg/kg body weight
Symptoms: Reduced embryonic survival, Reduced foetal weight
Result: No effects on fertility, Effect on reproduction capacity

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Mouse
Application Route: Subcutaneous
Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight
Result: Embryotoxic effects., Teratogenicity and developmental toxicity

Test Type: Embryo-foetal development
Species: Rat
Application Route: Dermal
Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Dermal
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight
Result: Embryo-foetal toxicity, Malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Subcutaneous
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight
Result: Effects on newborn

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight
Result: Embryo-foetal toxicity, Malformations were observed.

Reproductive toxicity - Assessment

: Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

3-Mercaptopropane-1,2-diol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

	Application Route: Ingestion
	Method: OECD Test Guideline 416
	Result: negative
	Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: Ingestion
	Method: OECD Test Guideline 414
	Result: negative
	Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:**Mometasone:**

Remarks	: Based on available data, the classification criteria are not met.
---------	---

STOT - repeated exposure

May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:**Gentamicin:**

Target Organs	: Kidney, inner ear
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Posaconazole:

Exposure routes	: Ingestion
Target Organs	: Adrenal gland, Bone marrow, Kidney, Liver, Reproductive organs, Nervous system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Mometasone:

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Immune system, Liver, Kidney, Skin
Assessment	: May cause damage to organs through prolonged or repeated exposure.

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Repeated dose toxicity**Components:****Gentamicin:**

Species	: Dog
LOAEL	: 3 mg/kg
Application Route	: Intramuscular
Exposure time	: 12 Months
Target Organs	: Kidney
Symptoms	: Vomiting, Salivation

Species	: Monkey
LOAEL	: 50 mg/kg
Application Route	: Subcutaneous
Exposure time	: 3 Weeks
Target Organs	: Kidney, inner ear

Species	: Monkey
LOAEL	: 6 mg/kg
Application Route	: Intramuscular
Exposure time	: 3 Weeks
Target Organs	: Blood, Kidney, inner ear, Liver

Species	: Rat
NOAEL	: 5 mg/kg
LOAEL	: 10 mg/kg
Application Route	: Intramuscular
Exposure time	: 52 Weeks
Target Organs	: Kidney, Blood

Species	: Rat
NOAEL	: 12.5 mg/kg
LOAEL	: 50 mg/kg
Application Route	: Intramuscular
Exposure time	: 13 Weeks
Target Organs	: Kidney

Posaconazole:

Species	: Rat, female
LOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species	: Dog
LOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 392 Days
Target Organs	: Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

|| cord, lymphoid tissue

|| Species : Monkey
|| LOAEL : 15 mg/kg
|| Application Route : Oral
|| Exposure time : 1 Months
|| Target Organs : Bone marrow, Adrenal gland, Lymph nodes, Blood

|| Species : Dog
|| LOAEL : 3 mg/kg
|| Application Route : Oral
|| Exposure time : 56 Weeks
|| Target Organs : Adrenal gland, Bone marrow, Kidney, Nervous system, spleen, thymus gland, Testis, lymphoid tissue

|| Species : Monkey
|| LOAEL : 180 mg/kg
|| Application Route : Oral
|| Exposure time : 12 Months
|| Target Organs : Blood, Gastrointestinal tract, spleen

|| Species : Monkey
|| LOAEL : 8 mg/kg
|| Application Route : Intravenous
|| Exposure time : 1 Months
|| Target Organs : Cardio-vascular system, Lungs, Adrenal gland, Blood

Mometasone:

|| Species : Rat
|| NOAEL : 0.005 mg/kg
|| LOAEL : 0.3 mg/kg
|| Application Route : Oral
|| Exposure time : 30 d
|| Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

|| Species : Dog
|| LOAEL : 0.5 mg/kg
|| Application Route : Oral
|| Exposure time : 30 d
|| Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

|| Species : Rat
|| NOAEL : 0.00013 mg/l
|| Application Route : inhalation (dust/mist/fume)
|| Exposure time : 90 d
|| Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

|| Species : Dog
|| NOAEL : 0.0005 mg/l

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Application Route	: inhalation (dust/mist/fume)
Exposure time	: 90 d
Target Organs	: Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

3-Mercaptopropane-1,2-diol:

Species	: Rat
LOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 55 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:**Mometasone:**

|| Not applicable

Experience with human exposure**Components:****Gentamicin:**

Ingestion	: Target Organs: Kidney Target Organs: inner ear Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness
-----------	---

Posaconazole:

Ingestion	: Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver effects, Rash, pruritis, Diarrhoea, hypertension, neutropenia, electrolyte imbalance
-----------	--

Mometasone:

Inhalation	: Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion
Skin contact	: Symptoms: Dermatitis, Itching

Further information**Components:****Mometasone:**

|| Remarks : Dermal absorption possible

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Gentamicin:**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 LC50 (Americamysis): 30 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	100
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: 288.7 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Posaconazole:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.95 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.276 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.509 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.041 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.206 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.244 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50 (Natural microorganism): > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Mometasone:

Toxicity to fish	:	LC50 (Menidia beryllina (Silverside)): 0.11 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l Exposure time: 7 d Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility EC50 (Americamysis): > 5 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	2024/07/06	772746-00019	2024/04/06
			Date of first issue: 2016/06/23

	Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.34 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility
	NOEC: 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility

3-Mercaptopropane-1,2-diol:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 10 - 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	EC10 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Toxicity to microorganisms : EC10 (activated sludge): > 1 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Persistence and degradability**Components:****Gentamicin:**

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Posaconazole:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 28 h
Method: OECD Test Guideline 314

Stability in water : Degradation half life (DT50): > 30 d
Method: OECD Test Guideline 111

Mometasone:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)
Method: OECD Test Guideline 111

3-Mercaptopropane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

Posaconazole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Bioconcentration factor (BCF): 20
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.15

Mometasone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 107.1
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

3-Mercaptopropane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -0.84
Method: OECD Test Guideline 117

Mobility in soil**Components:****Posaconazole:**

Distribution among environmental compartments : log Koc: 5.52

Mometasone:

Distribution among environmental compartments : log Koc: 4.02

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Gentamicin, Mometasone)

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Gentamicin, Mometasone)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Gentamicin, Mometasone)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	: Not applicable
Prohibited substances	: Not applicable
Restricted substances	: Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I	: Not applicable
--	------------------

Type of hazardous materials subject to distribution and control, Annex II	: Not applicable
---	------------------

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

16. OTHER INFORMATION

Revision Date	: 2024/07/06
---------------	--------------

Further information

Sources of key data used to compile the Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	: yyyy/mm/dd
-------------	--------------

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

**Mometasone / Posaconazole / Gentamicin /
Polymyxin B Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/07/06	772746-00019	Date of first issue: 2016/06/23

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN