

Multi Acid (with Calcium Carbonate) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

SECTION 1. IDENTIFICATION

Product identifier : Multi Acid (with Calcium Carbonate) Formulation

Product code : Latisan

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Serious eye damage : Category 1

Germ cell mutagenicity : Category 2

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.
H341 Suspected of causing genetic defects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

Multi Acid (with Calcium Carbonate) Formula- tion

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11506984-00002 Date of last issue: 04.02.2025
Date of first issue: 04.02.2025

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 22,5 %

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Sanguinarine	2447-54-3	Acute Tox. (Oral), 4 Muta., 2	≥ 20 -< 30
Calcium diformate	544-17-2	Acute Tox. (Oral), 5 Eye Dam., 1	≥ 3 -< 5
Phosphoric acid	7664-38-2	Met. Corr., 1 Acute Tox. (Oral), 4 Skin Corr., 1B Eye Dam., 1	≥ 1 -< 3
Formic acid	64-18-6	Flam. Liq., 3 Met. Corr., 1 Acute Tox. (Oral), 4 Acute Tox. (Inhalation), 3 Skin Corr., 1A Eye Dam., 1	$\geq 0,1$ -< 1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

Multi Acid (with Calcium Carbonate) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

		of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Contact with dust can cause mechanical irritation or drying of the skin. Causes serious eye damage. Suspected of causing genetic defects.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides Oxides of phosphorus Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

**Multi Acid (with Calcium Carbonate) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

Multi Acid (with Calcium Carbonate) Formula- tion

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11506984-00002 Date of last issue: 04.02.2025
Date of first issue: 04.02.2025

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.

Materials to avoid : Store in accordance with the particular national regulations.
Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m ³	ACGIH
		STEL	3 mg/m ³	ACGIH
Formic acid	64-18-6	LT	4 ppm 7 mg/m ³	BR OEL
	Further information: Degree of harmfulness: medium			
		TWA	5 ppm	ACGIH

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates, acidic and inorganic gas/vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

**Multi Acid (with Calcium Carbonate) Formula-
tion**

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11506984-00002	Date of last issue: 04.02.2025 Date of first issue: 04.02.2025
----------------	------------------------------	-------------------------------	---

disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially
contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		

**Multi Acid (with Calcium Carbonate) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
---------------------------	---	--

Components:**Sanguinarine:**

Acute oral toxicity	:	LD50 (Rat): 1.660 mg/kg
---------------------	---	-------------------------

Calcium diformate:

**Multi Acid (with Calcium Carbonate) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Phosphoric acid:

Acute oral toxicity	: LD50 (Rat): 2.000 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	: Assessment: Corrosive to the respiratory tract.

Formic acid:

Acute oral toxicity	: Acute toxicity estimate (Humans): 500 mg/kg Method: Expert judgment
Acute inhalation toxicity	: LC50 (Rat): 7,4 mg/l Exposure time: 4 h Test atmosphere: vapor Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Calcium diformate:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Phosphoric acid:

Result	: Corrosive after 3 minutes to 1 hour of exposure
Remarks	: Based on national or regional regulation.

Formic acid:

Result	: Corrosive after 3 minutes or less of exposure
Remarks	: Based on extreme pH

Serious eye damage/eye irritation

Causes serious eye damage.

Multi Acid (with Calcium Carbonate) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

Components:**Calcium diformate:**

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

Phosphoric acid:

Species	: Rabbit
Result	: Irreversible effects on the eye

Formic acid:

Result	: Irreversible effects on the eye
Remarks	: Based on skin corrosivity.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Calcium diformate:**

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Formic acid:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:**Sanguinarine:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	Test Type: in vitro micronucleus test Result: negative

Multi Acid (with Calcium Carbonate) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: positive
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Intraperitoneal injection Result: positive Remarks: Based on data from similar materials
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Calcium diformate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo) Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

Phosphoric acid:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative

Formic acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo) Application Route: Ingestion Method: OECD Test Guideline 477 Result: negative

**Multi Acid (with Calcium Carbonate) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

Carcinogenicity

Not classified based on available information.

Components:**Formic acid:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative
Remarks	: Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**Calcium diformate:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

Phosphoric acid:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Effects on fetal development	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative

Formic acid:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416
----------------------	--

**Multi Acid (with Calcium Carbonate) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

	Result: negative
	Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development
	Species: Rabbit
	Application Route: Ingestion
	Method: OECD Test Guideline 414
	Result: negative
	Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:**Sanguinarine:**

Assessment	: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.
------------	--

Repeated dose toxicity**Components:****Sanguinarine:**

Species	: Rat
NOAEL	: 7,7 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408
Remarks	: The test was conducted according to guideline

Calcium diformate:

Species	: Rat
NOAEL	: 3.000 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

Phosphoric acid:

Species	: Rat
NOAEL	: 250 mg/kg
Application Route	: Ingestion
Exposure time	: 40 - 52 Days
Method	: OECD Test Guideline 422

Formic acid:

Species	: Rat
---------	-------

Multi Acid (with Calcium Carbonate) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

NOAEL	:	400 mg/kg
Application Route	:	Ingestion
Exposure time	:	52 Weeks
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sanguinarine:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

Calcium diformate:

Toxicity to fish	:	LC0 (Danio rerio (zebra fish)): ≥ 1.000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h Method: EPA-660/3-75-009 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l Exposure time: 72 h Remarks: Based on data from similar materials NOEC (Pseudokirchneriella subcapitata (green algae)): 500 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): ≥ 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	NOEC: $\geq 22,1$ mg/l Exposure time: 28 d Remarks: Based on data from similar materials

Phosphoric acid:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
------------------	---	--

Multi Acid (with Calcium Carbonate) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

		Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Formic acid:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 130 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 365 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.240 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Pseudokirchneriella subcapitata (green algae)): 295 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	NOEC: 72 mg/l Exposure time: 13 d

**Multi Acid (with Calcium Carbonate) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

Persistence and degradability**Components:****Calcium diformate:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 28 d Method: OECD Test Guideline 306 Remarks: Based on data from similar materials
------------------	---	---

Formic acid:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	---	--

Bioaccumulative potential**Components:****Sanguinarine:**

Partition coefficient: n-octanol/water	:	log Pow: < 4 Remarks: Expert judgment
--	---	--

Calcium diformate:

Partition coefficient: n-octanol/water	:	log Pow: -2,3 - -1,9 Remarks: Based on data from similar materials
--	---	---

Formic acid:

Partition coefficient: n-octanol/water	:	log Pow: -2,1
--	---	---------------

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

**Multi Acid (with Calcium Carbonate) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Calcium carbonate
Phosphoric acid**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATIONRevision Date : 14.04.2025
Date format : dd.mm.yyyy**Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

Multi Acid (with Calcium Carbonate) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2025
2.0	14.04.2025	11506984-00002	Date of first issue: 04.02.2025

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
BR OEL : Brazil. NR 15 - Unhealthy activities and operations

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
BR OEL / LT : Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8