

SAFETY DATA SHEET

according to the Globally Harmonized System



Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Multine B12 Selenised Formulation

Other means of identification : Multine B12 Selenised (A011766)

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 5

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms : None

Signal word : Warning

Hazard statements : H303 May be harmful if swallowed.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

Multine B12 Selenised Formulation

Version 1.1 Revision Date: 04.12.2023 SDS Number: 11270898-00002 Date of last issue: 19.09.2023
Date of first issue: 19.09.2023

P273 Avoid release to the environment.

Response:

P301 + P317 IF SWALLOWED: Get medical help.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Antigen	Not Assigned	$\geq 20 - < 30$
Sodium selenate	13410-01-0	$\geq 0.1 - < 0.25$
Acetatocobalamin	22465-48-1	$\geq 0.1 - < 1$
Thiomersal	54-64-8	$\geq 0.0025 - < 0.025$

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Avoid inhalation of vapour or mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety

Multine B12 Selenised Formulation

Version 1.1 Revision Date: 04.12.2023 SDS Number: 11270898-00002 Date of last issue: 19.09.2023
Date of first issue: 19.09.2023

practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium selenate	13410-01-0	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0.2 mg/m ³ (selenium)	ACGIH
Acetatocobalamin	22465-48-1	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Thiomersal	54-64-8	TWA	0.01 mg/m ³ (Mercury)	IN OEL
	Further information: Potential contribution to the overall exposure by the cutaneous route including mucous membranes and eye.			
		STEL	0.03 mg/m ³ (Mercury)	IN OEL
	Further information: Potential contribution to the overall exposure by the cutaneous route including mucous membranes and eye.			
		TWA	0.01 mg/m ³ (Mercury)	ACGIH
		STEL	0.03 mg/m ³ (Mercury)	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

May be harmful if swallowed.

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Product:

Acute oral toxicity	:	Acute toxicity estimate: 2,084 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:

Sodium selenate:

Acute oral toxicity	:	LD50 (Rat): > 5 - 50 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 0.052 - 0.51 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

Acetatocobalamin:

Acute oral toxicity	:	LD50 Oral (Mouse): > 5,000 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Mouse): > 2,000 mg/kg Application Route: Intravenous LDLo (Mouse): 1.4 mg/kg Application Route: Intraperitoneal LDLo (Mouse): 2.7 mg/kg Application Route: Intravenous

Thiomersal:

Acute oral toxicity	:	LD50 (Rat): 75 mg/kg Acute toxicity estimate: 10 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.
Acute inhalation toxicity	:	Acute toxicity estimate: 0.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Remarks: Based on national or regional regulation.
Acute dermal toxicity	:	Acute toxicity estimate: 10 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.

Skin corrosion/irritation

Not classified based on available information.

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Components:

Sodium selenate:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : Skin irritation

Acetatocobalamin:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium selenate:

Species : Bovine cornea
Method : OECD Test Guideline 437

Result : No eye irritation

Acetatocobalamin:

Remarks : No data available

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Acetatocobalamin:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Acetatocobalamin:

Genotoxicity in vitro : Test Type: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: negative

Test Type: Ames test
Test system: Salmonella typhimurium
Result: negative

Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Thiomersal:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Thiomersal:

Species : Rat
Exposure time : 1 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Thiomersal:

Effects on foetal development : Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Sodium selenate:

Exposure routes : Ingestion
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Acetatocobalamin:

Target Organs : Kidney, Liver
Assessment : May cause damage to organs through prolonged or repeated exposure.

Thiomersal:

Target Organs : Central nervous system, Cardio-vascular system, Gastrointestinal tract, Kidney
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Sodium selenate:

Species : Rat
NOAEL : 0.4 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Acetatocobalamin:

Species : Dog
LOAEL : 300 mg/kg
Application Route : Oral
Number of exposures : 3 days
Target Organs : Kidney, Liver
Symptoms : kidney effects, liver function change
Remarks : May cause damage to organs.

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Species	:	Dog
LOAEL	:	75 mg/kg
Application Route	:	Intravenous
Number of exposures	:	4 weeks
Target Organs	:	Kidney, Liver
Remarks	:	May cause damage to organs.

Thiomersal:

Species	:	Rat
LOAEL	:	>= 0.5 mg/kg
Application Route	:	Ingestion
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Acetatocobalamin:

General Information	:	Symptoms: asthenia, Dizziness, Headache, Nausea, sinusitis
Remarks	:	The most common side effects are:

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium selenate:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
---	---	--

Toxicity to algae/aquatic plants	:	ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l Exposure time: 96 h
----------------------------------	---	---

	:	NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l Exposure time: 96 h
--	---	--

M-Factor (Acute aquatic toxicity)	:	1
-----------------------------------	---	---

Toxicity to microorganisms	:	EC10 (activated sludge): 590 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
----------------------------	---	--

SAFETY DATA SHEET

according to the Globally Harmonized System



Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Toxicity to fish (Chronic toxicity) : NOEC: > 0.01 - 0.1 mg/l
Exposure time: 258 d
Species: Lepomis macrochirus (Bluegill sunfish)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Thiomersal:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 0.01 - 0.1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.001 - 0.01 mg/l
Exposure time: 21 d
Species: Daphnia sp. (water flea)
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

SAFETY DATA SHEET

according to the Globally Harmonized System



Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

Contaminated packaging : Dispose of in accordance with local regulations.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 04.12.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

SAFETY DATA SHEET

according to the Globally Harmonized System



Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2023
1.1	04.12.2023	11270898-00002	Date of first issue: 19.09.2023

IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)
IN OEL / STEL : Short-term exposure Limit STEL (15 min)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN