

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Multine B12 Selenised Formulation

Other means of identification : Multine B12 Selenised (A011766)

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2024/09/28	11270897-00004	2024/04/06
			Date of first issue: 2023/09/19

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Antigen	Not Assigned	$\geq 20 - < 30$	-
Aluminium potassium sulfate dodecahydrate	7784-24-9	$\geq 1 - < 10$	1-25 / 1-454
Sodium selenate	13410-01-0	0.24	1-1212
Acetatocobalamin	22465-48-1	$\geq 0.1 - < 1$	-
Thiomersal	54-64-8	0.02	-

4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-	: Exposure to combustion products may be a hazard to health.

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

fighting

- Hazardous combustion products : Carbon oxides
Metal oxides
Sulphur oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

7. HANDLING AND STORAGE**Handling**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
-

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2024/09/28	11270897-00004	2024/04/06
			Date of first issue: 2023/09/19

Advice on safe handling : Avoid inhalation of vapour or mist.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Sodium selenate	13410-01-0	OEL-M	0.1 mg/m ³ (selenium)	JP OEL JSOH
		TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0.2 mg/m ³ (selenium)	ACGIH
Acetatocobalamin	22465-48-1	OEL-M	0.05 mg/m ³ (Cobalt)	JP OEL JSOH
	Further information: Airway sensitizing agent; Group 1 substances which induce allergic reactions in humans, Skin sensitizing agent; Group 1 substances which induce allergic reactions in humans, Group 2B: possibly carcinogenic to humans			
		TWA	10 µg/m ³ (OEB 3)	Internal

Multine B12 Selenised Formulation

Version 3.0 Revision Date: 2024/09/28 SDS Number: 11270897-00004 Date of last issue: 2024/04/06
 Date of first issue: 2023/09/19

		Wipe limit	100 µg/100 cm ²	Internal
Thiomersal	54-64-8	ACL	0.01 mg/m ³ (Mercury)	JP OEL ISHL
		TWA	0.01 mg/m ³ (Mercury)	ACGIH
		STEL	0.03 mg/m ³ (Mercury)	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Target substance	Biological specimen	Sampling time	Permissible concentration	Basis
Thiomersal	54-64-8	total inorganic mercury (Mercury)	Urine	Not critical	35 µg/g creatinine	JSOH

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type
 Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
 Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
 Use appropriate degowning techniques to remove potentially contaminated clothing.

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Aqueous solution
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit		
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density and / or relative density		
Relative density	:	No data available
Density	:	No data available

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:**Aluminium potassium sulfate dodecahydrate:**

Acute oral toxicity	:	LD50 (Mouse): > 5,000 mg/kg Remarks: Based on data from similar materials
---------------------	---	--

Sodium selenate:

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acetatocobalamin:

Acute oral toxicity : LD50 Oral (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 2,000 mg/kg
Application Route: Intravenous

LDLo (Mouse): 1.4 mg/kg
Application Route: Intraperitoneal

LDLo (Mouse): 2.7 mg/kg
Application Route: Intravenous

Thiomersal:

Acute oral toxicity : LD50 (Rat): 75 mg/kg

Acute toxicity estimate: 10 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate: 0.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate: 10 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

Skin corrosion/irritation

Not classified based on available information.

Components:**Aluminium potassium sulfate dodecahydrate:**

Species : Mouse
Result : No skin irritation
Remarks : Based on data from similar materials

Sodium selenate:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : Skin irritation

Acetatocobalamin:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Aluminium potassium sulfate dodecahydrate:**

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Sodium selenate:

Species : Bovine cornea
Method : OECD Test Guideline 437

Result : No eye irritation

Acetatocobalamin:

Remarks : No data available

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Aluminium potassium sulfate dodecahydrate:**

Test Type : Draize Test
Exposure routes : Skin contact
Species : Rabbit
Result : negative
Remarks : Based on data from similar materials

Acetatocobalamin:

Remarks : No data available

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Germ cell mutagenicity

Not classified based on available information.

Components:**Aluminium potassium sulfate dodecahydrate:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative

Sodium selenate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Method: OECD Test Guideline 471
		Result: negative
		Remarks: Based on data from similar materials

Acetatocobalamin:

Genotoxicity in vitro	:	Test Type: Mutagenicity (Escherichia coli - reverse mutation assay)
		Result: negative
		Test Type: Ames test
		Test system: Salmonella typhimurium
		Result: negative
		Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
		Result: negative

Thiomersal:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)
		Species: Mouse
		Application Route: Ingestion
		Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Thiomersal:**

Species	:	Rat
Exposure time	:	1 Years
Result	:	negative

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Reproductive toxicity

Not classified based on available information.

Components:**Aluminium potassium sulfate dodecahydrate:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OPPTS 870.3700 Result: negative Remarks: Based on data from similar materials

Sodium selenate:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

Thiomersal:

Effects on foetal development	:	Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Components:**Sodium selenate:**

Exposure routes	: Ingestion
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Acetatocobalamin:

Target Organs	: Kidney, Liver
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Thiomersal:

Target Organs	: Central nervous system, Cardio-vascular system, Gastrointestinal tract, Kidney
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Aluminium potassium sulfate dodecahydrate:**

Species	: Mouse
NOAEL	: 15,000 mg/kg
Application Route	: Ingestion
Exposure time	: 5 Weeks
Method	: Directive 67/548/EEC, Annex, B.33

Sodium selenate:

Species	: Rat
NOAEL	: 0.4 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

Acetatocobalamin:

Species	: Dog
LOAEL	: 300 mg/kg
Application Route	: Oral
Number of exposures	: 3 days
Target Organs	: Kidney, Liver
Symptoms	: kidney effects, liver function change
Remarks	: May cause damage to organs.

Species	: Dog
LOAEL	: 75 mg/kg
Application Route	: Intravenous
Number of exposures	: 4 weeks
Target Organs	: Kidney, Liver

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2024/09/28	11270897-00004	2024/04/06
			Date of first issue: 2023/09/19

Remarks : May cause damage to organs.

Thiomersal:

Species	: Rat
LOAEL	: ≥ 0.5 mg/kg
Application Route	: Ingestion
Remarks	: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Acetatocobalamin:**

General Information	: Symptoms: asthenia, Dizziness, Headache, Nausea, sinusitis
	Remarks: The most common side effects are:

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Aluminium potassium sulfate dodecahydrate:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): $> 1,000 - < 10,000$ mg/l
	Exposure time: 96 h
	Remarks: Based on data from similar materials

Ecotoxicology Assessment

Chronic aquatic toxicity	: No toxicity at the limit of solubility
--------------------------	--

Sodium selenate:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): $> 1 - 10$ mg/l
	Exposure time: 96 h
	Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): $> 1 - 10$ mg/l
	Exposure time: 48 h
	Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l
	Exposure time: 96 h
	NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l
	Exposure time: 96 h

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2024/09/28	11270897-00004	2024/04/06
			Date of first issue: 2023/09/19

M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1 mg/l Exposure time: 258 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 0.1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC10 (activated sludge): 590 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Thiomersal:

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia sp. (water flea)): > 0.001 - 0.01 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Special precautions for user

Not applicable

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Water-soluble aluminum salts	≥ 1 - < 10	-
Selenium and its compounds	≥ 0.1 - < 1	-
Cobalt and its compounds	≥ 0.1 - < 1	-

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Aluminium and its water-soluble salts	-
Cobalt and its compounds	-

Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Poisonous substance

Chemical name	Cabinet Order Number
Sodium selenate and preparations containing it	18

Deleterious substance

Chemical name	Cabinet Order Number
sodium [(2-carboxyphenyl)thio] (ethyl) mercury and preparations containing it	22.2

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Not regulated as a dangerous good

Aviation Law

Not regulated as a dangerous good

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
JP OEL ISHL	:	Japan. Administrative Control Levels
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
JSOH	:	Occupational exposure limits based on biological monitoring (JSOH).
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
JP OEL ISHL / ACL	:	Administrative Control level
JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	11270897-00004	Date of first issue: 2023/09/19

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN