according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Multine Selenised Formulation

Other means of identification : Multine Selenised (A000935)

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: Aqueous solutionColour: No data availableOdour: No data available

Toxic if swallowed. Harmful to aquatic life with long lasting effects.

GHS Classification

GHS label elements

Acute toxicity (Oral) : Category 3

Short-term (acute) aquatic : Category 3

hazard

Long-term (chronic) aquatic : Category 3

hazard

Hazard pictograms

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

Signal word : Danger

Hazard statements : H301 Toxic if swallowed.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor. Rinse mouth.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Toxic if swallowed.

Environmental hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Antigen	Not Assigned	>= 1 -< 10
Sodium selenate	13410-01-0	>= 0.25 -< 1

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

s : Toxic if swallowed.

Protection of first-aiders

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Tremove undamaged containers from the area in it is sale to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

: Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Avoid inhalation of vapour or mist.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium selenate	13410-01-0	PC-TWA	0.1 mg/m3 (selenium)	CN OEL
		TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100 cm ²	Internal
		TWA	0.2 mg/m3 (selenium)	ACGIH

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

Viscosity

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes Inhalation

> Skin contact Ingestion Eye contact

Acute toxicity

Toxic if swallowed.

Product:

Acute toxicity estimate: 119.62 mg/kg Acute oral toxicity

Method: Calculation method

Acute inhalation toxicity Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Sodium selenate:

Acute toxicity estimate: 0.5 mg/kg Acute oral toxicity

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute inhalation toxicity LC50 (Rat): > 0.052 - 0.51 mg/l

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium selenate:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium selenate:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Sodium selenate:

Exposure routes : Ingestion

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Sodium selenate:

Species : Rat

NOAEL : 0.4 mg/kg

Application Route : Ingestion

Exposure time : 13 Weeks

Aspiration toxicity

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium selenate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

: ErC50 (Chlamydomonas reinhardtii (green algae)): 245 μg/l

Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox- :

icitv)

icity)

Toxicity to fish (Chronic tox-

. .

NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1

mg/l

Exposure time: 258 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.1 - 1 mg/l Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable Proper shipping name : Not applicable

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the cata-

logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product contains one or more prohibited dangerous chemicals for inland river transport, but none of the three GHS hazard categories is Category 1.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

16. OTHER INFORMATION

Revision Date : 2024/09/28

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

according to GB/T 16483 and GB/T 17519



Multine Selenised Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/03/07 2.0 2024/09/28 11270806-00004 Date of first issue: 2023/09/19

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN