according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2024/09/28 4257967-00013 Date of first issue: 2019/05/06 4.0

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Multivitamin (with Soy Oil) Formulation Product name

Manufacturer or supplier's details

Company : MSD

Address No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone +1-908-740-4000

Emergency telephone number: 86-571-87268110

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

#### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

**Appearance** : Aqueous solution

Colour yellow Odour characteristic

Causes mild skin irritation. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. May cause long lasting harmful effects to aquatic life.

**GHS Classification** 

Skin corrosion/irritation : Category 3

Reproductive toxicity Category 1A

Specific target organ toxicity - :

repeated exposure

Category 1

Long-term (chronic) aquatic : Category 4

hazard

### **GHS** label elements

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Hazard pictograms :

Signal word : Danger

Hazard statements : H316 Causes mild skin irritation.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated

exposure.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

#### Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

## Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Physical and chemical hazards

Not classified based on available information.

## **Health hazards**

Causes mild skin irritation. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

May cause long lasting harmful effects to aquatic life.

## Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Substance / Mixture Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Soya oil	8001-22-7	>= 70 -< 90	
Vitamin A Palmitate	79-81-2	>= 20 -< 25	
(dl)-a-Tocopheryl acetate	7695-91-2	>= 1 -< 10	
Colecalciferol	67-97-0	>= 0.1 -< 0.25	

#### 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Causes mild skin irritation.

May damage the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

: Treat symptomatically and supportively. Notes to physician

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### 7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

**Storage** 

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Vitamin A Palmitate	79-81-2	TWA	>= 1 < 10 ug/m3 (OEB 4)	Internal
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m3 (OEB 1)	Internal
Colecalciferol	67-97-0	TWA	5 μg/m3 (OEB 4)	Internal
		Wipe limit	50 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Organic vapour type

Eye/face protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : -5 °C

Initial boiling point and boiling :

range

194 °C

Flash point : 244 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Relative vapour density : No data available

Relative density : 0.9 - 0.94

Density : No data available

Solubility(ies)

Water solubility : practically insoluble

Solubility in other solvents : slightly soluble

Solvent: Ethanol

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 68.41 - 68.81 mPa.s (25 °C)

Method: Brookfield

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

Vitamin A Palmitate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

(dl)-a-Tocopheryl acetate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

**Colecalciferol:** 

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Expert judgement

Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg

Method: Expert judgement

Skin corrosion/irritation

Causes mild skin irritation.

**Components:** 

Vitamin A Palmitate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

## (dl)-a-Tocopheryl acetate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

## Components:

#### Vitamin A Palmitate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

## (dl)-a-Tocopheryl acetate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

# **Colecalciferol:**

Species : Rabbit

Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

#### Vitamin A Palmitate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

## (dl)-a-Tocopheryl acetate:

Test Type : Draize Test
Exposure routes : Skin contact
Species : Humans
Result : negative

according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

#### Colecalciferol:

Test Type : Maurer optimisation test

Exposure routes : Skin contact Species : Guinea pig Result : negative

## Germ cell mutagenicity

Not classified based on available information.

## **Components:**

#### Vitamin A Palmitate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

## (dl)-a-Tocopheryl acetate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

## Colecalciferol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: equivocal

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: In vivo mammalian alkaline comet assay

Species: Rat

**Application Route: Ingestion** 

Result: positive

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

### Carcinogenicity

Not classified based on available information.

#### Components:

# (dl)-a-Tocopheryl acetate:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

## Reproductive toxicity

May damage the unborn child.

#### **Components:**

#### Vitamin A Palmitate:

Effects on foetal develop-

: Test Type: Embryo-foetal development

Species: Monkey

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

ment

Positive evidence of adverse effects on development from

human epidemiological studies.

## (dl)-a-Tocopheryl acetate:

Effects on fertility: Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

**Application Route: Ingestion** 

Result: negative

## STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### **Components:**

#### Vitamin A Palmitate:

Exposure routes : Ingestion Target Organs : Liver

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Remarks : Based on data from similar materials

### **Colecalciferol:**

Exposure routes : Ingestion

Target Organs : Kidney, Blood, Bone

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

## Repeated dose toxicity

### **Components:**

#### Soya oil:

Species : Rat

NOAEL : 4,000 mg/kg Application Route : Ingestion Exposure time : 90 h

#### Vitamin A Palmitate:

Species : Rat

LOAEL : > 1 - 10 mg/kg
Application Route : Ingestion
Exposure time : 3 Months

Remarks : Based on data from similar materials

### (dl)-a-Tocopheryl acetate:

Species : Rat

NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

### **Colecalciferol:**

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Species : Rat

NOAEL : 0.06 mg/kg
LOAEL : 0.3 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

### **Aspiration toxicity**

Not classified based on available information.

## **Experience with human exposure**

## **Components:**

#### Vitamin A Palmitate:

Ingestion : Symptoms: liver impairment

Remarks: Based on data from similar materials

Symptoms: Embryo-foetal toxicity

Remarks: Based on data from similar materials

### 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

#### **Components:**

# Vitamin A Palmitate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l

Exposure time: 96 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 152.94

mg/l

Exposure time: 72 h

### (dl)-a-Tocopheryl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Toxicity to algae/aquatic

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >=

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

plants

NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l

Exposure time: 28 d

Toxicity to microorganisms : EC50: > 927 mg/l

Exposure time: 30 min Method: ISO 8192

**Colecalciferol:** 

Toxicity to fish LL50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EL50 (Scenedesmus capricornutum (fresh water algae)): >

100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

# Persistence and degradability

# **Components:**

Vitamin A Palmitate:

Biodegradability Result: Not readily biodegradable.

Biodegradation: 40 - 50 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

(dl)-a-Tocopheryl acetate:

Biodegradability Result: Not readily biodegradable.

Biodegradation: 21.7 - 31 %

Exposure time: 28 d

Method: OECD Test Guideline 301C

Colecalciferol:

Biodegradability Result: Not readily biodegradable.

according to GB/T 16483 and GB/T 17519



# **Multivitamin (with Soy Oil) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Biodegradation: <= 7 % Exposure time: 28 d

Method: OECD Test Guideline 301C

## **Bioaccumulative potential**

## **Components:**

Soya oil:

Partition coefficient: n-

octanol/water

: log Pow: > 4

Remarks: Calculation

Vitamin A Palmitate:

Partition coefficient: n-

octanol/water

:  $\log Pow: > 6.2$ 

**Colecalciferol:** 

Partition coefficient: n-

octanol/water

: log Pow: > 6.2

Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### **International Regulations**

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : Not applicable

according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Proper shipping name : Not applicable Class : Not applicable Subsidiary risk : Not applicable Packing group : Not applicable Labels : Not applicable Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen: Not applicable

ger aircraft)

**IMDG-Code** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

# Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the cata-

logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

**Regulation on the Administration of Precursor Chemicals** 

Catalogue and Classification of Precursor Chemicals

**Yangtze River Protection Law** 

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

16. OTHER INFORMATION

**Revision Date** : 2024/09/28

**Further information** 

compile the Safety Data

Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format

: yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

according to GB/T 16483 and GB/T 17519



# Multivitamin (with Soy Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 4.0 2024/09/28 4257967-00013 Date of first issue: 2019/05/06

tem: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN