

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Multivitamin (with Sunflower Oil) Formulation

Manufacturer or supplier's details

Company : MSD
Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia
Telephone : +1-908-740-4000
Emergency telephone number : 1 800 033 461
E-mail address : EHSDATASTEWARD@msd.com


Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 1A
Specific target organ toxicity - repeated exposure : Category 2 (Liver)

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H360D May damage the unborn child.
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
 Date of first issue: 15.10.2020

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sunflower oil	8001-21-6	>= 60 -<= 100
Retinyl propionate	7069-42-3	>= 1 -< 10
(dl)-a-Tocopheryl acetate	7695-91-2	< 10
Benzyl alcohol	100-51-6	< 10
Colecalciferol	67-97-0	< 0.3

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.
 May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
1.2	27.08.2021	6599053-00003	Date of first issue: 15.10.2020

		Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapours.

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
 Date of first issue: 15.10.2020

- Do not swallow.
 Avoid contact with eyes.
 Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage** : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid** : Do not store with the following product types:
 Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sunflower oil	8001-21-6	TWA (Mist)	10 mg/m ³	AU OEL
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m ³ (OEB 1)	Internal
Colecalciferol	67-97-0	TWA	5 µg/m ³ (OEB 4)	Internal
		Wipe limit	50 µg/100 cm ²	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Essentially no open handling permitted.
 Use closed processing systems or containment technologies.
 If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

- Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

Filter type : Organic vapour type
Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : transparent
amber

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

Relative density : No data available

Density : 0.925 g/cm³

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

Components:**Sunflower oil:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Retinyl propionate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

(dl)-a-Tocopheryl acetate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Colecalciferol:

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg
Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgement
Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg
Method: Expert judgement

Skin corrosion/irritation

Not classified based on available information.

Components:**Sunflower oil:**

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Retinyl propionate:

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

(dl)-a-Tocopheryl acetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Sunflower oil:**

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Retinyl propionate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

(dl)-a-Tocopheryl acetate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Colecalciferol:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

Components:**Sunflower oil:**

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Retinyl propionate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

(dl)-a-Tocopheryl acetate:

Test Type : Draize Test
Exposure routes : Skin contact
Species : Humans
Result : negative

Benzyl alcohol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Colecalciferol:

Test Type : Maurer optimisation test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Sunflower oil:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Retinyl propionate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471

Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
1.2	27.08.2021	6599053-00003	Date of first issue: 15.10.2020

Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Remarks: Based on data from similar materials

(dl)-a-Tocopheryl acetate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Colecalciferol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Ingestion

Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
1.2	27.08.2021	6599053-00003	Date of first issue: 15.10.2020

Method: OECD Test Guideline 474

Result: negative

Test Type: In vivo mammalian alkaline comet assay

Species: Rat

Application Route: Ingestion

Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

(dl)-a-Tocopheryl acetate:

Species : Rat
 Application Route : Ingestion
 Exposure time : 104 weeks
 Result : negative

Benzyl alcohol:

Species : Mouse
 Application Route : Ingestion
 Exposure time : 103 weeks
 Method : OECD Test Guideline 451
 Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

Retinyl propionate:

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Monkey
 Application Route: Ingestion
 Result: positive
 Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

(dl)-a-Tocopheryl acetate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rabbit

Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
1.2	27.08.2021	6599053-00003	Date of first issue: 15.10.2020

Application Route: Ingestion
Result: negative

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Components:

Retinyl propionate:

Exposure routes : Ingestion
Target Organs : Liver
Assessment : Causes damage to organs through prolonged or repeated exposure.
Remarks : Based on data from similar materials

Colecalciferol:

Exposure routes : Ingestion
Target Organs : Kidney, Blood, Bone
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Retinyl propionate:

Species : Rat
LOAEL : > 1 - 10 mg/kg
Application Route : Ingestion
Exposure time : 3 Months
Remarks : Based on data from similar materials

(dl)-a-Tocopheryl acetate:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

Benzyl alcohol:

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Colecalciferol:

Species : Rat
NOAEL : 0.06 mg/kg
LOAEL : 0.3 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Retinyl propionate:**

Ingestion : Symptoms: liver impairment
Remarks: Based on data from similar materials
Symptoms: Embryo-foetal toxicity
Remarks: Based on data from similar materials

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Sunflower oil:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 32 mg/l
Exposure time: 48 h
Method: Directive 67/548/EEC, Annex V, C.2.
Remarks: Based on data from similar materials
No toxicity at the limit of solubility

Toxicity to microorganisms : EC10 (Pseudomonas putida): 883 mg/l
Exposure time: 18 h
Remarks: Based on data from similar materials

Retinyl propionate:

Toxicity to fish : LL50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
1.2	27.08.2021	6599053-00003	Date of first issue: 15.10.2020

Exposure time: 96 h
Method: DIN 38412

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 180 min
Method: OECD Test Guideline 209

(dl)-a-Tocopheryl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 927 mg/l
Exposure time: 30 min
Method: ISO 8192

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

Colecalciferol:

- Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

Persistence and degradability**Components:****Retinyl propionate:**

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 40 - 50 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

(dl)-a-Tocopheryl acetate:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 21.7 - 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Benzyl alcohol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Colecalciferol:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: <= 7 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Bioaccumulative potential**Components:****Retinyl propionate:**

- Partition coefficient: n-octanol/water : log Pow: 9.12
Remarks: Calculation

Benzyl alcohol:

Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
1.2	27.08.2021	6599053-00003	Date of first issue: 15.10.2020

Partition coefficient: n-octanol/water : log Pow: 1.05

Colecalciferol:

Partition coefficient: n-octanol/water : log Pow: > 6.2
Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Multivitamin (with Sunflower Oil) Formulation

Version 1.2 Revision Date: 27.08.2021 SDS Number: 6599053-00003 Date of last issue: 21.12.2020
Date of first issue: 15.10.2020

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION**Further information**

Revision Date : 27.08.2021
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2020
1.2	27.08.2021	6599053-00003	Date of first issue: 15.10.2020

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN