

**Multivitamin (with Sunflower Oil) Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 10/15/2020  
1.1                12/21/2020                6599057-00002            Date of first issue: 10/15/2020

---

**SECTION 1. IDENTIFICATION**

Product name                                : Multivitamin (with Sunflower Oil) Formulation

**Manufacturer or supplier's details**

Company name of supplier                : Merck & Co., Inc  
Address                                        : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A 07065  
Telephone                                     : 908-740-4000  
Emergency telephone                       : 1-908-423-6000  
E-mail address                                : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use                            : Veterinary product

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Reproductive toxicity                        : Category 1A

Specific target organ toxicity               : Category 1 (Liver)  
- repeated exposure

**GHS label elements**

Hazard pictograms                            :



Signal Word                                    : Danger

Hazard Statements                            : H360D May damage the unborn child.  
H372 Causes damage to organs (Liver) through prolonged or repeated exposure.

Precautionary Statements                 : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical attention.

**Storage:**

P405 Store locked up.

**Disposal:**

## Multivitamin (with Sunflower Oil) Formulation

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
 Date of first issue: 10/15/2020

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sunflower oil	8001-21-6	87.486
Retinyl propionate	7069-42-3	8.649
(dl)-a-Tocopheryl acetate	7695-91-2	2.162
Benzyl alcohol	100-51-6	1.081
Colecalciferol	67-97-0	0.081

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May damage the unborn child.  
 Causes damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : None known.

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
1.1	12/21/2020	6599057-00002	Date of first issue: 10/15/2020

---

- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.  
 Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Use water spray to cool unopened containers.  
 Remove undamaged containers from fire area if it is safe to do so.  
 Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
 Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
 Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
 Prevent further leakage or spillage if safe to do so.  
 Prevent spreading over a wide area (e.g., by containment or oil barriers).  
 Retain and dispose of contaminated wash water.  
 Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
 For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
 Clean up remaining materials from spill with suitable absorbent.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe mist or vapors.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety

## Multivitamin (with Sunflower Oil) Formulation

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
 Date of first issue: 10/15/2020

- practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sunflower oil	8001-21-6	TWA (mist - total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (mist - respirable)	5 mg/m <sup>3</sup>	NIOSH REL
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m <sup>3</sup> (OEB 1)	Internal
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL
Colecalciferol	67-97-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Essentially no open handling permitted.  
 Use closed processing systems or containment technologies.  
 If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

#### Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
1.1	12/21/2020	6599057-00002	Date of first issue: 10/15/2020

---

Hand protection	:	circumstance where air purifying respirators may not provide adequate protection.
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	transparent amber
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable

**Multivitamin (with Sunflower Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
1.1	12/21/2020	6599057-00002	Date of first issue: 10/15/2020

---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0.925 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact

**Multivitamin (with Sunflower Oil) Formulation**

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
Date of first issue: 10/15/2020

---

Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Sunflower oil:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

**Retinyl propionate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

**(dl)-a-Tocopheryl acetate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Colecalciferol:**

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg  
Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgment  
Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg  
Method: Expert judgment

**Multivitamin (with Sunflower Oil) Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 10/15/2020  
1.1                12/21/2020                6599057-00002            Date of first issue: 10/15/2020

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Sunflower oil:**

Species                                : Rabbit  
Result                                    : No skin irritation  
Remarks                                : Based on data from similar materials

**Retinyl propionate:**

Species                                : Rabbit  
Method                                  : OECD Test Guideline 404  
Result                                    : Mild skin irritation

**(dl)-a-Tocopheryl acetate:**

Species                                : Rabbit  
Method                                  : OECD Test Guideline 404  
Result                                    : No skin irritation

**Benzyl alcohol:**

Species                                : Rabbit  
Method                                  : OECD Test Guideline 404  
Result                                    : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Sunflower oil:**

Species                                : Rabbit  
Result                                    : No eye irritation  
Remarks                                : Based on data from similar materials

**Retinyl propionate:**

Species                                : Rabbit  
Result                                    : No eye irritation  
Method                                  : OECD Test Guideline 405

**(dl)-a-Tocopheryl acetate:**

Species                                : Rabbit  
Result                                    : No eye irritation  
Method                                  : OECD Test Guideline 405

**Benzyl alcohol:**

Species                                : Rabbit  
Result                                    : Irritation to eyes, reversing within 21 days  
Method                                  : OECD Test Guideline 405



**Multivitamin (with Sunflower Oil) Formulation**

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
Date of first issue: 10/15/2020

---

**Colecalciferol:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Sunflower oil:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

**Retinyl propionate:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**(dl)-a-Tocopheryl acetate:**

Test Type : Draize Test  
Routes of exposure : Skin contact  
Species : Humans  
Result : negative

**Benzyl alcohol:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Colecalciferol:**

Test Type : Maurer optimisation test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Multivitamin (with Sunflower Oil) Formulation**

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
Date of first issue: 10/15/2020

---

**Components:****Sunflower oil:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Retinyl propionate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Remarks: Based on data from similar materials

**(dl)-a-Tocopheryl acetate:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Colecalciferol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: equivocal

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
1.1	12/21/2020	6599057-00002	Date of first issue: 10/15/2020

---

Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 474  
 Result: negative

Test Type: In vivo mammalian alkaline comet assay  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### **(dl)-a-Tocopheryl acetate:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 104 weeks  
 Result : negative

#### **Benzyl alcohol:**

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 103 weeks  
 Method : OECD Test Guideline 451  
 Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

May damage the unborn child.

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
1.1	12/21/2020	6599057-00002	Date of first issue: 10/15/2020

---

### Components:

#### **Retinyl propionate:**

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Monkey  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

#### **(dl)-a-Tocopheryl acetate:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Ingestion  
 Result: negative

#### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

#### **STOT-single exposure**

Not classified based on available information.

#### **STOT-repeated exposure**

Causes damage to organs (Liver) through prolonged or repeated exposure.

### Components:

#### **Retinyl propionate:**

Routes of exposure : Ingestion  
 Target Organs : Liver  
 Assessment : Causes damage to organs through prolonged or repeated exposure.  
 Remarks : Based on data from similar materials

#### **Colecalciferol:**

Routes of exposure : Ingestion

**Multivitamin (with Sunflower Oil) Formulation**

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
Date of first issue: 10/15/2020

---

Target Organs : Kidney, Blood, Bone  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Retinyl propionate:**

Species : Rat  
LOAEL : > 1 - 10 mg/kg  
Application Route : Ingestion  
Exposure time : 3 Months  
Remarks : Based on data from similar materials

**(dl)-a-Tocopheryl acetate:**

Species : Rat  
NOAEL : 500 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

**Colecalciferol:**

Species : Rat  
NOAEL : 0.06 mg/kg  
LOAEL : 0.3 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Retinyl propionate:**

Ingestion : Symptoms: liver impairment  
Remarks: Based on data from similar materials  
Symptoms: Embryo-fetal toxicity.  
Remarks: Based on data from similar materials

## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
1.1	12/21/2020	6599057-00002	Date of first issue: 10/15/2020

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Sunflower oil:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 32 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.

Toxicity to microorganisms : EC10 (Pseudomonas putida): 883 mg/l  
Exposure time: 18 h  
Remarks: Based on data from similar materials

##### **Retinyl propionate:**

Toxicity to fish : LL50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h  
Method: DIN 38412

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 180 min  
Method: OECD Test Guideline 209

##### **(dl)-a-Tocopheryl acetate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 927 mg/l

**Multivitamin (with Sunflower Oil) Formulation**

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
Date of first issue: 10/15/2020

---

Exposure time: 30 min  
Method: ISO 8192

**Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Colecalciferol:**

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

**Persistence and degradability****Components:****Retinyl propionate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 40 - 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**(dl)-a-Tocopheryl acetate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 21.7 - 31 %

**Multivitamin (with Sunflower Oil) Formulation**

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
Date of first issue: 10/15/2020

---

Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**Colecalciferol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: <= 7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Bioaccumulative potential****Components:****Retinyl propionate:**

Partition coefficient: n-octanol/water : log Pow: 9.12  
Remarks: Calculation

**Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

**Colecalciferol:**

Partition coefficient: n-octanol/water : log Pow: > 6.2  
Method: OECD Test Guideline 107

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**



## Multivitamin (with Sunflower Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
1.1	12/21/2020	6599057-00002	Date of first issue: 10/15/2020

---

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Sunflower oil	8001-21-6
Retinyl propionate	7069-42-3
Benzyl alcohol	100-51-6

#### California Prop. 65

WARNING: This product can expose you to chemicals including Retinyl propionate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### California Permissible Exposure Limits for Chemical Contaminants

Sunflower oil	8001-21-6
---------------	-----------

#### The ingredients of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined


## Multivitamin (with Sunflower Oil) Formulation

Version 1.1      Revision Date: 12/21/2020      SDS Number: 6599057-00002      Date of last issue: 10/15/2020  
 Date of first issue: 10/15/2020

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
 US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

**Multivitamin (with Sunflower Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
1.1	12/21/2020	6599057-00002	Date of first issue: 10/15/2020

---

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/21/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8