

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	4258901-00015	Date of first issue: 06.05.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Multivitamin Aqueous Formulation
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the s	safe	ety data sheet
	Company	:	MSD Kilsheelan Clonmel Tipperary, IE
	Telephone	:	353-51-601000
	E-mail address of person	:	EHSDATASTEWARD@msd.com

responsible for the SDS

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	4258901-00015	Date of first issue: 06.05.2019

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Registration number		
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity esti- mate	>= 0.1 - < 1
		Acute oral toxicity: 1,620 mg/kg	
Riboflavin 5'-(sodium hydrogen phosphate)	130-40-5 204-988-6		< 0.1
Pyridoxine hydrochloride	58-56-0 200-386-2		< 0.1
Cyanocobalamin	68-19-9 200-680-0	Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0.0002 - < 0.0025
For evaluation of obbraviations a		M-Factor (Acute aquatic toxicity): 1	_

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	:	No special precautions are necessary for first aid responders.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution.



Version 5.0	Revision Date: 06.07.2024	-	DS Number: 58901-00015	Date of last issue: 06.04.2024 Date of first issue: 06.05.2019
			Get medical atter	ntion if symptoms occur.
In ca	se of eye contact	:		vater as a precaution. ntion if irritation develops and persists.
If swallowed		:	Get medical atter	NOT induce vomiting. ntion if symptoms occur. roughly with water.
	important symptoms a e known.	nd e	effects, both acut	e and delayed
4.3 Indica	ation of any immediate	mee	dical attention and	d special treatment needed
	tment	:		ically and supportively.
SECTIO	N 5: Firefighting mea	sur	es	
5.1 Extin	guishing media			
Suita	able extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical	
Unsu med	uitable extinguishing ia	:	None known.	
5.2 Spec	ial hazards arising from	n the	e substance or mi	xture
Spec fighti	cific hazards during fire-	:	Exposure to com	bustion products may be a hazard to health.
Haza	ardous combustion prod-	:	Carbon oxides	

5.3 Advice for firefighters

ucts

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	4258901-00015	Date of first issue: 06.05.2019

6.2 Environmental precautions

Environmental precautions	 Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.			
Local/Total ventilation Advice on safe handling		Use only with adequate ventilation. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment			
Hygiene measures	:	Take care to prevent spills, waste and minimize release to the environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.			
7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.			

Advice on common storage :	Do not store with the following prod Strong oxidizing agents Gases	duct types:
----------------------------	--	-------------

Commission Regulation (EU) 2020/878



Multivitamin Aqueous Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	4258901-00015	Date of first issue: 06.05.2019

7.3 Specific end use(s)

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Riboflavin 5'- (sodium hydrogen phosphate)	130-40-5	TWA	100 ug/m3 (OEB 2)	Internal
Pyridoxine hydro- chloride	58-56-0	TWA	OEB 3 (>= 10 < 100 μg/m3)	Internal
Cyanocobalamin	68-19-9	OELV - 8 hrs (TWA)	0.02 mg/m3 (Cobalt)	IE OEL
		of the respiratory trac	ents which following exposure and lead to asthma, rhinitis	
		TWA	15 µg/m3 (OEB 3)	Internal
		Wipe limit	150 μg/100 cm2	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5.4 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	20 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Multivitamin Aqueous Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	4258901-00015	Date of first issue: 06.05.2019

Substance name	Environmental Compartment	Value
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0.1 mg/l
	Intermittent use/release	2.3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5.27 mg/kg
	Marine sediment	0.527 mg/kg
	Soil	0.456 mg/kg

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection Hand protection	:	Wear the following personal protective equipment: Safety glasses Equipment should conform to I.S. EN 166
Remarks Skin and body protection Respiratory protection	:	Wash hands before breaks and at the end of workday. Skin should be washed after contact. No personal respiratory protective equipment normally re- quired.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Aqueous solution
Colour	:	red
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	0°C
Initial boiling point and boiling range	:	100.5 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Multivitamin Aqueous Formulation

Ver 5.0	sion	Revision Date: 06.07.2024	-	S Number: 58901-00015	Date of last issue: 06.04.2024 Date of first issue: 06.05.2019
	Flash p	point	:	No data available	9
	Auto-ig	nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	рН		:	No data available	9
	Viscos Visc	ity cosity, kinematic	:	No data available	9
	Solubil Wa	ity(ies) ter solubility	:	No data available	9
	Partitic octano	on coefficient: n- I/water	:	Not applicable	
	Vapou	r pressure	:	No data available	9
	Relativ	re density	:	1.01	
	Density	y	:	No data available	9
	Relativ	e vapour density	:	No data available	9
		e characteristics ticle size	:	Not applicable	
9.2	Other in	nformation			
	Explos	ives	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Evapo	ration rate	:	No data available	9
	Molecu	ular weight	:	No data available	9

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid



Version 5.0	Revision Date: 06.07.2024		S Number: 58901-00015	Date of last issue: 06.04.2024 Date of first issue: 06.05.2019	
Cond	litions to avoid	:	None known.		
	mpatible materials rials to avoid	:	Oxidizing agent	S	
	ardous decomposition azardous decomposition	-			
SECTION	N 11: Toxicological	infor	mation		
11.1 Infor	mation on hazard cla	ISSES	as defined in Re	gulation (EC) No 1272/2008	
Inforr expos	nation on likely routes sure	of :	Inhalation Skin contact Ingestion Eye contact		
	e toxicity lassified based on ava	ilable	information.		
Com	ponents:				
	e oral toxicity	:	LD50 (Rat): 1,62	20 mg/kg	
Acute	e inhalation toxicity	:	: LC50 (Rat): > 4.178 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403		
Ribo	flavin 5'-(sodium hyd	rogen	phosphate):		
Acute	e oral toxicity	:	LD50 (Rat): > 20),000 mg/kg	
Pyrid	loxine hydrochloride	:			
Acute	e oral toxicity	:	LD50 (Rat): 4,00	00 mg/kg	
Cyan	ocobalamin:				
Acute	e oral toxicity	:	LD50 (Rat): > 5,	000 mg/kg	
	corrosion/irritation	ilable	information.		
Com	ponents:				
Benz Spec Methe Resu	od	:	Rabbit OECD Test Guid No skin irritation		



ersion)	Revision Date: 06.07.2024	SDS Number: 4258901-00015	Date of last issue: 06.04.2024 Date of first issue: 06.05.2019
Pvrid	oxine hydrochloride	:	
Speci	ies	: Rabbit	-
Resu	It	: No skin irritatio	n
	us eye damage/eye lassified based on ava		
Com	ponents:		
Benz	yl alcohol:		
Speci	ies	: Rabbit	
Metho	bc	: OECD Test Gu	
Resu	lt	: Irritation to eye	s, reversing within 21 days
Pyrid	oxine hydrochloride	:	
Speci		: Rabbit	
Resu	lt	: No eye irritation	n
Resp	iratory or skin sensi	tisation	
Skin	sensitisation		
Not c	lassified based on ava	ailable information.	
Resp	iratory sensitisation		
-	lassified based on ava		
<u>Com</u>	ponents:		
Benz	yl alcohol:		
Test 7		: Maximisation T	est
	sure routes	: Skin contact	
Speci Metho		: Guinea pig : OECD Test Gu	vidalina 106
Resu		: negative	
Durid	oxine hydrochloride		
Test ⁻	•	: Maximisation T	ost
	sure routes	: Skin contact	est
Speci		: Guinea pig	
Metho		: OECD Test Gu	uideline 406
Resu	lt	: negative	
Germ	cell mutagenicity		
Not c	lassified based on ava	ailable information.	
<u>Com</u>	ponents:		
Benz	yl alcohol:		
Geno	toxicity in vitro	: Test Type: Bac Result: negativ	cterial reverse mutation assay (AMES e
		9 / 18	



)	Revision Date: 06.07.2024		0S Number: 58901-00015	Date of last issue: 06.04.2024 Date of first issue: 06.05.2019		
Genotoxicity in vivo		:	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative			
Ribof	lavin 5'-(sodium hydr	oaer	phosphate):			
	toxicity in vitro	:	Test Type: Bacte	erial reverse mutation assay (AMES) Fest Guideline 471		
			-	on data from similar materials		
			Method: OECD	mosome aberration test in vitro Fest Guideline 473		
			Result: negative Remarks: Basec	on data from similar materials		
Pyrid	oxine hydrochloride:					
-	toxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)		
Cyan	ocobalamin:					
Geno	toxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)		
	nogenicity assified based on avai	lable	information.			
Comp	oonents:					
	oonents:					
Benzy Speci	oonents: yl alcohol: es	:	Mouse			
Benzy Speci Applic	oonents: yl alcohol: es cation Route	:	Ingestion			
Benzy Speci Applic	oonents: yl alcohol: es cation Route sure time	:		leline 451		
Benzy Speci Applic Expos	ponents: yl alcohol: es cation Route sure time od	:	Ingestion 103 weeks	leline 451		
Benzy Speci Applic Expos Metho Resul	ponents: yl alcohol: es cation Route sure time od	:	Ingestion 103 weeks OECD Test Guid negative	leline 451		
Benzy Speci Applic Expose Metho Resul Resul	oonents: yl alcohol: es cation Route sure time od t t	:	Ingestion 103 weeks OECD Test Guid negative	leline 451		
Benzy Speci Applic Expose Metho Resul Resul Not cl Comp	oonents: yl alcohol: es cation Route sure time od t bd couctive toxicity assified based on avai	:	Ingestion 103 weeks OECD Test Guid negative	leline 451		
Benzy Speci Applic Expose Metho Resul Resul Not cl <u>Comp</u>	oonents: yl alcohol: es cation Route sure time od t bd t bductive toxicity assified based on avai	:	Ingestion 103 weeks OECD Test Guid negative information. Test Type: Fertil Species: Rat Application Rout Result: negative	ity/early embryonic development		



Multivitamin Aqueous Formulation

Version 5.0	Revision Date: 06.07.2024	SDS Number: 4258901-00015	Date of last issue: 06.04.2024 Date of first issue: 06.05.2019		
men	ment		ouse Route: Ingestion ative		
Pyri	doxine hydrochloride:				
Effe	Effects on foetal develop- : ment		Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative		
Not	T - single exposure classified based on avail	able information.			
	T - repeated exposure classified based on avail	lable information.			
	eated dose toxicity				
Com	ponents:				
Ben	zyl alcohol:				
NOA Appl Expo	Species:RatNOAEL:1.072 mg/lApplication Route:inhalation (dust/mist/fume)Exposure time:28 DaysMethod:OECD Test Guideline 412				
Ribo	oflavin 5'-(sodium hydr	ogen phosphate):		
Species:RatNOAEL:> 100 mg/kgApplication Route:IngestionExposure time:13 WeeksMethod:OECD Test Guideline 408Remarks:Based on data from similar materials		Guideline 408			
•	iration toxicity classified based on avail	able information.			
11.2 Info	rmation on other hazaı	rds			
End	ocrine disrupting prop	erties			
Proc	<u>luct:</u>				
Asse	essment	ered to have REACH Art (EU) 2017/2	nce/mixture does not contain components consid- e endocrine disrupting properties according to cle 57(f) or Commission Delegated regulation 2100 or Commission Regulation (EU) 2018/605 at		

levels of 0.1% or higher.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	4258901-00015	Date of first issue: 06.05.2019

SECTION 12: Ecological information

12.1 Toxicity

Components:		
Benzyl alcohol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
Riboflavin 5'-(sodium hydrog	ger	n phosphate):
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 64.3 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 47.4 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Pyridoxine hydrochloride:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Cyanocobalamin: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l Exposure time: 14 d Remarks: Based on data from similar materials



Vers 5.0	sion	Revision Date: 06.07.2024		0S Number: 58901-00015	Date of last issue: 06.04.2024 Date of first issue: 06.05.2019
		to daphnia and other invertebrates	:	Exposure time: 48	nia dubia (water flea)): > 10 - 100 mg/l 3 h on data from similar materials
	Toxicity plants	v to algae/aquatic	:	Exposure time: 72	parvula (marine algae)): > 0.1 - 1 mg/l 2 h on data from similar materials
				Exposure time: 7	nor (common duckweed)): > 0.1 - 1 mg/l d on data from similar materials
	M-Facto icity)	or (Acute aquatic tox-	:	1	
	Toxicity icity)	to fish (Chronic tox-	:	NOEC: > 1 mg/l Exposure time: 16 Species: Danio re Remarks: Based o	
		v to daphnia and other invertebrates (Chron- ty)	:		
12.2	12.2 Persistence and degradabil		ity		
	Compo	onents:			
	-	alcohol: radability	:	Result: Readily bi Biodegradation: 9 Exposure time: 14	92 - 96 %
	Ribofla	vin 5'-(sodium hydro	ger	n phosphate):	
	Biodegi	radability	:	Result: Readily bi Remarks: Based	odegradable. on data from similar materials
	•	xine hydrochloride: radability	:	Result: Readily bi Biodegradation: S Exposure time: 28 Method: OECD To	94 %
12.3	Bioacc	umulative potential			
	Compo	onents:			
	-	alcohol: n coefficient: n- /water	:	log Pow: 1.05	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Multivitamin Aqueous Formulation

Version 5.0	Revision Date: 06.07.2024	SDS Number: 4258901-00015	Date of last issue: 06.04.2024 Date of first issue: 06.05.2019
Parti	flavin 5'-(sodium hydr tion coefficient: n- nol/water	ogen phosphate): : log Pow: -0.651 Remarks: Calco	
Pyridoxine hydrochloride: Partition coefficient: n- : log Pow: 4.32 octanol/water			
	ility in soil ata available		
12.5 Res	ults of PBT and vPvB a	assessment	
Prod Asse	l <u>uct:</u> ssment	to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 End	ocrine disrupting prop	erties	
Prod	luct:		
Asse	ssment	ered to have er REACH Article	mixture does not contain components consid- adocrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at or higher.
	er adverse effects ata available		
SECTIO	N 13: Disposal cons	derations	
13.1 Was	te treatment methods		
Prod		According to th are not product Waste codes sl discussion with Do not dispose	ccordance with local regulations. e European Waste Catalogue, Waste Codes specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. of waste into sewer.
Cont	aminated packaging		ers should be taken to an approved waste han-

If not otherwise specified: Dispose of as unused product. SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good

dling site for recycling or disposal.



Version 5.0	Revision Date: 06.07.2024		issue: 06.04.2024 issue: 06.05.2019
RID		: Not regulated as a dangerous	good
IMDG	ì	: Not regulated as a dangerous	-
ΙΑΤΑ		: Not regulated as a dangerous	-
14.2 UN p	roper shipping name	5 5	0
ADN		: Not regulated as a dangerous	good
ADR		: Not regulated as a dangerous	-
RID		: Not regulated as a dangerous	0
IMDG	ì	: Not regulated as a dangerous	-
ΙΑΤΑ		: Not regulated as a dangerous	-
14.3 Tran	sport hazard class(e	0 0	•
ADN		: Not regulated as a dangerous	aood
ADR		: Not regulated as a dangerous	-
RID		: Not regulated as a dangerous	0
IMDG	ì	: Not regulated as a dangerous	0
ΙΑΤΑ		: Not regulated as a dangerous	-
14.4 Pack	ing group	0 0	0
ADN		: Not regulated as a dangerous	aood
ADR		: Not regulated as a dangerous	-
RID		: Not regulated as a dangerous	-
IMDG	i	: Not regulated as a dangerous	-
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous	-
	(Passenger)	: Not regulated as a dangerous	-
-	ronmental hazards	good	
	ial precautions for u pplicable		
14.7 Marit	ime transport in bulk	ccording to IMO instruments	
Rema	arks	: Not applicable for product as s	supplied.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75



Multivitamin Aqueous Formulation

Version 5.0	Revision Date: 06.07.2024	SDS Number: 4258901-00015		last issue: 06.04.2024 first issue: 06.05.2019
				Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not. If you intend to use this product as tattoo ink, please contact your ven- dor.
	CH - Candidate List of cern for Authorisation (Substances of Very High Article 59).	ı :	Not applicable
Reg		009 on substances that c	le- :	Not applicable
Reg		on persistent organic po	llu- :	Not applicable
men		12 of the European Parlia erning the export and imp		Not applicable
REA		s subject to authorisation	:	Not applicable
Seve	eso III: Directive 2012/1	8/EU of the European Pa olving dangerous substar Not applicable		t and of the Council on the control of

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical
		lines.

Full text of H-Statements

H302 :	Harmful if swallowed.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H400 :	Very toxic to aquatic life.
H411 :	Toxic to aquatic life with long lasting effects.



Multivitamin Aqueous Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	4258901-00015	Date of first issue: 06.05.2019

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Eye Irrit. IE OEL	: : : : :	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Eye irritation Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values – Code of Brastice Schedule 1
IE OEL / OELV - 8 hrs (TWA)	:	pational Exposure Limit Values - Code of Practice, Schedule 1 and 2 Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergencv Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	4258901-00015	Date of first issue: 06.05.2019

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN