

## Neomycin Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 9404866-00007      Date of last issue: 04.04.2023  
Date of first issue: 02.09.2021

---

### SECTION 1: IDENTIFICATION

Product name : Neomycin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION


#### GHS Classification

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (Kidney, inner ear)

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

P260 Do not breathe dust.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 May form combustible dust concentrations in air during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Neomycin, sulfate (salt)	1405-10-3	>= 30 -< 60

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

Most important symptoms and effects, both acute and delayed	:	Rinse mouth thoroughly with water. May cause an allergic skin reaction. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	2Z

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal.

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
 Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.   |
| Local/Total ventilation     | : | Use only with adequate ventilation.  |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe dust.<br>Do not swallow.<br>Avoid contact with eyes.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment.  |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Contaminated work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Store in accordance with the particular national regulations.   |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents  |

## Neomycin Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 9404866-00007      Date of last issue: 04.04.2023  
 Date of first issue: 02.09.2021

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Neomycin, sulfate (salt)	1405-10-3	TWA	1 mg/m <sup>3</sup> (OEB 1)	Internal
Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : White to light yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

Incompatible materials	:	Avoid dust formation.
Hazardous decomposition products	:	Oxidizing agents
	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes	:	Inhalation
		Skin contact
		Ingestion
		Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Acute oral toxicity	:	LD50 (Mouse): 2,880 mg/kg
		LD50 (Rat): 2,750 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 633 mg/kg
		Application Route: Subcutaneous
		LD50 (Mouse): 116 mg/kg
		Application Route: Intraperitoneal
		LD50 (Mouse): 27.6 mg/kg
		Application Route: Intravenous
		LD50 (Mouse): 275 mg/kg
		Application Route: Subcutaneous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Species	:	Rabbit
Result	:	Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Species	:	Rabbit
Result	:	No eye irritation

## Neomycin Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 9404866-00007      Date of last issue: 04.04.2023  
Date of first issue: 02.09.2021

---

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Neomycin, sulfate (salt):

Exposure routes : Dermal  
Species : Humans  
Result : positive

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: positive

Test Type: in vitro micronucleus test  
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intravenous injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Neomycin, sulfate (salt):

Species : Rat  
Exposure time : 2 Years  
Result : negative



## Neomycin Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 9404866-00007      Date of last issue: 04.04.2023  
Date of first issue: 02.09.2021

---

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Neomycin, sulfate (salt):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 25 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight  
Result: No adverse effects, No teratogenic effects

Test Type: Development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 6 mg/kg body weight  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure.

**Components:****Neomycin, sulfate (salt):**

Target Organs : Kidney, inner ear  
Assessment : May cause damage to organs through prolonged or repeated exposure.  
Remarks : Based on human experience.

**Repeated dose toxicity****Components:****Neomycin, sulfate (salt):**

Species : Mouse  
LOAEL : 30 mg/kg  
Application Route : Subcutaneous  
Exposure time : 14 d  
Target Organs : Kidney

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

Species : Guinea pig  
 NOAEL : 50 mg/kg  
 LOAEL : 100 mg/kg  
 Application Route : Intramuscular  
 Exposure time : 30 - 60 Weeks  
 Target Organs : ear

Species : Guinea pig  
 NOAEL : 10 mg/kg  
 Application Route : Oral  
 Exposure time : 90 d  
 Remarks : No significant adverse effects were reported

Species : Guinea pig  
 LOAEL : 100 mg/kg  
 Application Route : Subcutaneous  
 Exposure time : 34 d

Species : Dog  
 LOAEL : 24 mg/kg  
 Application Route : Intramuscular  
 Exposure time : 30 d  
 Target Organs : Kidney

Species : Rat  
 LOAEL : 25 mg/kg  
 Application Route : oral (feed)  
 Exposure time : 84 Weeks  
 Target Organs : ear  
 Symptoms : hearing loss  
 Remarks : mortality observed

Species : Dog  
 LOAEL : 20 mg/kg  
 Application Route : Subcutaneous  
 Exposure time : 90 d  
 Target Organs : Kidney

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Neomycin, sulfate (salt):**

Skin contact : Symptoms: Sensitisation  
 Remarks: May irritate skin.  
 Eye contact : Remarks: May cause eye irritation.  
 Ingestion : Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Neomycin, sulfate (salt):**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 72 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Neomycin, sulfate (salt):**

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %  
Exposure time: 1.2 d

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

Method: OECD Test Guideline 314

**Bioaccumulative potential****Components:****Neomycin, sulfate (salt):**

Partition coefficient: n-octanol/water : log Pow: &lt; -2

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

**IATA-DGR**

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

**IMDG-Code**

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Neomycin, sulfate (salt))  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Neomycin, sulfate (salt))  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z  
Environmentally hazardous : yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

**SECTION 16: ANY OTHER RELEVANT INFORMATION****Further information**

Revision Date : 30.09.2023  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>  
Date format : dd.mm.yyyy

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

# SAFETY DATA SHEET



## Neomycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	9404866-00007	Date of first issue: 02.09.2021

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN