

Nobilis EDS, Nobilis REO Inac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2024
3.0	28.09.2024	11310258-00003	Date of first issue: 12.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Nobilis EDS, Nobilis REO Inac Formulation

Other means of identification : Nobilis REO inac (A009597)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Veterinary product
Recommended restrictions on use	: Not applicable

1.3 Details of the supplier of the safety data sheet

Company	:	MSD Kilsheelan Clonmel Tipperary, IE
Telephone	:	353-51-601000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air-
	ways.
Long-term (chronic) aquatic hazard, Cat-	H413: May cause long lasting harmful effects to
egory 4	aquatic life.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word



Version 3.0	Revision Date: 28.09.2024	SDS Nur 1131025		Date of last issue: 04.03.2024 Date of first issue: 12.12.2023
Hazaı	rd statements	: H304 H413		tal if swallowed and enters airways. e long lasting harmful effects to aquatic life.
Preca	utionary statements	· Preve	ention: Avoid rele	ase to the environment.
		Response: P301 + P310 IF SWALLOWED: Immediately call a F CENTER/ doctor. P331 Do NOT induce vomiting.		,
		Stora P405	ge: Store lock	ed up.

Hazardous components which must be listed on the label: Paraffin oil

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Paraffin oil	8012-95-1	Asp. Tox. 1; H304	>= 30 - < 50
	232-384-2	Aquatic Chronic 4; H413	
Antigen	Not Assigned		>= 10 - < 20
	_		

For explanation of abbreviations see section 16.



Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2024
3.0	28.09.2024	11310258-00003	Date of first issue: 12.12.2023

SECTION 4: First aid measures

4.1 Description of first aid measures						
General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.				
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).				
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.				
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.				
If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.				
4.2 Most important symptoms and effects, both acute and delayed						
4.2 Most important symptoms a	nd e	effects, both acute and delayed				
4.2 Most important symptoms a Risks	ind e	effects, both acute and delayed May be fatal if swallowed and enters airways.				
Risks	:					
Risks	:	May be fatal if swallowed and enters airways.				
Risks 4.3 Indication of any immediate	: meo :	May be fatal if swallowed and enters airways. dical attention and special treatment needed Treat symptomatically and supportively.				
Risks 4.3 Indication of any immediate Treatment	: meo :	May be fatal if swallowed and enters airways. dical attention and special treatment needed Treat symptomatically and supportively.				
Risks 4.3 Indication of any immediate Treatment SECTION 5: Firefighting mea	: mea : isur	May be fatal if swallowed and enters airways. dical attention and special treatment needed Treat symptomatically and supportively.				
Risks 4.3 Indication of any immediate Treatment SECTION 5: Firefighting means 5.1 Extinguishing media	: mea : isur	May be fatal if swallowed and enters airways. dical attention and special treatment needed Treat symptomatically and supportively. es Water spray Alcohol-resistant foam Carbon dioxide (CO2)				
Risks 4.3 Indication of any immediate Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing	: mea : sur	May be fatal if swallowed and enters airways. dical attention and special treatment needed Treat symptomatically and supportively. es Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical None known.				

Hazardous combustion prod- : Carbon oxides



Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2024
3.0	28.09.2024	11310258-00003	Date of first issue: 12.12.2023

ucts

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Follow safe handling advice (see section 7) and personal pro-
	tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.
		Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



Version 3.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 04.03.202411310258-00003Date of first issue: 12.12.2023	
Loc Adv	chnical measures cal/Total ventilation vice on safe handling giene measures	 See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. Use only with adequate ventilation. Avoid inhalation of vapour or mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and practice, based on the results of the workplace exposur sessment Keep container tightly closed. Take care to prevent spills, waste and minimize release environment. If exposure to chemical is likely during typical use, prov flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash con nated clothing before re-use. The effective operation of a facility should include review engineering controls, proper personal protective equipm appropriate degowning and decontamination procedure industrial hygiene monitoring, medical surveillance and use of administrative controls. 	e as- e to the ide eye ng intami- w of nent, is,
7.2 Con	ditions for safe storage,	ncluding any incompatibilities	
	quirements for storage as and containers	: Keep in properly labelled containers. Store locked up. A tightly closed. Store in accordance with the particular na regulations.	
Ad	vice on common storage	: Do not store with the following product types: Strong oxidizing agents Gases	
7.3 Spe	cific end use(s)		

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Paraffin oil	8012-95-1	TWA (Vapour)	50 mg/m3	FOR-2011- 12-06-1358
		TWA (Mist and particles)	1 mg/m3	FOR-2011- 12-06-1358

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
----------------	---------	-----------------	-------------------------------	-------



Vers 3.0	sion	Revision Date: 28.09.2024	SDS Num 11310258			f last issue: 04.03.2024 f first issue: 12.12.2023	
	Paraffir	n oil	Workers	Inhalation	I	Long-term systemic effects	5 mg/m3
			Workers	Inhalation		Short-term exposure	5 mg/m3
			Workers	Inhalation	l	Long-term local ef- fects	5 mg/m3
			Workers	Inhalation		Acute local effects	5 mg/m3

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection :	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material :	Chemical-resistant gloves
Remarks : Skin and body protection :	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection:Filter type:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387 Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Emulsio	n
Colour	: No data	available
Odour	: No data	available
Odour Threshold	: No data	available



Vers 3.0	sion	Revision Date: 28.09.2024	-	S Number: 10258-00003	Date of last issue: 04.03.2024 Date of first issue: 12.12.2023
	Melting	point/freezing point	:	No data available	
	Initial be range	piling point and boiling	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Flash p	oint	:	No data available	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	pН		:	No data available	
	Viscosi Visc	ty osity, kinematic	:	No data available	
	Solubili Wat	ty(ies) er solubility	:	No data available	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapour	pressure	:	No data available	
	Relative	e density	:	No data available	
	Density		:	No data available	
	Relative	e vapour density	:	No data available	
		characteristics icle size	:	Not applicable	
9.2 (formation			
	Explosi	ves	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.



Version	Revision Date:	SD	S Number:	Date of last issue: 04.03.2024
3.0	28.09.2024		310258-00003	Date of first issue: 12.12.2023
Evap	oration rate	:	No data availab	le
Moleo	cular weight	:	No data availab	le
SECTION	N 10: Stability and	reactiv	vity	
10.1 Read	tivity			
Not c	lassified as a reactivity	y hazaı	d.	
10.2 Cher	nical stability			
Stabl	e under normal condit	ions.		
10.3 Poss	bility of hazardous	reactio	ons	
Haza	rdous reactions	:	Can react with s	strong oxidizing agents.
10.4 Cond	ditions to avoid			
Cond	litions to avoid	:	None known.	
10.5 Incoi	mpatible materials			
Mate	rials to avoid	:	Oxidizing agent	S
10.6 Haza	rdous decompositio	n prod	lucts	
No ha	azardous decompositio	on proc	ducts are known.	
SECTION	N 11: Toxicological	infor	nation	
				gulation (EC) No 1272/2008
expos	nation on likely routes sure	01.	Inhalation Skin contact	
·			Ingestion Eye contact	
	e toxicity			
Not c	lassified based on ava	ailable i	nformation.	
Com	ponents:			

Paraffin oil:

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.



3.0 28.09.2024 11310258-00003 Date of first issue: 12.12.2023	Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2024
	3.0	28.09.2024	11310258-00003	Date of first issue: 12.12.2023

Components:

Paraffin oil:

Species Result	-	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Paraffin oil:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Paraffin oil:

Species LOAEL	: Rat, female
LÖAEL	: 161 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Aspiration toxicity

May be fatal if swallowed and enters airways.



Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2024
3.0	28.09.2024	11310258-00003	Date of first issue: 12.12.2023

Components:

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Paraffin oil:

Toxicity to fish	:	LL50 (Scophthalmus maximus (turbot)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
		NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

Paraffin oil:



Version 3.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 04.03.202411310258-00003Date of first issue: 12.12.2023	
	ion coefficient: n- ol/water	: log Pow: > 4 Remarks: Calculation	
12.4 Mobi	ility in soil		
No da	ata available		
12.5 Resu	Ilts of PBT and vPvB	assessment	
Prod	uct:		
Asse	ssment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
12.6 Endo	ocrine disrupting pro	perties	
Prod	uct:		
Asse	ssment	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
12 7 Othe	r adverse effects		
	ata available		
SECTION	N 13: Disposal cons	iderations	
13.1 Wast	te treatment methods		
Produ	uct	 Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. 	

Floudet	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
	Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	 Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good



Version 3.0	Revision Date: 28.09.2024	SDS Number: 11310258-0000	Date of last issue: 04.03.2024 Date of first issue: 12.12.2023
ΙΑΤΑ		: Not regulate	d as a dangerous good
14.2 UN p	roper shipping name	-	
ADN		: Not regulate	d as a dangerous good
ADR		-	d as a dangerous good
RID		: Not regulate	d as a dangerous good
IMDG	ì	: Not regulate	d as a dangerous good
ΙΑΤΑ		: Not regulate	d as a dangerous good
14.3 Trans	sport hazard class(es	;)	
ADN		: Not regulate	d as a dangerous good
ADR		: Not regulate	d as a dangerous good
RID		: Not regulate	d as a dangerous good
IMDG	ì	: Not regulate	d as a dangerous good
ΙΑΤΑ		: Not regulate	d as a dangerous good
14.4 Pack	ing group		
ADN		: Not regulate	d as a dangerous good
ADR		: Not regulate	d as a dangerous good
RID		: Not regulate	d as a dangerous good
IMDG	ì	: Not regulate	d as a dangerous good
ΙΑΤΑ	(Cargo)	: Not regulate	d as a dangerous good
ΙΑΤΑ	(Passenger)	: Not regulate	d as a dangerous good
-	r onmental hazards egulated as a dangerou	us good	
•	ial precautions for us	ser	
	ime transport in bulk	-	
Rema	arks	: Not applicab	le for product as supplied.
SECTION	15: Regulatory inf	ormation	
15.1 Safet ture	y, health and enviror	mental regulation	s/legislation specific for the substance or mix

lre	
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	Number on list 72: Formaldehyde
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	Number on list 75: If you intend to



Version 3.0	Revision Date: 28.09.2024	SDS Number: 11310258-00003		f last issue: 04.03.2024 f first issue: 12.12.2023
mixtu	res and articles (Anne)	x XVII)		use this product as tattoo ink, please contact your vendor.
the m mixtu REA0 the m	CH - Restrictions on the narket and use of certai rres and articles (Anne) CH - Restrictions on the narket and use of certai ures and articles (Anne)	es, on	Number on list 77: Formaldehyde	
		,		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
	CH - Candidate List of ern for Authorisation (A	Substances of Very Hig	ıh :	Not applicable
REA		subject to authorisation	n :	Not applicable
		ces that deplete the ozo	one :	Not applicable
Regu	llation (EU) 2019/1021 (recast)	on persistent organic p	ollu- :	Not applicable
Regu ment	lation (EU) No 649/201	I2 of the European Parl rning the export and im		Not applicable
Seve	so III: Directive 2012/1	8/EU of the European F Iving dangerous substa Not applicable		nt and of the Council on the control of
		roduct are reported in	the follo	owing inventories:
AICS		: not determined		
DSL		: not determined		
IECS	С	: not determined		

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H304	:	May be fatal if swallowed and enters airways.

: May be fatal if swallowed and enters airways.



Version 3.0	Revision Date: 28.09.2024	SDS Number: 11310258-00003		Date of last issue: 04.03.2024 Date of first issue: 12.12.2023
H413		:	May cause long	lasting harmful effects to aquatic life.
Full t	ext of other abbrevia	tions		
Asp. FOR-	tic Chronic Tox. 2011-12-06-1358 2011-12-06-1358 /	:	Aspiration hazar	tional Exposure limits

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:	Classification procedure:	
Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD	
compile the Safety Data	eChem Portal search results and European Chemicals Agen-	
Sheet	cy, http://echa.europa.eu/	

Classification of the mixture:		Classification procedur	
Asp. Tox. 1	H304	Calculation method	
Aquatic Chronic 4	H413	Calculation method	



Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2024
3.0	28.09.2024	11310258-00003	Date of first issue: 12.12.2023

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN