

Version 1.1	Revision Date: 04.03.2024		S Number: 310235-00002	Date of last issue: 12.12.2023 Date of first issue: 12.12.2023			
Section <sup>,</sup>	1: Identification						
Proc	luct identifier	:	Nobilis EDS, No	obilis REO Inac Formulation			
Othe tion	Other means of identifica- tion		Nobilis REO ina	ac (A009597)			
Reco	ommended use of the ch ommended use rictions on use	nem :	<b>ical and restrict</b> Veterinary produ Not applicable				
Man	ufacturer or supplier's d	lota	ile				
	pany	:	MSD				
Addr	ress	:	: 50 Tuas West Drive Singapore - Singapore 638408				
Tele	phone	:	+1-908-740-400	00			
Eme	rgency telephone number	:	65 6697 2111 (2	24/7/365)			
E-ma	ail address	:	EHSDATASTEV	WARD@msd.com			
Section 2	2: Hazard identification						
	sification of the substar	nce					
Aspi	ration hazard	:	Category 1				
GHS	Label elements, includ	ing	precautionary st	tatements			
Haza	ard pictograms	:					
Sign	al word	:	Danger				
Haza	ard statements	:	H304 May be fa	tal if swallowed and enters airways.			
Prec	autionary statements	:	Response: P301 + P310 IF CENTER/ docto P331 Do NOT ir				
			Storage:				
				•			

P405 Store locked up.





Version	Revision Date:	SDS Number:	Date of last issue: 12.12.2023
1.1	04.03.2024	11310235-00002	Date of first issue: 12.12.2023

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Paraffin oil	8012-95-1	>= 30 -< 50
Antigen	Not Assigned	>= 10 -< 20

### **Section 4: First-aid measures**

### Description of necessary first-aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
If inhaled	:	advice. If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.
Most important symptoms	and	effects, both acute and delayed
Risks Protection of first-aiders	:	May be fatal if swallowed and enters airways. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Indication of any immediate	e me	edical attention and special treatment needed
Treatment	:	Treat symptomatically and supportively.

Treatment

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Carbon dioxide (CO2)



Version 1.1	Revision Date: 04.03.2024		0S Number: 310235-00002	Date of last issue: 12.12.2023 Date of first issue: 12.12.2023			
Un me	suitable extinguishing dia	:	Dry chemical None known.				
Sp	ecial hazards arising fron	n th	e substance or n	nixture			
Spe figh	ecific hazards during fire- nting zardous combustion prod-	:		bustion products may be a hazard to health.			
Sp	ecial protective actions for	or f	ire-fighters				
Special protective actions for Special protective equipment for firefighters Specific extinguishing meth- ods			In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.				
			Evacuate area.				
Pei	al precautions, protective	e eq	Use personal pro Follow safe hand	ergency procedures otective equipment. Iling advice (see section 7) and personal pro- tt recommendations (see section 8).			
Environmental precautions Environmental precautions		:	Prevent spreadin barriers). Retain and dispo	eakage or spillage if safe to do so. Ig over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages			
	s and materials for conta thods for cleaning up	inn :	Soak up with iner For large spills, p ment to keep ma be pumped, store Clean up remaining bent. Local or national posal of this mate employed in the of mine which regul Sections 13 and	<b>g up</b> In absorbent material. provide dyking or other appropriate contain- terial from spreading. If dyked material can be recovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding ational requirements.			



Version	Revision Date:	SDS Number:	Date of last issue: 12.12.2023
1.1	04.03.2024	11310235-00002	Date of first issue: 12.12.2023

### Section 7: Handling and storage

Precautions for safe handling	
Technical measures :	See Engineering measures under EXPOSURE
Local/Total ventilation : Advice on safe handling :	CONTROLS/PERSONAL PROTECTION section. Use only with adequate ventilation. Avoid inhalation of vapour or mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment
	Keep container tightly closed.
	Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures :	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage, in	cluding any incompatibilities
Conditions for safe storage :	Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid :	Do not store with the following product types: Strong oxidizing agents

### Section 8: Exposure controls/personal protection

### **Control parameters**

## Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Paraffin oil	8012-95-1	PEL (long term) (Mist)	5 mg/m3	SG OEL
		PEL (short term) (Mist)	10 mg/m3	SG OEL
		TWA (Inhal- able particu-	5 mg/m3	ACGIH



sion	Revision Date: 04.03.2024	-	S Number:Date of last issue: 12.12.2023310235-00002Date of first issue: 12.12.2023				
			late matter)				
	opriate engineering ol measures						
Indivi	dual protection measu	res	, such as personal protective equipment (PPE)				
Eye/fa	ace protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.				
Skin p	protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.				
Respi	ratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.				
	ter type protection	:	Combined particulates and organic vapour type				
Ma	aterial	:	Chemical-resistant gloves				
Re	emarks	:	Consider double gloving.				
tion 9:	Physical and chemica	pr	operties				
Appea	arance	:	Emulsion				
Colou	r	:	No data available				
Odou	r	:	No data available				
Odou	r Threshold	:	No data available				
рН		:	No data available				
Meltin	g point/freezing point	:	No data available				
Initial	boiling point and boiling		No data available				



Vers 1.1	sion	Revision Date: 04.03.2024		S Number: 310235-00002	Date of last issue: 12.12.2023 Date of first issue: 12.12.2023
	rongo				
	range				
	Flash p	point	:	No data available	
	Evapor	ation rate	:	No data available	3
	Flamm	ability (solid, gas)	:	Not applicable	
	Flamm	ability (liquids)	:	No data available	)
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	)
	Relativ	e vapour density	:	No data available	)
	Relativ	e density	:	No data available	9
	Density	/	:	No data available	9
	Solubili Wat	ity(ies) er solubility	:	No data available	9
		n coefficient: n-	:	Not applicable	
	octanol Auto-ig	/water nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	)
	Particle Particle	e characteristics e size	:	Not applicable	

## Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.



/ersion 1.1	Revision Date: 04.03.2024		S Number: 310235-00002	Date of last issue: 12.12.2023 Date of first issue: 12.12.2023
Incom	itions to avoid npatible materials rdous decomposition icts	:	None known. Oxidizing agent No hazardous d	s lecomposition products are known.
Section 1	1: Toxicological inform	atio	on	
Inform	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity lassified based on availa	ble	information	
	oonents:	010		
	fin oil:			
	e oral toxicity	:	LD50 (Rat): > 5,0	000 mg/kg
Acute	e dermal toxicity	:	LD50 (Rabbit): > Assessment: The toxicity	2,000 mg/kg e substance or mixture has no acute dermal
	corrosion/irritation lassified based on availa	ble	information.	
<u>Com</u>	ponents:			
Paraf	fin oil:			
Speci Resu		:	Rabbit No skin irritation	
	us eye damage/eye irri lassified based on availa			
Com	oonents:			
Paraf	fin oil:			
Speci Resu	es	:	Rabbit No eye irritation	
Resp	iratory or skin sensitis	atio	n	
	sensitisation lassified based on availa	ble	information	
	irotory consitication			

## Respiratory sensitisation

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: 12.12.2023
1.1	04.03.2024	11310235-00002	Date of first issue: 12.12.2023

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### **Repeated dose toxicity**

### **Components:**

### Paraffin oil:

Species	:	Rat, female
LÖAEL	:	161 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Section 12: Ecological information

Toxicity		
Components:		
Paraffin oil:		
Toxicity to fish	:	LL50 (Scophthalmus maximus (turbot)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic	:	EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l



Version 1.1	Revision Date: 04.03.2024	SDS Number: 11310235-00002	Date of last issue: 12.12.2023 Date of first issue: 12.12.2023
plants	S	Remarks: Base NOELR (Skelet Exposure time: Test substance:	Water Accommodated Fraction d on data from similar materials onema costatum (marine diatom)): > 1 mg/l
No da	istence and degradab ata available ccumulative potential	-	
Com	ponents:		
Partit	ffin oil: ion coefficient: n- ol/water	: log Pow: > 4 Remarks: Calcu	lation
	<b>lity in soil</b> ata available		
	<b>r adverse effects</b> ata available		
Section 1	3: Disposal considera	ations	
Dien	acal mathada		
-	osal methods e from residues	: Do not dispose	of waste into sewer.
	aminated packaging	Dispose of in ac Empty containe	cordance with local regulations. rs should be taken to an approved waste har cycling or disposal.

## Section 14: Transport information

### **International Regulations**

UNRTDG UN number UN proper shipping name Transport hazard class(es) Subsidiary risk Packing group Labels Environmentally hazardous		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable no
<b>IATA-DGR</b> UN/ID No. UN proper shipping name	:	Not applicable Not applicable

If not otherwise specified: Dispose of as unused product.



/ersion .1	Revision Date: 04.03.2024	SDS Number: 11310235-00002	Date of last issue: 12.12.2023 Date of first issue: 12.12.2023
Packi Label Packi aircra Packi	idiary risk ng group s ng instruction (cargo	<ul> <li>Not applicable</li> </ul>	
IMDG UN ni UN pi Class Subsi Packi Label EmS	<b>-Code</b> umber roper shipping name idiary risk ng group	<ul> <li>Not applicable</li> </ul>	
Not a	sport in bulk according pplicable for product as ial precautions for use	supplied.	tS
	pplicable 5: Regulatory informa	lion	
			specific for the product in question
Work tions:	place Safety and Health	Act and Workplace	Safety and Health (General Provisions) Regul ng, PEL and other requirements in the
Envir Envir	•	d Management (Haza	nd : Not applicable ard-
	Safety (Petroleum and F lations	lammable Materials)	: Not applicable
The of AICS	• •	oduct are reported i : not determined	n the following inventories:
DSL		: not determined	
IECS	С	: not determined	
ection 1	6: Other information		
Revis	ion Date	04 03 2024	

Revision Date	:	04.03.2024
Further information		
Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD



Vers 1.1	sion Revision Date: 04.03.2024		DS Number: 310235-00002	Date of last issue: 12.12.2023 Date of first issue: 12.12.2023	
	compile the Safety Data Sheet		eChem Portal sea cy, http://echa.eu	arch results and European Chemicals Agen- opa.eu/	
	Date format :		dd.mm.yyyy		
	Full text of other abbreviations				
	ACGIH : SG OEL :		USA. ACGIH Threshold Limit Values (TLV) Singapore. Workplace Safety and Health (General Provisions Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.		
	ACGIH / TWA SG OEL / PEL (long term) SG OEL / PEL (short term)		•	hted average sure Level (PEL) Long Term sure Level (PEL) Short Term	
	AIIC - Australian Inventory	of Ir	ndustrial Chemicals	; ANTT - National Agency for Transport by	

Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their





Version	Revision Date:	SDS Number:	Date of last issue: 12.12.2023
1.1	04.03.2024	11310235-00002	Date of first issue: 12.12.2023

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN