according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Nobivac Puppy DP Plus Formulation

Product code : Nobivac Puppy DP Formulation

Other means of identification : Nobivac Puppy DP (A006018)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Veterinary product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Piercetown

A86 HD21 Dunboyne, Ireland

Telephone : 908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

### 1.4 Emergency telephone number

1-908-423-6000

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

H412: Harmful to aquatic life with long lasting effects.

egory 3

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

Hazard pictograms :

\*\*\*

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Antigen	Not Assigned		>= 10 - < 20
Neomycin, sulfate (salt)	1405-10-3 215-773-1	Skin Sens. 1B; H317 Repr. 2; H361d STOT RE 2; H373 (Kidney, inner ear) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.025 - < 0.1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025 Date of first issue: 05.02.2021	
4.0	14.04.2025	7776921-00015		
			M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 10	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing : None known.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 4.0 14.04.2025 7776921-00015 Date of first issue: 05.02.2021

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

ng : Do not breathe dust.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

dusts non-specific 4 mg/m3

Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable

dust)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 4.0 14.04.2025 7776921-00015 Date of first issue: 05.02.2021

10 mg/m3

Basis: IE OEL

Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable

dust)

Basis: IE OEL

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m3 (OEB 1)	Internal
	Further information: DSEN, OTO			
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Neomycin, sulfate (salt)	Water	0.00004 mg/l

#### 8.2 Exposure controls

#### **Engineering measures**

Use feasible engineering controls to minimize exposure to compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection

Work uniform or laboratory coat.

Respiratory protection

If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to I.S. EN 143

Filter type : Particulates type (P)

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state : lyophilised cake

Colour : off-white

light yellow

Odour : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 14.04.2025 7776921-00015 Date of first issue: 05.02.2021 4.0

Oxidizing properties The substance or mixture is not classified as oxidizing.

Evaporation rate Not applicable

Molecular weight No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of: Inhalation Skin contact exposure

Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

#### **Components:**

#### Neomycin, sulfate (salt):

Acute oral toxicity LD50 (Mouse): 2,880 mg/kg

LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of :

LD50 (Rat): 633 mg/kg

administration) Application Route: Subcutaneous

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

LD50 (Mouse): 116 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg Application Route: Intravenous

LD50 (Mouse): 275 mg/kg

Application Route: Subcutaneous

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

#### Neomycin, sulfate (salt):

Species : Rabbit

Result : Mild skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

#### Neomycin, sulfate (salt):

Species : Rabbit

Result : No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

### Neomycin, sulfate (salt):

Exposure routes : Dermal Species : Humans Result : positive

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 4.0 14.04.2025 7776921-00015 Date of first issue: 05.02.2021

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Mouse

Cell type: Bone marrow

Application Route: Intravenous injection

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Neomycin, sulfate (salt):

Species : Rat
Exposure time : 2 Years
Result : negative

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

## Neomycin, sulfate (salt):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight Result: No adverse effects, No teratogenic effects

Test Type: Development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 6 mg/kg body weight

Result: positive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

### **Components:**

#### Neomycin, sulfate (salt):

Target Organs : Kidney, inner ear

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on human experience.

### Repeated dose toxicity

### Components:

#### Neomycin, sulfate (salt):

Species: MouseLOAEL: 30 mg/kgApplication Route: Subcutaneous

Exposure time : 14 d
Target Organs : Kidney

Species : Guinea pig
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 30 - 60 Weeks

Target Organs : ear

Species : Guinea pig
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 90 d

Remarks : No significant adverse effects were reported

Species : Guinea pig LOAEL : 100 mg/kg Application Route : Subcutaneous

Exposure time : 34 d

Species : Dog LOAEL : 24 mg/kg Application Route : Intramuscular

Exposure time : 30 d
Target Organs : Kidney

Species : Rat

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 4.0 14.04.2025 7776921-00015 Date of first issue: 05.02.2021

LOAEL : 25 mg/kg
Application Route : oral (feed)
Exposure time : 84 Weeks
Target Organs : ear

Symptoms : hearing loss Remarks : mortality observed

Species : Dog LOAEL : 20 mg/kg Application Route : Subcutaneous

Exposure time : 90 d
Target Organs : Kidney

## **Aspiration toxicity**

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Not classified based on available information.

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Experience with human exposure**

#### Components:

#### Neomycin, sulfate (salt):

Skin contact : Symptoms: Sensitisation

Remarks: May irritate skin.

Eye contact : Remarks: May cause eye irritation.

Ingestion : Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing

loss, Loss of balance

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### Neomycin, sulfate (salt):

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 72 mg/l

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)):

0.0022 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1,000

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

10

#### 12.2 Persistence and degradability

#### **Components:**

Neomycin, sulfate (salt):

Biodegradability : Result: rapidly degradable

Biodegradation: 50 % Exposure time: 1.2 d

Method: OECD Test Guideline 314

12.3 Bioaccumulative potential

**Components:** 

Neomycin, sulfate (salt):

Partition coefficient: n-

octanol/water

: log Pow: < -2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 4.0 14.04.2025 7776921-00015 Date of first issue: 05.02.2021

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 4.0 14.04.2025 7776921-00015 Date of first issue: 05.02.2021

(Neomycin, sulfate (salt))

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Neomycin, sulfate (salt))

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S

(Neomycin, sulfate (salt))

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Neomycin, sulfate (salt))

IATA : Environmentally hazardous substance, solid, n.o.s.

(Neomycin, sulfate (salt))

#### 14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9

ADR : 9

RID : 9

IMDG : 9

IATA : 9

#### 14.4 Packing group

**ADN** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

**RID** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 4.0 14.04.2025 7776921-00015 Date of first issue: 05.02.2021

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not applicable

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EU) No 2024/590 on substances that de: Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

**HAZARDS** 

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

**Full text of H-Statements** 

H317 : May cause an allergic skin reaction.
H361d : Suspected of damaging the unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Nobivac Puppy DP Plus Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 4.0
 14.04.2025
 7776921-00015
 Date of first issue: 05.02.2021

European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 3 H412 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN