

Orbifloxacin Liquid Formulation

Version 4.1 Revision Date: 2023/09/30 SDS Number: 785430-00016 Date of last issue: 2023/04/04
Date of first issue: 2016/06/28

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Orbifloxacin Liquid Formulation

Manufacturer or supplier's details

Company : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone number : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 2
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Eye)

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Eye) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protec-

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Orbifloxacin	113617-63-3	>= 3 -< 10
Lactic acid	50-21-5	>= 1 -< 3
Sodium hydroxide	1310-73-2	>= 1 -< 2

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

7. HANDLING AND STORAGE

Orbifloxacin Liquid Formulation

Version 4.1 Revision Date: 2023/09/30 SDS Number: 785430-00016 Date of last issue: 2023/04/04
 Date of first issue: 2016/06/28

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe the mist or vapours.
 Do not swallow.
 Avoid contact with eyes.
 Avoid prolonged or repeated contact with skin.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Orbifloxacin	113617-63-3	TWA	0.2 mg/m ³ (OEB 2)	Internal
Sodium hydroxide	1310-73-2	KTD	2 mg/m ³	ID OEL
		C	2 mg/m ³	ACGIH

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection
 Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Skin and body protection : aerosols.
 Hygiene measures : Work uniform or laboratory coat.
 : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 : When using do not eat, drink or smoke.
 : Wash contaminated clothing before re-use.
 : The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension
 Colour : light brown
 Odour : odourless
 Odour Threshold : No data available
 pH : No data available
 Melting point/freezing point : No data available
 Initial boiling point and boiling range : No data available
 Flash point : No data available
 Evaporation rate : No data available
 Flammability (solid, gas) : Not applicable
 Flammability (liquids) : No data available
 Upper explosion limit / Upper flammability limit : No data available
 Lower explosion limit / Lower flammability limit : No data available
 Vapour pressure : No data available
 Relative vapour density : No data available
 Relative density : No data available
 Density : No data available
 Solubility(ies)

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Components:**Orbifloxacin:**

Acute oral toxicity	:	LD50 (Rat): > 3,000 mg/kg Remarks: No mortality observed at this dose.
		LD50 (Mouse): > 2,000 mg/kg Remarks: No mortality observed at this dose.
		LD50 (Dog): > 600 mg/kg

Orbifloxacin Liquid Formulation

Version 4.1 Revision Date: 2023/09/30 SDS Number: 785430-00016 Date of last issue: 2023/04/04
Date of first issue: 2016/06/28

Symptoms: Vomiting
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): > 200 mg/kg
Application Route: Intramuscular

LD50 (Mouse): 500 mg/kg
Application Route: Intramuscular

LD50 (Rat): 233 mg/kg
Application Route: Intravenous

LD50 (Mouse): 250 mg/kg
Application Route: Intravenous

Lactic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Sodium hydroxide:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No skin irritation

Components:**Orbifloxacin:**

Species : Rabbit
Method : Draize Test

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Result : No skin irritation

Lactic acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure
Remarks : Based on data from similar materials

Sodium hydroxide:

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Mild eye irritation

Components:**Orbifloxacin:**

Species : Rabbit
Result : Mild eye irritation
Method : Draize Test

Lactic acid:

Species : Chicken eye
Remarks : Based on data from similar materials

Result : Irreversible effects on the eye

Sodium hydroxide:

Result : Irreversible effects on the eye
Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Magnusson-Kligman-Test
Exposure routes : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Components:**Orbifloxacin:**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Lactic acid:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Sodium hydroxide:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Orbifloxacin:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: equivocal
-----------------------	---	---

	:	Test Type: Mouse Lymphoma Result: positive
--	---	---

	:	Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive
--	---	---

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection Result: negative
----------------------	---	--

	:	Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Result: negative
--	---	---

Germ cell mutagenicity -	:	Weight of evidence does not support classification as a germ
--------------------------	---	--

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Assessment cell mutagen.

Lactic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative
 Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative
 Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Orbifloxacin:**

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 NOAEL : 200 mg/kg body weight
 Result : negative

Species : Mouse
 Application Route : Oral
 Exposure time : 2 Years
 NOAEL : 200 mg/kg body weight
 Result : negative

Lactic acid:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative
 Remarks : Based on data from similar materials

Reproductive toxicity

Suspected of damaging the unborn child.

Components:**Orbifloxacin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Species: Rat
 Application Route: Oral
 General Toxicity - Parent: NOAEL: 50 mg/kg body weight
 Early Embryonic Development: NOAEL: 50 mg/kg body weight
 Result: No adverse effects

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Oral
 Embryo-foetal toxicity: LOAEL: 333 mg/kg body weight
 Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Oral
 General Toxicity Maternal: NOAEL: 20 mg/kg body weight
 Embryo-foetal toxicity: NOAEL: 60 mg/kg body weight
 Result: No effects on early embryonic development, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, Reduced maternal body weight gain

Test Type: Development
 Species: Dog
 Application Route: Oral
 Developmental Toxicity: LOAEL: 2.5 mg/kg body weight
 Result: Effects on postnatal development, Skeletal malformations

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Lactic acid:

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Eye) through prolonged or repeated exposure if swallowed.

Product:

Target Organs : Eye
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Repeated dose toxicity**Product:**

Species	:	Dog
NOAEL	:	22.5 mg/kg
LOAEL	:	37.5 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Symptoms	:	Gastrointestinal disturbance

Species	:	Dog
LOAEL	:	75 mg/kg
Application Route	:	Oral
Exposure time	:	10 Days
Symptoms	:	Salivation, Gastrointestinal disturbance, Vomiting

Species	:	Cat
LOAEL	:	45 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Target Organs	:	Eye
Symptoms	:	Salivation, Lachrymation, Gastrointestinal disturbance, Liver disorders

Components:**Orbifloxacin:**

Species	:	Rat
NOAEL	:	20 mg/kg
LOAEL	:	80 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Testis, Liver, Kidney, spleen

Species	:	Mouse
NOAEL	:	80 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months

Species	:	Juvenile dog
NOAEL	:	50 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Oral
Exposure time	:	14 Days
Target Organs	:	Heart, Bone
Symptoms	:	Gastrointestinal disturbance
Remarks	:	mortality observed

Species	:	Juvenile dog
---------	---	--------------

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

NOAEL : 2 mg/kg
 LOAEL : 3 mg/kg
 Application Route : Oral
 Exposure time : 90 Days
 Target Organs : Bone
 Remarks : No significant adverse effects were reported

Species : Dog
 NOAEL : 37.5 mg/kg
 Application Route : Oral
 Exposure time : 30 Days

Species : Cat
 NOAEL : 7.5 mg/kg
 LOAEL : 22.5 mg/kg
 Application Route : Oral
 Exposure time : 1 Months
 Symptoms : Gastrointestinal disturbance

Lactic acid:

Species : Rat
 NOAEL : > 100 mg/kg
 Application Route : Ingestion
 Exposure time : 13 Weeks
 Remarks : Based on data from similar materials

Species : Rat
 LOAEL : 886 mg/kg
 Application Route : Skin contact
 Exposure time : 13 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Orbifloxacin:**

Ingestion : Symptoms: central nervous system effects, Gastrointestinal disturbance, liver function change, anaphylaxis, Rash
 Remarks: May cause photosensitisation.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Lactic acid:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.1	2023/09/30	785430-00016	2023/04/04
			Date of first issue: 2016/06/28

- Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50: > 10 - 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Persistence and degradability**Components:****Lactic acid:**

- Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Lactic acid:**

- Partition coefficient: n-octanol/water : log Pow: -0.62

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Do not dispose of waste into sewer.

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Contaminated packaging : Dispose of in accordance with local regulations.
: Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Sodium hydroxide

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2023/09/30

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / C : Ceiling limit

ID OEL / KTD : Ceiling

Orbifloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	785430-00016	Date of first issue: 2016/06/28

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN