according to GB/T 16483 and GB/T 17519



# **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Orbifloxacin Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

**Appearance** : powder

Colour : No data available
Odour : No data available

Suspected of damaging the unborn child.

**GHS Classification** 

Reproductive toxicity : Category 2

**GHS label elements** 

Hazard pictograms :

Signal word : Warning

Hazard statements : H361d Suspected of damaging the unborn child.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

and understood.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Suspected of damaging the unborn child.

#### **Environmental hazards**

Not classified based on available information.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Orbifloxacin	113617-63-3	>= 3 -< 10
Magnesium stearate	557-04-0	>= 1 -< 10

# 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

and effects, both acute and delayed

Suspected of damaging the unborn child.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## 7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Orbifloxacin	113617-63-3	TWA	0.2 mg/m3 (OEB 2)	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hand protection Material Work uniform or laboratory coat.

: Chemical-resistant gloves

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation. Oxidizing agents

Incompatible materials

Hazardous decomposition

products

: No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

## **Components:**

Orbifloxacin:

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg

Remarks: No mortality observed at this dose.

LD50 (Mouse): > 2,000 mg/kg

Remarks: No mortality observed at this dose.

LD50 (Dog): > 600 mg/kg Symptoms: Vomiting

Remarks: No mortality observed at this dose.

according to GB/T 16483 and GB/T 17519



# **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of:

administration)

LD50 (Rat): > 200 mg/kg

Application Route: Intramuscular

LD50 (Mouse): 500 mg/kg Application Route: Intramuscular

LD50 (Rat): 233 mg/kg

Application Route: Intravenous

LD50 (Mouse): 250 mg/kg Application Route: Intravenous

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

## Skin corrosion/irritation

Not classified based on available information.

## **Components:**

#### Orbifloxacin:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

## Serious eye damage/eye irritation

Not classified based on available information.

## **Components:**

Orbifloxacin:

Species : Rabbit

according to GB/T 16483 and GB/T 17519



# **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Result : Mild eye irritation
Method : Draize Test

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

## **Components:**

#### Orbifloxacin:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

## Magnesium stearate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

## Germ cell mutagenicity

Not classified based on available information.

## **Components:**

## Orbifloxacin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: equivocal

Test Type: Mouse Lymphoma

Result: positive

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

according to GB/T 16483 and GB/T 17519



# **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2024/09/28 801078-00019 3.0 Date of first issue: 2016/07/15

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Cell type: Liver cells Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

## Magnesium stearate:

Genotoxicity in vitro Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

## Carcinogenicity

Not classified based on available information.

## **Components:**

#### Orbifloxacin:

Species : Rat Application Route Oral Exposure time 2 Years

NOAEL 200 mg/kg body weight

Result negative

Species Mouse Application Route Oral Exposure time 2 Years

200 mg/kg body weight NOAEL

Result negative

## Reproductive toxicity

Suspected of damaging the unborn child.

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

#### **Components:**

#### Orbifloxacin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 50 mg/kg body weight Early Embryonic Development: NOAEL: 50 mg/kg body

weight

Result: No adverse effects

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Embryo-foetal toxicity: LOAEL: 333 mg/kg body weight Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high ma-

ternally toxic doses

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 20 mg/kg body weight Embryo-foetal toxicity: NOAEL: 60 mg/kg body weight Result: No effects on early embryonic development, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, Reduced maternal

body weight gain

Test Type: Development

Species: Dog

Application Route: Oral

Developmental Toxicity: LOAEL: 2.5 mg/kg body weight Result: Effects on postnatal development, Skeletal malfor-

mations

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

according to GB/T 16483 and GB/T 17519



# **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Result: negative

Remarks: Based on data from similar materials

## STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

## Repeated dose toxicity

## **Components:**

#### Orbifloxacin:

Species: RatNOAEL: 20 mg/kgLOAEL: 80 mg/kgApplication Route: OralExposure time: 3 Months

Target Organs : Testis, Liver, Kidney, spleen

Species : Mouse

NOAEL : 80 mg/kg

LOAEL : 250 mg/kg

Application Route : Oral

Exposure time : 3 Months

Species : Juvenile dog
NOAEL : 50 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 14 Days
Target Organs : Heart, Bone

Symptoms : Gastrointestinal disturbance

Remarks : mortality observed

Species : Juvenile dog
NOAEL : 2 mg/kg
LOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Bone

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 37.5

NOAEL : 37.5 mg/kg
Application Route : Oral
Exposure time : 30 Days

 Species
 : Cat

 NOAEL
 : 7.5 mg/kg

 LOAEL
 : 22.5 mg/kg

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Application Route : Oral Exposure time : 1 Months

Symptoms : Gastrointestinal disturbance

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Orbifloxacin:

Ingestion : Symptoms: central nervous system effects, Gastrointestinal

disturbance, liver function change, anaphylaxis, Rash

Remarks: May cause photosensitisation.

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

#### **Components:**

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

according to GB/T 16483 and GB/T 17519



# **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

**Components:** 

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

Bioaccumulative potential

**Components:** 

Magnesium stearate:

Partition coefficient: n-

octanol/water

: log Pow: > 4

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

**International Regulations** 

**UNRTDG** 

UN number : Not applicable Proper shipping name : Not applicable

according to GB/T 16483 and GB/T 17519



# **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen: :

ger aircraft)

Not applicable

**IMDG-Code** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

## GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

#### Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

## **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

## Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This

This product is not listed in the catalogue of hazardous chemicals, but it

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

> meets the definition of hazardous chemicals and its principles of de-

termination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

**Regulation on the Administration of Precursor Chemicals** 

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

**16. OTHER INFORMATION** 

**Revision Date** 2024/09/28

**Further information** 

compile the Safety Data

Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this

document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV)

according to GB/T 16483 and GB/T 17519



## **Orbifloxacin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 801078-00019 Date of first issue: 2016/07/15

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN