

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.4	28.09.2024	9372520-00008	Date of first issue: 27.08.2021

### **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Orbifloxacin / Posaconazole / Mometasone Formulation
1.2 Relevant identified uses of	the s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Veterinary product
Recommended restrictions on use	:	Not applicable
1.3 Details of the supplier of th	e saf	ety data sheet
Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
Telephone	:	+1-908-740-4000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

### 1.4 Emergency telephone number

+1-908-423-6000

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2 Long-term (chronic) aquatic hazard, Category 2

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms





Version 3.4	Revision Date: 28.09.2024	-	DS Number: 372520-0000	8	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Signa	l word	:	Warning		
Haza	rd statements	:	H319 H411		es serious eye irritation. to aquatic life with long lasting effects.
Preca	utionary statements	:	<b>Prevention</b> P264 P273 P280	Wash Avoid	skin thoroughly after handling. release to the environment. eye protection/ face protection.
			<b>Response:</b> P337 + P31 P391	3 If e attent	eye irritation persists: Get medical advice/ ion. ct spillage.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Orbifloxacin	113617-63-3	Repr. 2; H361d	>= 1 - < 3
Posaconazole	171228-49-2	Eye Irrit. 2; H319 Repr. 2; H361d STOT RE 1; H372 (Adrenal gland, Bone marrow, Kid- ney, Liver, Nervous system, Reproduc- tive organs) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0.1 - < 0.25
Mometasone	83919-23-7	Repr. 1B; H360Df STOT RE 2; H373	>= 0.1 - < 0.25

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Orbifloxacin / Posaconazole / Mometasone Formulation

Revision Date: 28.09.2024	SDS Number: 9372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
		(Immune system, Liver, Kidney, Skin) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 100

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.

# 4.2 Most important symptoms and effects, both acute and delayed

Risks :	Causes serious eye irritation.
---------	--------------------------------

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically and supportively.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.4	28.09.2024	9372520-00008	Date of first issue: 27.08.2021

# **SECTION 5: Firefighting measures**

5.1	Extinguishing media		
	Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
	Hazardous combustion prod- ucts	:	Carbon oxides
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
	Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

erri ereenai preedatiene, pretet		e equipment and emergency precedured
Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environ- ment Agency (emergency telephone number 0800 807060).



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.4	28.09.2024	9372520-00008	Date of first issue: 27.08.2021

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe vapours or spray mist. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
7.2 Conditions for safe storage, i	inc	luding any incompatibilities

Requirements for storage areas and containers	:	Keep in properly labelled containers. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types:

UK REACH Regulations SI 2019/758



# Orbifloxacin / Posaconazole / Mometasone Formulation

Version 3.4	Revision Date: 28.09.2024		DS Number: 372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			Strong oxidizing a Self-reactive sub Organic peroxide Explosives Gases	stances and mixtures
-	<b>ic end use(s)</b> fic use(s)	:	No data available	)

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Orbifloxacin	113617-63- 3	TWA	0.2 mg/m3 (OEB 2)	Internal			
Posaconazole	171228-49- 2	TWA	300 µg/m3 (OEB 2)	Internal			
Mometasone	83919-23-7	TWA	1 µg/m3 (OEB 4)	Internal			
	Further inform	urther information: Skin					
		Wipe limit	10 µg/100 cm²	Internal			

### 8.2 Exposure controls

### Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task



Version 3.4	Revision Date: 28.09.2024	SDS Number: 9372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Resp	iratory protection	suits) to avoid Use appropriat contaminated : If adequate loc sure assessme	ed (e.g., sleevelets, apron, gauntlets, disposable exposed skin surfaces. te degowning techniques to remove potentially clothing. cal exhaust ventilation is not available or expo- ent demonstrates exposures outside the rec- idelines, use respiratory protection.
Fi	lter type		ould conform to BS EN 14387 ticulates and organic vapour type (A-P)

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	suspension white to off-white odourless No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available
range Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature	:	No data available Not applicable No data available
Decomposition temperature	:	No data available



Version 3.4	Revision Date: 28.09.2024	SDS Number: 9372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021			
Expl	osity iscosity, kinematic osive properties izing properties	<ul> <li>No data available</li> <li>Not explosive</li> <li>The substance or mixture is not classified as oxidizing.</li> </ul>				
Flam	r <b>information</b> nmability (liquids) cle size	: No data avail : Not applicabl				

# **SECTION 10: Stability and reactivity**

# **10.1 Reactivity** Not classified as a reactivity hazard.

### **10.2 Chemical stability**

Stable under normal conditions.

# **10.3 Possibility of hazardous reactions** Hazardous reactions : Can react with strong oxidizing agents.

# 10.4 Conditions to avoid

Conditions to avoid : None known.

# 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects Information on likely routes of exposure Inhalation Skin contact Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information.

# Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg



Versi 3.4	ion	Revision Date: 28.09.2024		9S Number: 72520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
				Remarks: No sign No mortality obse	ificant adverse effects were reported rved at this dose.
1	Acute d	lermal toxicity	:	LD50 (Rat): > 2,00 Remarks: No sign	00 mg/kg ificant adverse effects were reported
<u>(</u>	Compo	onents:			
(	Orbiflo	xacin:			
/	Acute c	oral toxicity	:	LD50 (Rat): > 3,00 Remarks: No mor	00 mg/kg tality observed at this dose.
				LD50 (Mouse): > : Remarks: No mor	2,000 mg/kg tality observed at this dose.
				LD50 (Dog): > 600 Symptoms: Vomit Remarks: No mor	
/	Acute ir	nhalation toxicity	:	Remarks: No data	a available
/	Acute d	lermal toxicity	:	Remarks: No data available	
		oxicity (other routes of stration)	:	LD50 (Rat): > 200 Application Route	
				LD50 (Mouse): 50 Application Route	
				LD50 (Rat): 233 n Application Route	
				LD50 (Mouse): 25 Application Route	
1	Posaco	onazole:			
		oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg
				LD50 (Mouse): > 3	3,000 mg/kg
/	Acute d	lermal toxicity	:	LD50 (Rat): > 2,00	00 mg/kg
,	Momet	asone:			
		oral toxicity	:	LD50 (Rat): > 2,00	00 mg/kg
				LD50 (Mouse): > 2	2,000 mg/kg
/	Acute ir	nhalation toxicity	:	LC50 (Rat): > 3.3 Exposure time: 4 Test atmosphere:	h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Revision Date: 28.09.2024	-		Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
		Remarks: No mor	tality observed at this dose.
		LC50 (Mouse): >	
		Exposure time: 4 Test atmosphere:	
	:		
stration)		Application Route Symptoms: Breat	
orrosion/irritation			
	ble	information.	
		Rabbit	
	:	Mild skin irritation	
onents:			
oxacin:			
es -			
	:	No skin irritation	
onazole:			
es	:	Rabbit	
	÷	NO SKIN IFFITATION	
tasone:			
es	:	Rabbit	
es	tati	No skin irritation	
s serious eye irritation.			
ict:			
es	:	Rabbit Mild eye irritation	
onents:			
oxacin:			
es d	:	Rabbit Draize Test	
	28.09.2024 toxicity (other routes of stration) corrosion/irritation assified based on availa ct: es onents: oxacin: es tasone: es tasone: es tasone: es us eye damage/eye irrits s serious eye irritation. ct: es onents: onents: ct: es	28.09.2024 93	28.09.2024       9372520-00008         Remarks: No mor       LC50 (Mouse): >         Exposure time: 4       Test atmosphere:         toxicity (other routes of istration)       LD50 (Rat): 300 r         Application Route Symptoms: Breat       Symptoms: Breat         corrosion/irritation       Application Route Symptoms: Breat         corrosion/irritation       Symptoms: Breat         corrosion       Symptoms: Breat         corrosion<

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Orbifloxacin / Posaconazole / Mometasone Formulation

rsion	Revision Date: 28.09.2024		S Number: 72520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Speci Resul		:	Rabbit Mild eye irritatior	1
Mome	etasone:			
Speci Resul		:	Rabbit No eye irritation	
Respi	iratory or skin sens	itisatio	n	
-	sensitisation assified based on av	ailable	information.	
Respi	iratory sensitisation	n		
Not cl	assified based on av	ailable	information.	
Produ	<u>uct:</u>			
	sure routes	:	Magnusson-Klig Dermal	
Resul	t	:	Not a skin sensit	izer.
Comp	oonents:			
Orbifl	oxacin:			
Test T		:	Maximisation Te	st
	sure routes	:	Dermal	
Speci Resul		:	Guinea pig Not a skin sensit	izer.
Posa	conazole:			
Test T		:	Magnusson-Klig	man-Test
	sure routes	:	Skin contact	
Speci	es	:	Guinea pig	
Resul	t	:	negative	
Mome	etasone:			
Test T	Гуре	:	Maximisation Te	st
	sure routes	:	Dermal	
Speci		:	Guinea pig	
	sment	:		skin sensitisation.
Resul		:	negative	
Rema	Irks	:	The results of a be a weak skin s	test on guinea pigs showed this substance ensitiser.
	cell mutagenicity			

### **Components:**

### Orbifloxacin:



Version 3.4	Revision Date: 28.09.2024		9S Number: 72520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021			
Geno	Genotoxicity in vitro		: Test Type: Bacterial reverse mutation assay (AMES) Result: equivocal				
			Test Type: Mouse Result: positive	e Lymphoma			
			Test Type: Chrom Test system: Hum Result: positive	nosomal aberration nan lymphocytes			
Geno	Genotoxicity in vivo		Test Type: Micror Species: Mouse Cell type: Bone m Application Route Result: negative				
			Test Type: unsch Species: Rat Cell type: Liver ce Application Route Result: negative				
Germ sessr	n cell mutagenicity- As- ment	:	: Weight of evidence does not support classification as a cell mutagen.				
Posa	conazole:						
Geno	Genotoxicity in vitro		Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)			
			Test Type: Chrom Result: negative	nosomal aberration			
Geno	toxicity in vivo	:	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intravenous Result: negative				
Mom	etasone:						
Geno	toxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)			
				nosomal aberration nese hamster lung cells			
				nosomal aberration nese hamster ovary cells			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 3.4	Revision Date: 28.09.2024		OS Number: 72520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			Test Type: Mous Result: negative	e Lymphoma
Genot	oxicity in vivo	:	Test Type: Micro Species: Mouse Application Rout Result: negative	
			Test Type: Chron Species: Rat Cell type: Bone r Result: negative	mosomal aberration narrow
			Test Type: unsch Species: Rat Cell type: Liver c Result: negative	neduled DNA synthesis assay ells
Germ sessm	cell mutagenicity- As- ient	:	Weight of eviden cell mutagen.	ce does not support classification as a germ
Not cla	n <b>ogenicity</b> assified based on availa ponents:	able	information.	
	oxacin:			
Specie Applic	es ation Route ure time L	: : : : : : : : : : : : : : : : : : : :	Rat Oral 2 Years 200 mg/kg body negative	weight
	ation Route ure time L		Mouse Oral 2 Years 200 mg/kg body negative	weight
Posad	conazole:			
Specie Applic	es ation Route ure time	: : : : : : : : : : : : : : : : : : : :	Rat oral (feed) 2 Years positive The mechanism	or mode of action is not relevant in humans.
	ation Route ure time	:	Mouse Oral 2 Years positive The mechanism	or mode of action is not relevant in humans.
			13 / 28	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Orbifloxacin / Posaconazole / Mometasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.4	28.09.2024	9372520-00008	Date of first issue: 27.08.2021

#### Mometasone:

Species	:	Rat
Application Route	:	Inhalation
Exposure time	:	2 Years
Dose	:	0.067 mg/kg body weight
Result	:	negative
Species	:	Mouse
Application Route	:	Inhalation
Exposure time	:	19 Months
Dose	:	0.160 mg/kg body weight
Result	:	negative

#### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

# Orbifloxacin:

Effects on fertility :	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 50 mg/kg body weight Early Embryonic Development: NOAEL: 50 mg/kg body weight Result: No adverse effects	
Effects on foetal develop-	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Embryo-foetal toxicity: LOAEL: 333 mg/kg body weight Result: No teratogenic effects, Embryotoxic effects and ad- verse effects on the offspring were detected only at high ma ternally toxic doses	
	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 20 mg/kg body weight Embryo-foetal toxicity: NOAEL: 60 mg/kg body weight Result: No effects on early embryonic development, Embryo toxic effects and adverse effects on the offspring were dete ed only at high maternally toxic doses, Reduced maternal body weight gain	
	Test Type: Development Species: Dog Application Route: Oral Developmental Toxicity: LOAEL: 2.5 mg/kg body weight Result: Effects on postnatal development, Skeletal malfor-	



Version 3.4	ו	Revision Date: 28.09.2024	-	0S Number: 72520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
				mations		
	Reproductive toxicity - As- sessment		: Some evidence of adverse effects on development, based on animal experiments.			
Ро	osaco	onazole:				
Eff	Effects on fertility		:	Species: Rat, mal General Toxicity -	y/early embryonic development e Parent: NOAEL: 180 mg/kg body weight fects on mating performance	
				Species: Rat, fem General Toxicity -	y/early embryonic development ale Parent: NOAEL: 45 mg/kg body weight fects on mating performance	
	fects ( ent	on foetal develop-	:	Species: Rat, fem Application Route Developmental To		
				Species: Rabbit, f	oxicity: LOAEL: 40 mg/kg body weight	
	eprodu ssme	uctive toxicity - As- nt	:	Some evidence of animal experimen	f adverse effects on development, based on ts.	
Мс	ometa	asone:				
Eff	fects	on fertility	:	Symptoms: Reduce weight		
	fects ( ent	on foetal develop-	:	Species: Mouse Application Route Embryo-foetal tox	ro-foetal development : Subcutaneous icity: LOAEL: 0.06 mg/kg body weight xic effects., Teratogenicity and developmen-	
				Test Type: Embry Species: Rat	o-foetal development	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



rsion	Revision Date: 28.09.2024	SDS Number: 9372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
		Embryo-foeta	coute: Dermal al toxicity: LOAEL: 0.3 mg/kg body weight yo-foetal toxicity
		Species: Rat Application R Embryo-foeta	mbryo-foetal development obit coute: Dermal al toxicity: LOAEL: 0.15 mg/kg body weight yo-foetal toxicity, Malformations were observed.
		Species: Rat Application R Embryo-foeta	mbryo-foetal development coute: Subcutaneous al toxicity: LOAEL: 0.15 mg/kg body weight ts on newborn
		Species: Rat Application R Embryo-foeta	
•	uctive toxicity - As-		ce of adverse effects on development, based on
sessme	: 1 IL		iments., Some evidence of adverse effects on on and fertility, based on animal experiments.
STOT -	single exposure ssified based on avai	sexual function	
STOT -	single exposure ssified based on avai	sexual function	
STOT - Not clas	single exposure ssified based on avai onents: asone:	sexual function	
STOT - Not class <u>Compo</u> Mometa Remark	single exposure ssified based on avai onents: asone:	sexual function	on and fertility, based on animal experiments.
STOT - Not class <u>Compo</u> Mometa Remark	single exposure ssified based on avaionents: asone: <s repeated exposure ssified based on avai</s 	sexual function	on and fertility, based on animal experiments.
STOT - Not class Compo Mometa Remark STOT - Not class Compo	single exposure ssified based on avaionents: asone: <s repeated exposure ssified based on avai</s 	sexual function	on and fertility, based on animal experiments.
STOT - Not class Compo Mometa Remark STOT - Not class Compo Posacc	single exposure ssified based on avai onents: asone: (s repeated exposure ssified based on avai onents: onazole: ire routes	sexual function lable information. : Based on available information. : Ingestion : Adrenal gland	on and fertility, based on animal experiments. ailable data, the classification criteria are not met
STOT - Not class Compo Mometa Remark STOT - Not class Compo Posacc Exposu	single exposure ssified based on avai onents: asone: (s repeated exposure ssified based on avai onents: onazole: organs	sexual function lable information. : Based on available information. lable information. : Ingestion : Adrenal gland organs, Nerv	on and fertility, based on animal experiments. ailable data, the classification criteria are not me d, Bone marrow, Kidney, Liver, Reproductive
STOT - Not class Compo Mometa Remark STOT - Not class Compo Exposu Target (	single exposure ssified based on avai onents: asone: (s repeated exposure ssified based on avai onents: onazole: ire routes Organs ment	sexual function lable information. : Based on avai lable information. : Ingestion : Adrenal gland organs, Nerv : Causes dama	on and fertility, based on animal experiments. ailable data, the classification criteria are not met d, Bone marrow, Kidney, Liver, Reproductive ous system

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 3.4	Revision Date: 28.09.2024	SDS Number: 9372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
		exposure.	
Rep	peated dose toxicity		
<u>Cor</u>	nponents:		
Orb	oifloxacin:		
	ecies	: Rat	
	AEL	: 20 mg/kg	
LO		: 80 mg/kg	
	blication Route	: Oral : 3 Months	
	oosure time get Organs	: Testis, Liver, k	(idney spleen
iai	yor Organo	. 10003, LIVEI, I	
	ecies	: Mouse	
	AEL	: 80 mg/kg	
LO		: 250 mg/kg	
	blication Route	: Oral	
Exp	osure time	: 3 Months	
Spe	ecies	: Juvenile dog	
	AEL	: 50 mg/kg	
LOA	AEL .	: 250 mg/kg	
Арр	lication Route	: Oral	
	osure time	: 14 Days	
	get Organs	: Heart, Bone	
	nptoms	: Gastrointestina	
Rer	narks	: mortality obse	rved
Spe	ecies	: Juvenile dog	
	AEL	: 2 mg/kg	
LO	AEL .	: 3 mg/kg	
Арр	lication Route	: Oral	
	osure time	: 90 Days	
	get Organs	: Bone	
Rer	narks	: No significant	adverse effects were reported
Spe	ecies	: Dog	
	AEL	: 37.5 mg/kg	
Арр	lication Route	: Oral	
Exp	osure time	: 30 Days	
Spe	ecies	: Cat	
	AEL	: 7.5 mg/kg	
LO		: 22.5 mg/kg	
	lication Route	: Oral	
	osure time	: 1 Months	
Syn	nptoms	: Gastrointestina	al disturbance
Pos	aconazole:		
	ecies	: Rat, female	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 3.4	Revision Date: 28.09.2024	SDS Number: 9372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Expos	L cation Route sure time t Organs	: 5 mg/kg : Oral : 6 Months : Adrenal gland	, Lungs, Heart, Liver, spleen, Kidney, Ovary
Expos		: Dog : 3 mg/kg : Oral : 392 Days : Lungs, Liver, F cord, lymphoid	Brain, small intestine, Adrenal gland, Spinal I tissue
Expos		: Monkey : 15 mg/kg : Oral : 1 Months : Bone marrow,	Adrenal gland, Lymph nodes, Blood
Expos			, Bone marrow, Kidney, Nervous system, s gland, Testis, lymphoid tissue
Expos		: Monkey : 180 mg/kg : Oral : 12 Months : Blood, Gastroi	ntestinal tract, spleen
Expos		: Monkey : 8 mg/kg : Intravenous : 1 Months : Cardio-vascula	ar system, Lungs, Adrenal gland, Blood
Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic Expos	EL EL cation Route sure time of Organs es	: Dog : 0.5 mg/kg : Oral : 30 d	Liver, Adrenal gland, Skin, thymus gland Liver, Adrenal gland, Skin, thymus gland

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Orbifloxacin / Posaconazole / Mometasone Formulation

Version 3.4	Revision Date: 28.09.2024	SDS Number: 9372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Expo		: 90 d : Adrenal glan	l ust/mist/fume) d, Lungs, Lymph nodes, spleen, Bone marrow, r, thymus gland
Expo		: 90 d : Adrenal glan	ust/mist/fume) d, Lungs, Lymph nodes, spleen, Bone marrow, uus gland, Liver

### Aspiration toxicity

Not classified based on available information.

#### **Components:**

# Mometasone:

Not applicable

# Experience with human exposure

#### Components:

Orbifloxacin:		
Ingestion	:	Symptoms: central nervous system effects, Gastrointestinal disturbance, liver function change, anaphylaxis, Rash Remarks: May cause photosensitisation.
Posaconazole:		
Ingestion	:	Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver effects, Rash, pruritis, Diarrhoea, hypertension, neutropenia, electrolyte imbalance
Mometasone:		
Inhalation	:	Symptoms: allergic rhinitis, Headache, pharyngitis, upper res- piratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion
Skin contact	:	Symptoms: Dermatitis, Itching
Further information		
Components:		
Mometasone:		
Remarks	:	Dermal absorption possible



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.4	28.09.2024	9372520-00008	Date of first issue: 27.08.2021

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

\_

Com	ponents:	

Posaconazole:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.95 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.276 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.509 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.041 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
Toxicity to microorganisms	:	EC50 (Natural microorganism): > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.206 mg/l Exposure time: 33 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 0.244 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility
M-Factor (Chronic aquatic toxicity)	:	1
Mometasone:		
Toxicity to fish	:	LC50 (Menidia beryllina (Silverside)): 0.11 mg/l Exposure time: 96 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Vers 3.4	ion	Revision Date: 28.09.2024		9S Number: 72520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
				Remarks: No toxic	city at the limit of solubility
				Exposure time: 7	n variegatus (sheepshead minnow)): > 5 mg/l d city at the limit of solubility
		to daphnia and other invertebrates	:	Exposure time: 48 Method: OECD Te	
				EC50 (Americamy Exposure time: 96 Method: US-EPA Remarks: No toxio	5 h
	Toxicity plants	v to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te	
	Toxicity	v to microorganisms	:	EC50 : > 1,000 m Exposure time: 3 Test Type: Respir Method: OECD Te Remarks: No toxic NOEC : 1,000 mg	h ation inhibition est Guideline 209 city at the limit of solubility
				Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition
	Toxicity icity)	v to fish (Chronic tox-	:	NOEC: 0.00014 m Exposure time: 32 Species: Pimepha Method: OECD Te	d les promelas (fathead minnow)
		to daphnia and other invertebrates (Chron- ty)	:	Method: OECD Te	magna (Water flea)
	M-Facto toxicity)	or (Chronic aquatic	:	100	
12.2	Persist	tence and degradabil	ity		
	Compo	onents:			
	Posaco	onazole:			



Versio 3.4	'n	Revision Date: 28.09.2024		DS Number: 972520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Bi	iodegi	radability	:	Result: Not readil Biodegradation: Exposure time: 23 Method: OECD T	50 %
St	Stability in water		:	Degradation half Method: OECD T	life (DT50): > 30 d est Guideline 111
м	lomet	asone:			
Bi	iodegi	radability	:	Result: Not readil Biodegradation: Exposure time: 28 Method: OECD T	50 %
St	tability	<i>i</i> n water	:	Hydrolysis: 50 %( Method: OECD T	(12 d) est Guideline 111
12.3 B	lioacc	umulative potential			
<u>C</u>	ompo	onents:			
P	osaco	onazole:			
Bi	ioaccu	umulation	:	Bioconcentration	s macrochirus (Bluegill sunfish) factor (BCF): 20 est Guideline 305
		n coefficient: n- /water	:	log Pow: 4.15	
М	lomet	asone:			
Bi	ioaccu	umulation	:	Bioconcentration	s macrochirus (Bluegill sunfish) factor (BCF): 107.1 est Guideline 305
		n coefficient: n- /water	:	log Pow: 4.68	
12.4 M	lobilit	y in soil			
<u>C</u>	ompo	onents:			
P	osaco	onazole:			
		tion among environ- compartments	:	log Koc: 5.52	
		asone:			
		tion among environ- compartments	: log Koc: 4.02		
12.5 R	esult	s of PBT and vPvB a	sse	ssment	

## Product:



Version 3.4	Revision Date: 28.09.2024		DS Number: 372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Asses	sment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Other	adverse effects			
<u>Produ</u> Endoc tial	I <u>ct:</u> rine disrupting poten-	:	ered to have end	nixture does not contain components consid- ocrine disrupting properties for environment REACH Article 57(f).

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

# **SECTION 14:** Transport information

### 14.1 UN number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mometasone, Posaconazole)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mometasone, Posaconazole)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mometasone, Posaconazole)



Vers 3.4	ion	Revision Date: 28.09.2024		98 Number: 72520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	IMDG		:	ENVIRONMENTA N.O.S. (Mometasone, Po	ALLY HAZARDOUS SUBSTANCE, LIQUID,
	ΙΑΤΑ		:	Environmentally h (Mometasone, Po	nazardous substance, liquid, n.o.s. osaconazole)
14.3	Trans	oort hazard class(es)			
				Class	Subsidiary risks
	ADN		:	9	
	ADR		:	9	
	RID		:	9	
	IMDG		:	9	
	ΙΑΤΑ		:	9	
14.4	Packir	ng group			
	Classif	g group ication Code I Identification Number	:	III M6 90 9	
	Classif Hazarc Labels	g group ication Code I Identification Number restriction code	:	III M6 90 9 (-)	
	Classif	g group ication Code I Identification Number	:	III M6 90 9	
	IMDG Packin Labels EmS C	g group ode	:	III 9 F-A, S-F	
	Packin aircraft Packin	<b>Cargo)</b> g instruction (cargo ) g instruction (LQ) g group	:	964 Y964 III Miscellaneous	
	Packin ger airo	Passenger) g instruction (passen- craft) g instruction (LQ)	:	964 Y964	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Orbifloxacin / Posaconazole / Mometasone Formulation

Ver 3.4	sion	Revision Date: 28.09.2024		DS Number: 372520-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	Packin Labels	g group	:	III Miscellaneous	
14.5	5 Enviro	onmental hazards			
	<b>ADN</b> Enviroi	nmentally hazardous	:	yes	
	<b>ADR</b> Enviror	nmentally hazardous	:	yes	
	<b>RID</b> Enviroi	nmentally hazardous	:	yes	
	<b>IMDG</b> Marine	pollutant	:	yes	
		Passenger) nmentally hazardous	:	yes	
	•	<b>Cargo)</b> nmentally hazardous	:	yes	

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit-	:	Not applicable

# According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# Orbifloxacin / Posaconazole / Mometasone Formulation

Version 3.4	Revision Date: 28.09.2024	SDS Number: 9372520-00008		last issue: 06.04.2 first issue: 27.08.2			
ain)	lation (EQ) on orthotop			Net englische			
layer							
(Anne	UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)						
	GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation						
Conti	Control of Major Accident Hazards Regulations 2015 (COMAH)						
E2		ENVIRONMEN HAZARDS	TAL	Quantity 1 200 t	Quantity 2 500 t		

# Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H319	:	Causes serious eye irritation.
H360Df	:	May damage the unborn child. Suspected of damaging fertili- ty.
H361d	:	Suspected of damaging the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure if swallowed.
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Aquatic Acute	:	Short-term (acute) aquatic hazard

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Orbifloxacin / Posaconazole / Mometasone Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024	
3.4		9372520-0000	Date of first issue: 27.08.2021	
Aquatic Chronic		: Long-term (chronic) aquatic hazard		
Eye Irrit.		: Eye irritation		
Repr. STOT RE			Reproductive toxicity Specific target organ toxicity - repeated exposure	

. .

----

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Classification of the mixtu	re:	Classification procedure:
Eye Irrit. 2	H319	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.4	28.09.2024	9372520-00008	Date of first issue: 27.08.2021

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN