

### **Ovipast Plus Formulation**

Version         Revision Date:         SDS Number:         Date of last issue: 2024/04/06           6.0         2024/09/28         6344699-00008         Date of first issue: 2020/09/16	Version 6.0	Revision Date: 2024/09/28	SDS Number: 6344699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
--	----------------	---------------------------	------------------------------	---

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name	:	Ovipast Plus Formulation				
Supplier's company name, address and phone number						
Company name of supplier	:	MSD				
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory				
Telephone	:	048-588-8411				
E-mail address	:	EHSDATASTEWARD@msd.com				
Emergency telephone number	:	+1-908-423-6000				

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary medicine
Restrictions on use	:	Not applicable

### 2. HAZARDS IDENTIFICATION

<b>GHS classification of chemica</b> Skin sensitisation	I product Category 1
GHS label elements Hazard pictograms	
Signal word	Warning
Hazard statements	H317 May cause an allergic skin reaction.
Precautionary statements	<b>Prevention:</b> P261 Avoid breathing mist or vapours. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves.
	<b>Response:</b> P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical ad- vice/ attention. P362 + P364 Take off contaminated clothing and wash it before



VersionRevision Date:SDS Number:Date of last issue: 2024/046.02024/09/286344699-00008Date of first issue: 2020/09	
---	--

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

		-	
Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Aluminum hydroxide	21645-51-2	25	1-17
Antigen	Not Assigned	> 1.5 - < 2.5	-
Maleic acid	110-16-7	0.23	2-1100
Formaldehyde	50-00-0	0.05	2-482
Thiomersal	54-64-8	0.013	-

#### 4. FIRST AID MEASURES

General advice	:	vice immediately.
		When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	,
In appa of akin contact		Get medical attention if symptoms occur.
In case of skin contact	•	In case of contact, immediately flush skin with soap and plenty of water.
		Remove contaminated clothing and shoes.
		Get medical attention.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution.
		Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting.
		Get medical attention if symptoms occur.
•• •• • • •		Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).



Versi 6.0	on	Revision Date: 2024/09/28		9S Number: 44699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
1	Notes to	o physician	:	Treat symptomation	cally and supportively.
5. FIF	REFIGH	ITING MEASURES			
ŝ	Suitable	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuita media	ble extinguishing	:	None known.	
	Specific ighting	hazards during fire-	:	Exposure to comb	oustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Carbon oxides Metal oxides	
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special for firefi	protective equipment ghters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.
6. AC	CIDEN	ITAL RELEASE MEAS	SUF	RES	
t	tive equ	al precautions, protec- lipment and emer- procedures	:		ective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
E	Environ	mental precautions	:	Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages
		s and materials for ment and cleaning up	:	For large spills, pr ment to keep mate be pumped, store Clean up remaining bent. Local or national r posal of this mate	absorbent material. ovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. Ing materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter-



Version 6.0	Revision Date: 2024/09/28	SDS Number: 6344699-0000	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
		Sections 1	regulations are applicable. 3 and 15 of this SDS provide information regarding al or national requirements.
7. HANDL	ING AND STORAGE		
Hand	ling		
	nical measures		eering measures under EXPOSURE S/PERSONAL PROTECTION section.
Local	/Total ventilation		ith adequate ventilation.
	e on safe handling	: Do not get Avoid brea Do not swa Avoid conta Handle in a practice, ba sessment	on skin or clothing. thing mist or vapours. illow. act with eyes. accordance with good industrial hygiene and safety ased on the results of the workplace exposure as- to prevent spills, waste and minimize release to the
	lance of contact ene measures	flushing sy place. When usin Contamina workplace. Wash cont The effectin engineering appropriate industrial h	gents to chemical is likely during typical use, provide eye stems and safety showers close to the working g do not eat, drink or smoke. ted work clothing should not be allowed out of the aminated clothing before re-use. ye operation of a facility should include review of g controls, proper personal protective equipment, e degowning and decontamination procedures, ygiene monitoring, medical surveillance and the inistrative controls.
Stora	ige		
	itions for safe storage		operly labelled containers.
Mater	rials to avoid	: Do not stor	cordance with the particular national regulations. e with the following product types: lizing agents
Packa	aging material	: Unsuitable	material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components CAS	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
----------------	-------------------------------------	---	-------



### **Ovipast Plus Formulation**

6.0 2024/09/28 6344699-00008 Date of first issue. 2020/09/16	Version 6.0	Revision Date: 2024/09/28	SDS Number: 6344699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16	
--	----------------	------------------------------	------------------------------	---	--

Aluminum hydroxide	21645-51-2	TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3 (Aluminium)	ACGIH		
Formaldehyde	50-00-0	ACL	0.1 ppm	JP OEL ISHL		
		OEL-M	0.1 ppm 0.12 mg/m3	JP OEL JSOH		
	which proba ing agent; G	bly induce allergic roup 1 substance	ensitizing agent; Gro c reactions in humar s which induce aller	ns., Skin sensitiz- gic reactions in		
	numans, Gr	OEL-C	carcinogenic to hum 0.2 ppm 0.24 mg/m3	JP OEL JSOH		
	which proba ing agent; G	Further information: Airway sensitizing agent; Group 2 substance which probably induce allergic reactions in humans., Skin sensitiz ing agent; Group 1 substances which induce allergic reactions in humans, Group 2A: probably carcinogenic to humans				
		TWA	0.1 ppm	ACGIH		
		STEL	0.3 ppm	ACGIH		
Thiomersal	54-64-8	ACL	0.01 mg/m3 (Mercury)	JP OEL ISHL		
		TWA	0.01 mg/m3 (Mercury)	ACGIH		
		STEL	0.03 mg/m3 (Mercury)	ACGIH		

### **Biological occupational exposure limits**

Components	CAS-No.	Target sub- stance	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Thiomersal	54-64-8	total inor- ganic mer- cury (Mercury)	Urine	Not criti- cal	35 μg/g creatinine	JSOH

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.
Personal protective equipmen	t
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type :	Particulates type

Hand protection		51
Material	:	Chemical-resistant gloves



Version 6.0	Revision Date: 2024/09/28		DS Number:Date of last issue: 2024/04/0644699-00008Date of first issue: 2020/09/16
	rotection and body protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat.
9. PHYSIC	AL AND CHEMICAL P	ROP	PERTIES
Physi	cal state	:	suspension
Colou	ır	:	off-white to beige, opaque
Odou	r	:	No data available
Odou	r Threshold	:	No data available
Meltir	ng point/freezing point	:	No data available
	g point, initial boiling and boiling range	:	No data available
Flamr	nability (solid, gas)	:	Not applicable
Flamr	mability (liquids)	:	No data available
Up	r explosion limit and upp oper explosion limit / Up r flammability limit		explosion limit / flammability limit No data available
	wer explosion limit / wer flammability limit	:	No data available
Flash	point	:	Not applicable
Deco	mposition temperature	:	No data available
рН		:	6.1 - 6.9
Evapo	oration rate	:	No data available
Auto-	ignition temperature	:	No data available
Visco Vis	sity scosity, dynamic	:	No data available
Vis	scosity, kinematic	:	No data available
	ility(ies) ater solubility	:	soluble
Partiti	on coefficient: n-	:	Not applicable



Version 6.0	Revision Date: 2024/09/28	SDS Number: 6344699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
octan	ol/water		
Vapo	ur pressure	: similar to wate	r
	ity and / or relative densi elative density	ty : 1	
De	ensity	: 1 g/cm <sup>3</sup> similar to wate	r
Relat	ive vapour density	: No data availa	ble
Explo	sive properties	: Not explosive	
Oxidiz	zing properties	: The substance	or mixture is not classified as oxidizing.
Moleo	cular weight	: Not applicable	
	ele characteristics article size	: Not applicable	
10. STAB			as a reactivity hazard.
Cherr	hical stability bility of hazardous reac-	: Stable under n	ormal conditions. strong oxidizing agents.
Cond Incom	itions to avoid npatible materials rdous decomposition icts	<ul><li>None known.</li><li>Oxidizing agen</li><li>No hazardous</li></ul>	ts decomposition products are known.
•	OLOGICAL INFORMAT	ION	
Inforn expos	nation on likely routes of sure	: Inhalation Skin contact Ingestion Eye contact	
	e toxicity lassified based on availa	ble information.	
Com	oonents:		
Alum	inum hydroxide:		
	e oral toxicity		,000 mg/kg Test Guideline 423 ne substance or mixture has no acute oral to:



### **Ovipast Plus Formulation**

ersion 0	Revision Date: 2024/09/28	SDS Number: 6344699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
11			
Acute	inhalation toxicity	tion toxicity	e: 4 h
Malei	ic acid:		
Acute	e oral toxicity	Method: OEC	300 - 2,000 mg/kg D Test Guideline 401 ed on data from similar materials
Acute	e dermal toxicity	: LD50 (Rabbit)	: 1,560 mg/kg
Form	aldehyde:		
Acute	e oral toxicity	Method: Expe	estimate: 100 mg/kg rt judgement ed on national or regional regulation.
Acute	inhalation toxicity	: Acute toxicity Exposure time Test atmosph Method: Expe	ere: gas
Acute	e dermal toxicity	: LD50 (Rabbit)	: 270 mg/kg
Thior	nersal:		
Acute	e oral toxicity	: LD50 (Rat): 7	5 mg/kg
		Method: Expe	estimate: 10 mg/kg rt judgement ed on national or regional regulation.
Acute	inhalation toxicity	Exposure time Test atmosph Method: Expe	ere: dust/mist
Acute	e dermal toxicity	Method: Expe	estimate: 10 mg/kg rt judgement ed on national or regional regulation.

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

#### Aluminum hydroxide:



Version 6.0	Revision Date: 2024/09/28		DS Number: 44699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
Speci Metho Resu	bd	:	Rabbit OECD Test Guid No skin irritation	eline 404
Malei Speci Metho	<b>c acid:</b> les od	:	in vitro membran OECD Test Guid	
Resu	lt	:	Corrosive after 3	minutes to 1 hour of exposure
Resu Rema	arks	:	Based on nationa	minutes to 1 hour of exposure al or regional regulation.
	us eye damage/eye in lassified based on avai			
Com	oonents:			
Alum Speci Resul Metho	lt	:	Rabbit No eye irritation OECD Test Guid	eline 405
Malei Resu Rema		:	Irreversible effect Based on skin co	•
Form Resu Rema		:	Irreversible effect Based on skin co	
Resp	iratory or skin sensiti	isatio	on	
	<b>sensitisation</b> cause an allergic skin r	eactio	on.	
-	iratory sensitisation lassified based on avai	ilable	information.	
Com	oonents:			
Test	sure routes les od		Maximisation Tes Skin contact Guinea pig OECD Test Guid negative	



0	Revision Date: 2024/09/28	SDS Number: 6344699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
Test Expos Speci Metho Resu	sure routes ies od It	: Maximisation T : Skin contact : Guinea pig : OECD Test Gu : positive	ideline 406
Asses	ssment	: Probability or e	vidence of skin sensitisation in humans
Test Expos Speci Resu	sure routes ies It	: Skin contact : Humans : positive	insult patch test (HRIPT)
Asses	ssment	: Probability or e mans	vidence of high skin sensitisation rate in hu-
	inum hydroxide: toxicity in vitro	: Test Type: In v	itro mammalian cell gene mutation test
	,	Method: OECD	Test Guideline 476
	,	Result: negativ Test Type: Chr Result: positive	• Test Guideline 476 e omosome aberration test in vitro
		Result: negativ Test Type: Chr Result: positive Remarks: Base Test Type: DN/ thesis in mamn Result: equivoo	<ul> <li>Test Guideline 476</li> <li>omosome aberration test in vitro</li> <li>ed on data from similar materials</li> <li>A damage and repair, unscheduled DNA synnalian cells (in vitro)</li> </ul>
		Result: negativ Test Type: Chr Result: positive Remarks: Base Test Type: DN/ thesis in mamn Result: equivoo Remarks: Base Test Type: in v Result: positive	<ul> <li>Test Guideline 476</li> <li>omosome aberration test in vitro</li> <li>ad on data from similar materials</li> <li>A damage and repair, unscheduled DNA synnalian cells (in vitro)</li> <li>cal</li> <li>ad on data from similar materials</li> </ul>
Geno	toxicity in vivo	Result: negativ Test Type: Chr Result: positive Remarks: Base Test Type: DN/ thesis in mamn Result: equivoo Remarks: Base Test Type: in v Result: positive Remarks: Base : Test Type: Mar cytogenetic ass Species: Rat Application Rot	<ul> <li>Test Guideline 476</li> <li>e</li> <li>omosome aberration test in vitro</li> <li>ed on data from similar materials</li> <li>A damage and repair, unscheduled DNA synnalian cells (in vitro)</li> <li>cal</li> <li>ed on data from similar materials</li> <li>itro micronucleus test</li> <li>ed on data from similar materials</li> <li>malian erythrocyte micronucleus test (in vive say)</li> <li>ute: Ingestion</li> <li>Test Guideline 474</li> </ul>



sion	Revision Date: 2024/09/28	SDS Number: 6344699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
		Method: OEC	vitro mammalian cell gene mutation test D Test Guideline 476
		Result: negati	ve
Form	aldehyde:		
Geno	toxicity in vitro	: Test Type: Ba Result: positiv	cterial reverse mutation assay (AMES) e
		Test Type: In Result: positiv	vitro mammalian cell gene mutation test e
		Test Type: Ch Result: positiv	romosome aberration test in vitro e
Geno	toxicity in vivo	Species: Mous	oute: Inhalation
	cell mutagenicity -	: Positive result genicity tests.	(s) from in vivo mammalian somatic cell muta
Thior	nersal:		
Geno	toxicity in vitro	: Test Type: Ba Result: negati	cterial reverse mutation assay (AMES) ve
Geno	toxicity in vivo	: Test Type: Ma tion test (in viv Species: Mous Application Ro Result: negation	se pute: Ingestion
	nogenicity		
	assified based on ava ponents:	allable information.	
Speci	inum hydroxide: es	: Rat	
Applio	cation Route	: inhalation (due	st/mist/fume)
	sure time	: 86 weeks	
Resu Rema		: negative : Based on data	a from similar materials
Malei	c acid:		
Speci		: Rat	
	cation Route sure time	: Ingestion : 2 Years	



0 2024/09/28	SDS Number:Date of last issue: 2026344699-00008Date of first issue: 202	
Result Remarks	: negative : Based on data from similar materials	
Formaldehyde:		
Species Application Route Exposure time Result	: Rat : inhalation (gas) : 28 Months : positive	
Carcinogenicity - Assem	s- : Sufficient evidence of carcinogenicity in a	animal experiments
Thiomersal: Species Exposure time Result	: Rat : 1 Years : negative	
Reproductive toxicity Not classified based or <u>Components:</u>	available information.	
Aluminum hydroxide		
Effects on fertility	: Test Type: Combined repeated dose tox	icity study with the
	reproduction/developmental toxicity scre Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar ma	ening test
Effects on foetal develo	Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar ma	ening test
	<ul> <li>Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar matching</li> <li>p-</li> <li>Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion</li> </ul>	ening test
ment	<ul> <li>Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar matching</li> <li>p-</li> <li>Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion</li> </ul>	ening test aterials toxicity study

Formaldehyde:



ersion .0	Revision Date: 2024/09/28	-	S Number: 4699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
Effect ment	s on foetal develop-		Species: Rat	oryo-foetal development ite: inhalation (gas) e
II Thior	nersal:			
Effect ment	s on foetal develop-		Species: Rat Application Rou Result: positive Remarks: Base	
Repro sessn	oductive toxicity - As- nent			of adverse effects on sexual function and fertievelopment, based on animal experiments
<u>Com</u> Malei	lassified based on ava ponents: c acid: ssment	:	May cause resp	biratory irritation. nal or regional regulation.
	aldehyde:			biratory irritation.
Not cl	- repeated exposure assified based on ava		nformation.	
Thior Targe	nersal: et Organs ssment	:	tinal tract, Kidne	s system, Cardio-vascular system, Gastrointes ey e to organs through prolonged or repeated
Repe	ated dose toxicity			
<u>Com</u>	oonents:			
	inum hydroxide:		_	
	EL cation Route sure time od	:	Rat > 100 mg/kg Ingestion 364 Days OECD Test Gu Based on data	ideline 426 from similar materials

Version

6.0



Date of last issue: 2024/04/06

Date of first issue: 2020/09/16

# **Ovipast Plus Formulation**

Revision Date:

2024/09/28

SDS Number:

6344699-00008

Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       :         LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :         Toxicity to algae/aquatic plants       :       EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h         Maleic acid:       :       EL50 (Selenastrum capricornutum (green algae)): > 100 m Exposure time: 96 h         Maleic acid:       :       :         Toxicity to fish       :       :         Cosicity to daphnia and other aquatic invertebrates       :       :         Toxicity to fish       :       :         Cosicity to daphnia and other aquatic invertebrates       :       :         Toxicity to daphnia and other aquatic invertebrates       :       :         Toxicity to daphnia and other aquatic invertebrates       :       :         :       :       :       :         Toxicity to algae/aquatic plants       :       :       :         :       :       :       :       :         :       :       :       :       :       :         :       :       :       :       :       :	Application Route		
Application Route       : inhalation (dust/mist/fume)         Exposure time       : 12 Months         Remarks       : Based on data from similar materials         Thiomersal:       :         Species       : Rat         LOAEL       : >= 0.5 mg/kg         Application Route       : Ingestion         Remarks       : Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Aluminum hydroxide:         Toxicity to fish       : LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       : EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 96 h         Toxicity to algae/aquatic       : EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 96 h         Maleic acid:       Toxicity to fish       : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 96 h         Toxicity to daphnia and other       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h         Toxicity to algae/aquatic       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h         Toxicity to algae/aquatic       :	Application Route	•	
Exposure time       : 12 Months         Remarks       : Based on data from similar materials         Thiomersal:       Species         Species       : Rat         LOAEL       :> >0.5 mg/kg         Application Route       Ingestion         Remarks       : Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Aluminum hydroxide:         Toxicity to fish       : LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       : EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 96 h         Toxicity to algae/aquatic       : EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 96 h         Maleic acid:       Image: Saged on data from similar materials         Toxicity to fish       : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h         Maleic acid:       Image: Saged on data from similar materials         Toxicity to daphnia and other       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 96 h         Toxicity to daphnia and other       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 202		•	
Remarks       :       Based on data from similar materials         Thiomersal:       Species       :       Rat         LOAEL       :       >= 0.5 mg/kg         Application Route       :       Ingestion         Remarks       :       Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Aluminum hydroxide:         Toxicity to fish       :       LL50 (Salmo trutta (brown trout)): > 100 mg/l         Exposure time: 96 h       :       Toxicity to daphnia and other         Toxicity to algae/aquatic       :       EL50 (Daphnia magna (Water flea)): > 100 mg/l         exposure time: 96 h       :       Exposure time: 96 h         Maleic acid:       :       .         Toxicity to fish       :       LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l         exposure time: 96 h       :       Remarks: Based on data from similar materials         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l         exposure time: 48 h       :       Test substance: Neutralised product         Materia aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l		:	
Thiomersal:         Species       :       Rat         LOAEL       :       >= 0.5 mg/kg         Application Route       :       Ingestion         Remarks       :       Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Aluminum hydroxide:         Toxicity to fish       :       LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       :       EL50 (Daphnia magna (Water flea)): > 100 mg/l exposure time: 96 h         Toxicity to algae/aquatic       :       EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l exposure time: 96 h         Maleic acid:       :       .         Toxicity to fish       :       LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h         Maleic acid:       :       .       EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 96 h         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 72 h         aquatic invertebrates       :       EC50 (Pseudokirchneriella subcapitata (green algae)		:	
Species       :       Rat         LOAEL       :       >= 0.5 mg/kg         Application Route       :       Ingestion         Remarks       :       Based on data from similar materials         Aspiration toxicity       .         Not classified based on available information.         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       :         LL50 (Salmo trutta (brown trout)): > 100 mg/l         exposure time: 96 h         Toxicity to daphnia and other       :         LS0 (Daphnia magna (Water flea)): > 100 mg/l         aquatic invertebrates       :         EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l         plants       :         Maleic acid:       :         Toxicity to dish       :       LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l         exposure time: 96 h       :       :         Maleic acid:       :       :         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l         exposure time: 96 h       :       :         Remarks: Based on data from similar materials       :	Nonialito	•	
LÖAEL       : >= 0.5 mg/kg         Application Route       : Ingestion         Remarks       : Based on data from similar materials         Aspiration toxicity         Not classified based on available information.         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       : LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       : EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 96 h         Toxicity to algae/aquatic       : EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 96 h         Maleic acid:       :         Toxicity to fish       : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h         Maleic acid:       :         Toxicity to daphnia and other       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 96 h         Maleic acid:       :         Toxicity to daphnia and other       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h         Toxicity to daphnia and other       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h         Toxicity to algae/aquatic       : EC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201    <	-		
Application Route       :       Ingestion         Remarks       :       Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       :         LL50 (Salmo trutta (brown trout)): > 100 mg/l         Exposure time: 96 h         Toxicity to daphnia and other       :         EL50 (Daphnia magna (Water flea)): > 100 mg/l         aquatic invertebrates       :         Toxicity to algae/aquatic       :         plants       :         Maleic acid:       :         Toxicity to fish       :         LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l         Exposure time: 96 h         Remarks: Based on data from similar materials         Toxicity to fish       :         Costicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): 42.81 mg/l         Exposure time: 96 h       Remarks: Based on data from similar materials         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l         Exposure time: 48 h       Test substance: Neutralised product		:	
Remarks       :       Based on data from similar materials         Aspiration toxicity Not classified based on available information.         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       :         LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other       :         aquatic invertebrates       :         Toxicity to algae/aquatic       :         EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 96 h         Maleic acid:       :         Toxicity to fish       :         LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h         Maleic acid:       :         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 96 h Remarks: Based on data from similar materials         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202         Toxicity to algae/aquatic       :         Plants       :         ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201 <td></td> <td>÷</td> <td></td>		÷	
Not classified based on available information.         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       :         LL50 (Salmo trutta (brown trout)): > 100 mg/l         Exposure time: 96 h         Toxicity to daphnia and other       :         EL50 (Daphnia magna (Water flea)): > 100 mg/l         aquatic invertebrates       :         Toxicity to algae/aquatic       :         plants       :         Maleic acid:       :         Toxicity to fish       :         LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l         Exposure time: 96 h         Maleic acid:         Toxicity to fish       :         Costicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): 42.81 mg/l         Exposure time: 96 h         Remarks: Based on data from similar materials         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): 42.81 mg/l         Exposure time: 48 h       Test substance: Neutralised product         Method: OECD Test Guideline 202       :         Toxicity to algae/aquatic       :       ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 m		:	
Not classified based on available information.         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       :         LL50 (Salmo trutta (brown trout)): > 100 mg/l         Exposure time: 96 h         Toxicity to daphnia and other       :         LS0 (Daphnia magna (Water flea)): > 100 mg/l         aquatic invertebrates       :         Toxicity to algae/aquatic       :         plants       :         Maleic acid:       :         Toxicity to fish       :         LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l         Exposure time: 96 h         Maleic acid:         Toxicity to fish       :         CS0 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l         Exposure time: 96 h         Remarks: Based on data from similar materials         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): 42.81 mg/l         Exposure time: 48 h         Test substance: Neutralised product         Method: OECD Test Guideline 202         Toxicity to algae/aquatic       :         Plants       :         ErC50 (Pseudokirchneriella subcapitata (green a	Achieve to visity		
Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       :         LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :         Toxicity to algae/aquatic plants       :       EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h         Maleic acid:       :       EL50 (Selenastrum capricornutum (green algae)): > 100 m Exposure time: 96 h         Maleic acid:       :       :         Toxicity to fish       :       :         Cosicity to daphnia and other aquatic invertebrates       :       :         Toxicity to fish       :       :         Cosicity to daphnia and other aquatic invertebrates       :       :         Toxicity to daphnia and other aquatic invertebrates       :       :         Toxicity to daphnia and other aquatic invertebrates       :       :         :       :       :       :         Toxicity to algae/aquatic plants       :       :       :         :       :       :       :       :         :       :       :       :       :       :         :       :       :       :       :       :		able	information.
Ecotoxicity         Components:         Aluminum hydroxide:         Toxicity to fish       :       LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :       EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       :       EL50 (Selenastrum capricornutum (green algae)): > 100 m Exposure time: 96 h         Maleic acid:       :       Image: Colspan="2">CC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h         Toxicity to fish       :       LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h         Test substance: Neutralised product Method: OECD Test Guideline 202       :       :         Toxicity to algae/aquatic plants       :       ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h         Test substance: Neutralised product Method: OECD Test Guideline 201       :       :	ECOLOGICAL INFORMATIC	)N	
Components:         Aluminum hydroxide:         Toxicity to fish       :       LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :       EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       :       EL50 (Selenastrum capricornutum (green algae)): > 100 m Exposure time: 96 h         Maleic acid:       :       LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202         Toxicity to algae/aquatic plants       :       ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201			
Aluminum hydroxide:         Toxicity to fish       :       LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :       EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       :       EL50 (Selenastrum capricornutum (green algae)): > 100 m Exposure time: 96 h         Maleic acid:       :       C50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202         Toxicity to algae/aquatic plants       :       ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201	Ecotoxicity		
Toxicity to fish:LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:EL50 (Selenastrum capricornutum (green algae)): > 100 m Exposure time: 96 hMaleic acid::.Toxicity to fish:LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 hToxicity to fish:.Toxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:EC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201	Components:		
Exposure time: 96 hToxicity to daphnia and other aquatic invertebratesEL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 hToxicity to algae/aquatic plantsEL50 (Selenastrum capricornutum (green algae)): > 100 m Exposure time: 96 hMaleic acid:Toxicity to fish:LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 hToxicity to fish:Construction:EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201	Aluminum hydroxide:		
Toxicity to daphnia and other aquatic invertebratesEL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:EL50 (Selenastrum capricornutum (green algae)): > 100 m Exposure time: 96 hMaleic acid: Toxicity to fish:LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201	Toxicity to fish	:	LL50 (Salmo trutta (brown trout)): > 100 mg/l
aquatic invertebratesExposure time: 48 hToxicity to algae/aquatic plants:EL50 (Selenastrum capricornutum (green algae)): > 100 mMaleic acid:::Toxicity to fish:LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100mg/l Exposure time: 96 h::Toxicity to daphnia and other aquatic invertebrates::EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202:Toxicity to algae/aquatic plants::ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201			Exposure time: 96 h
aquatic invertebratesExposure time: 48 hToxicity to algae/aquatic plants:EL50 (Selenastrum capricornutum (green algae)): > 100 mMaleic acid:::Toxicity to fish:LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100mg/l Exposure time: 96 h::Toxicity to daphnia and other aquatic invertebrates::EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202:Toxicity to algae/aquatic plants::ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201	Toxicity to daphnia and other	r:	EL50 (Daphnia magna (Water flea)): > 100 mg/l
plants       Exposure time: 96 h         Maleic acid:       Image: Toxicity to fish       :       LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l         Toxicity to fish       :       LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l         Toxicity to algae/aquatic       :       EC50 (Daphnia magna (Water flea)): 42.81 mg/l         Toxicity to algae/aquatic       :       ErC50 (Daphnia magna (Water flea)): 42.81 mg/l         Toxicity to algae/aquatic       :       ErC50 (Daphnia magna (Water flea)): 42.81 mg/l         Toxicity to algae/aquatic       :       ErC50 (Depomis macrochirus (Bluegill subcapitata (green algae)): 74 mg/l         Exposure time: 72 h       Test substance: Neutralised product         Method: OECD Test Guideline 201       Method: OECD Test Guideline 201			
plantsExposure time: 96 hMaleic acid:Toxicity to fish:LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201			
Maleic acid:         Toxicity to fish       : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202         Toxicity to algae/aquatic plants       : ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201		:	
<ul> <li>Toxicity to fish</li> <li>LC50 (Lepomis macrochirus (Bluegill sunfish)): &gt; 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials</li> <li>Toxicity to daphnia and other aquatic invertebrates</li> <li>EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202</li> <li>Toxicity to algae/aquatic plants</li> <li>ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201</li> </ul>	plants		Exposure time. 96 fr
<ul> <li>mg/l Exposure time: 96 h Remarks: Based on data from similar materials</li> <li>Toxicity to daphnia and other aquatic invertebrates</li> <li>EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202</li> <li>Toxicity to algae/aquatic plants</li> <li>ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201</li> </ul>	Maleic acid:		
<ul> <li>Exposure time: 96 h Remarks: Based on data from similar materials</li> <li>Toxicity to daphnia and other aquatic invertebrates</li> <li>EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202</li> <li>Toxicity to algae/aquatic plants</li> <li>ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201</li> </ul>	Toxicity to fish	:	
<ul> <li>Remarks: Based on data from similar materials</li> <li>Toxicity to daphnia and other aquatic invertebrates</li> <li>EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202</li> <li>Toxicity to algae/aquatic plants</li> <li>ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201</li> </ul>			
<ul> <li>Toxicity to daphnia and other aquatic invertebrates</li> <li>EC50 (Daphnia magna (Water flea)): 42.81 mg/l Exposure time: 48 h Test substance: Neutralised product Method: OECD Test Guideline 202</li> <li>Toxicity to algae/aquatic plants</li> <li>ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201</li> </ul>			
aquatic invertebrates       Exposure time: 48 h         Test substance: Neutralised product         Method: OECD Test Guideline 202         Toxicity to algae/aquatic       :         plants       ErC50 (Pseudokirchneriella subcapitata (green algae)): 74         mg/l       Exposure time: 72 h         Test substance: Neutralised product       Method: OECD Test Guideline 201			
Test substance: Neutralised product         Method: OECD Test Guideline 202         Toxicity to algae/aquatic       :         plants       :         ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l         Exposure time: 72 h         Test substance: Neutralised product         Method: OECD Test Guideline 201		r :	
Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants ErC50 (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201	aquatic invertebrates		
plants mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201			
plants mg/l Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201	Toxicity to algae/aquatic		FrC50 (Pseudokirchneriella subcanitata (green algae)): 74 (
Exposure time: 72 h Test substance: Neutralised product Method: OECD Test Guideline 201		•	
Test substance: Neutralised product Method: OECD Test Guideline 201			
			Test substance: Neutralised product
EC10 (Pseudokirchneriella subcapitata (green algae)): 11.			Method: OECD Test Guideline 201
			EC10 (Pseudokirchneriella subcapitata (green algae)): 11.8
mg/l			mg/l
Exposure time: 72 h			



rsion	Revision Date: 2024/09/28		9S Number: 44699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16		
				Neutralised product Fest Guideline 201		
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 2	magna (Water flea)): > 1 mg/l 1 d on data from similar materials		
Toxic	ity to microorganisms	:	Exposure time: 1	Neutralised product		
Form	aldehyde:					
	ity to fish	:	LC50 (Morone sa Exposure time: 9	axatilis (striped bass)): 6.7 mg/l 6 h		
	ity to daphnia and other ic invertebrates	:	: EC50 (Daphnia pulex (Water flea)): 5.8 mg/l Exposure time: 48 h			
Toxic plants	ity to algae/aquatic	:	: ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg Exposure time: 72 h Method: OECD Test Guideline 201			
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 2	magna (Water flea)): 1.04 mg/l 1 d Fest Guideline 211		
Toxic	ity to microorganisms	:	: EC50 (activated sludge): 19 mg/l Exposure time: 3 h Method: OECD Test Guideline 209			
II Thior	nersal:					
	ity to fish	:	Exposure time: 9	eticulata (guppy)): > 0.01 - 0.1 mg/l 6 h on data from similar materials		
	ity to daphnia and other ic invertebrates	:	Exposure time: 4	nagna (Water flea)): > 0.01 - 0.1 mg/l 8 h on data from similar materials		
Toxic plants	ity to algae/aquatic	:	- 0.1 mg/l Exposure time: 9	rchneriella subcapitata (green algae)): > 0.0 16 h on data from similar materials		
	ctor (Acute aquatic tox-	:	10			
	ity to daphnia and other ic invertebrates (Chron- icity)					



rsion )	Revision Date: 2024/09/28		OS Number: 44699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
	ctor (Chronic aquatic	:	10	
toxicit	5,	-ility		
	stence and degradal	Jinty		
	oonents:			
	<b>c acid:</b> gradability	:	Biodegradation: Exposure time:	97 %
Form	aldehyde:			
Biode	gradability	:	Biodegradation: Exposure time: 2	99 %
Bioad	cumulative potentia	I		
Comp	ponents:			
Partiti	<b>c acid:</b> on coefficient: n- ol/water	:	log Pow: -1.3	
Form	aldehyde:			
	on coefficient: n- ol/water	:	log Pow: 0.35 Remarks: Calcu	lation
	l <b>ity in soil</b> ata available			
	rdous to the ozone la	ayer		
	r <b>adverse effects</b> ata available			

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.



VersionRevision Date:SDS Number:Date of last issue: 2024/04/066.02024/09/286344699-00008Date of first issue: 2020/09/16	
---	--

#### **14. TRANSPORT INFORMATION**

#### **International Regulations**

UNRTDG UN number Proper shipping name Class Subsidiary risk Packing group Labels Environmentally hazardous	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable no
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable

Not applicable for product as supplied.

#### **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

Not applicable

Marine pollutant

#### **15. REGULATORY INFORMATION**

#### **Related Regulations**

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Priority Assessment Chemical Substance



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06	
6.0	2024/09/28	6344699-00008	Date of first issue: 2020/09/16	

Chemical name	Number
Formaldehyde	25
Industrial Safety and Health Law	
Harmful Substances Prohibited from Manufacture	
Not applicable	
Harmful Substances Required Permission for Manufacture	
Not applicable	
Substances Prevented From Impairment of Health	
Not applicable	
Circular concerning Information on Chemicals having Mutagenicity	- Annex 2: Information
on Existing Chemicals having Mutagenicity Not applicable	
Circular concerning Information on Chemicals having Mutagenicity	- Annex 1: Information
on Notified Substances having Mutagenicity	
Not applicable	
Substances Subject to be Notified Names	
Not applicable	
Substances Subject to be Indicated Names	
Not applicable	
Skin and Eye Damage Substances for PPE Requirements (ISHL MO	Art. 594-2)
Not applicable	
Carcinogenic Substances (Article 577-2 of the Occupational Health a tions)	and Safety Regula-
Not applicable	
Ordinance on Prevention of Hazards Due to Specified Chemical Sub	stances
Not applicable	
Ordinance on Prevention of Lead Poisoning	
Not applicable	
Ordinance on Prevention of Tetraalkyl Lead Poisoning	
Not applicable	
Ordinance on Prevention of Organic Solvent Poisoning	
Not applicable	
Enforcement Order of the Industrial Safety and Health Law - Attache Substances)	d table 1 (Dangerous
Not applicable	
Poisonous and Deleterious Substances Control Law	
Deleterious substance Chemical name	Cabinat Ordar Number
sodium [(2-carboxytophenyl)thio] (ethyl) mercury and preparations	Cabinet Order Number 22.2
containing it	





rsion	Revision Date: 2024/09/28	SDS Number: 6344699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
viron			of Specific Chemical Substances in the I the Management Thereof
-	Pressure Gas Safet	y Act	
Explo	oplicable <b>osive Control Law</b> oplicable		
	el Safety Law egulated as a dangero	ous good	
	ion Law egulated as a dangere	ous good	
Marin	e Pollution and Sea	Disaster Prevention	etc Law
Bulk t	ransportation	: Not classified a	s noxious liquid substance
Pack	transportation	: Not classified a	s marine pollutant
Narco Not aj Speci	oplicable	aw Material (Export / In	nport Permission) xport / Import permission)
	e Disposal and Pub	lic Cleansing Law	
The c AICS	omponents of this	product are reported i : not determined	n the following inventories:
DSL		: not determined	
IECS	C	: not determined	
ОТНЕ	R INFORMATION		

#### Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format :		yyyy/mm/dd	
Full text of other abbreviation	ons		
ACGIH JP OEL ISHL		USA. ACGIH Threshold Limit Values (TLV) Japan. Administrative Control Levels	



Version 6.0	Revision Date: 2024/09/28	SDS Number: 6344699-00008	Date of last issue: 2024/04/06 Date of first issue: 2020/09/16
JP OE JSOH	EL JSOH	mendation of Oco	n Society for Occupational Health. Recom- cupational Exposure Limits posure limits based on biological monitoring
ACGI JP OE JP OE	H / TWA H / STEL EL ISHL / ACL EL JSOH / OEL-M EL JSOH / OEL-C		sure limit
Land Carcin Stand x% re ENCS x% gr tem; C - Inte Equip centra cal So Mariti ganisa centra Letha n.o.s. Conce Loadi Zeala ment; lative	of Brazil; ASTM - Ame hogen, Mutagen or Re lardisation; DSL - Dome esponse; ELx - Loading S - Existing and New C rowth rate response; EF GLP - Good Laboratory ment of Ships carrying ation; ICAO - Internation ubstances in China; IM me Organization; ISHL ation for Standardizatio ation to 50 % of a test p I Dose); MARPOL - In - Not Otherwise Specif entration; NO(A)EL - Ne ng Rate; NOM - Officia nd Inventory of Chemic OPPTS - Office of Che and Toxic substance; F	rican Society for the T productive Toxicant; estic Substances List (0 grate associated with hemical Substances ( GG - Emergency Respondent Practice; IARC - Intern Association; IBC - I Dangerous Chemicals nal Civil Aviation Organ DG - International Ma - Industrial Safety and n; KECI - Korea Exist population; LD50 - Lett ternational Convention ied; Nch - Chilean Not o Observed (Adverse) I Mexican Norm; NTP als; OECD - Organiza mical Safety and Pollu PICCS - Philippines Inv	s; ANTT - National Agency for Transport by esting of Materials; bw - Body weight; CMR - DIN - Standard of the German Institute for Canada); ECx - Concentration associated with x% response; EmS - Emergency Schedule; Japan); ErCx - Concentration associated with onse Guide; GHS - Globally Harmonized Sys- national Agency for Research on Cancer; IATA International Code for the Construction and s in Bulk; IC50 - Half maximal inhibitory con- nization; IECSC - Inventory of Existing Chemi- ritime Dangerous Goods; IMO - International d Health Law (Japan); ISO - International Or- ing Chemicals Inventory; LC50 - Lethal Con- hal Dose to 50% of a test population (Median n for the Prevention of Pollution from Ships; rm; NO(A)EC - No Observed (Adverse) Effect Effect Level; NOELR - No Observable Effect - National Toxicology Program; NZIOC - New tion for Economic Co-operation and Develop- tion Prevention; PBT - Persistent, Bioaccumu- ventory of Chemicals and Chemical Substanc-

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-

mation and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	6344699-00008	Date of first issue: 2020/09/16

JP / EN