

# Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.3	28.09.2024	9372491-00008	Date of first issue: 27.08.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Oxfendazole Formulation
1.2	Relevant identified uses of the	s s	ubstance or mixture and uses advised against
			Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the s	af	ety data sheet
	Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
	Telephone	:	+1-908-740-4000
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

# **1.4 Emergency telephone number**

+1-908-423-6000

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

# 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Oxfendazole Formulation**

Version 4.3	Revision Date: 28.09.2024	-	SDS Number: 9372491-0000	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Hazard pictograms		:		¥
Signa	l word	:	Danger	•
Hazard statements		:	H360FD H373	May damage fertility. May damage the unborn child. May cause damage to organs through prolonged
			H410	or repeated exposure. Very toxic to aquatic life with long lasting effects.
Preca	utionary statements	:	Prevention:	
			P201 P260 P273 P280	Obtain special instructions before use. Do not breathe dust. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
			<b>Response:</b> P308 + P313	3 IF exposed or concerned: Get medical advice/
			P391	attention. Collect spillage.

Hazardous components which must be listed on the label: oxfendazole

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

# Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
oxfendazole	53716-50-0 258-714-5	Repr. 1B; H360FD STOT RE 2; H373 (Liver, Testis) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 45 - <= 80



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# **Oxfendazole Formulation**

rsion	Revision Date: 28.09.2024	SDS Number: 9372491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021		
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1		
Substa	ances with a workpla	ce exposure limit :			
Cellulo	ose	9004-34-6 232-674-9	>= 5 - <= 20		

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

4.1 Description of mist and measur	
General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
Protection of first-aiders	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> <li>Remove contaminated clothing and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
In case of eye contact	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>Get medical attention.</li> <li>Rinse mouth thoroughly with water.</li> </ul>
4.2 Most important symptoms and	l effects, both acute and delayed
Risks	May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.
	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 4.3	Revision Date: 28.09.2024		9S Number: 72491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
Treatment		:	Treat symptomatically and supportively.		
SECTION	N 5: Firefighting meas	sur	es		
5.1 Exting	uishing media				
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical		
	Unsuitable extinguishing media		High volume wate	er jet	
5.2 Specia	al hazards arising from	the	substance or mi	xture	
Spec	Specific hazards during fire- fighting : Avoid generating dust; fine concentrations, and in the p potential dust explosion has Do not use a solid water stu- fire.		dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a		
Haza ucts	rdous combustion prod-	:	: Carbon oxides Metal oxides Nitrogen oxides (NOx) Sulphur oxides		
5.3 Advic	e for firefighters				
	ial protective equipment efighters	:		e, wear self-contained breathing apparatus. tective equipment.	
Spec ods	ific extinguishing meth-	:	Use extinguishing measures that are appropriate to local cir cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.		
SECTION	N 6: Accidental releas	se r	neasures		
6.1 Perso	nal precautions, protec	ctive	e equipment and	emergency procedures	
	onal precautions	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).			
6.2 Enviro	onmental precautions				
	-				

Environmental precautions	:	Avoid release to the environment.
		Prevent further leakage or spillage if safe to do so.
		Retain and dispose of contaminated wash water.



# Oxfendazole Formulation

Version 4.3	Revision Date: 28.09.2024	SDS Number: 9372491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			rs rivers or watercourses, inform the Environ- emergency telephone number 0800 807060).
6.3 Metho	ds and material for c	ontainment and clea	ning up
Meth	6.3 Methods and material for contai Methods for cleaning up :		acuum up spillage and collect in suitable con- sal. of dust in the air (i.e., clearing dust surfaces ed air). should not be allowed to accumulate on surfac- ay form an explosive mixture if they are re- atmosphere in sufficient concentration. al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.

# 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion.
		Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	
		Do not breathe dust. Do not swallow.
		Avoid contact with eyes.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-
		Keep container tightly closed.
		Minimize dust generation and accumulation.
		Keep container closed when not in use.
		Keep away from heat and sources of ignition.
		Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye
		flushing systems and safety showers close to the working
		place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.
		The effective operation of a facility should include review of
		engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,



# Oxfendazole Formulation

Version 4.3	Revision Date: 28.09.2024	SDS Number: 9372491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			ene monitoring, medical surveillance and the strative controls.
7.2 Condit	ions for safe storage,	including any inco	ompatibilities
Requirements for storage areas and containers			rly labelled containers. Store locked up. Keep Store in accordance with the particular national
Advice on common storage		Strong oxidizir	substances and mixtures
7.3 Specif	ic end use(s)		
-	fic use(s)	: No data availa	ble

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# **Occupational Exposure Limits**

dust of any kind	10 mg/m3
	Value type (Form of exposure): TWA (Inhalable)
	Basis: GB EH40

4 mg/m3 Value type (Form of exposure): TWA (Respirable fraction) Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
oxfendazole	53716-50-0	TWA	40 µg/m3 (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Cellulose	9004-34-6	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
		STEL (inhalable dust)	20 mg/m3	GB EH40

# 8.2 Exposure controls

# Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Oxfendazole Formulation

Version 4.3	Revision Date: 28.09.2024		DS Number: 72491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Minii	mize open handling.			
Pers	onal protective equipm	nent		
Eye	/face protection	:	If the work enviro mists or aerosols Wear a faceshield	ses with side shields or goggles. nment or activity involves dusty conditions, , wear the appropriate goggles. d or other full face protection if there is a et contact to the face with dusts, mists, or
Han	d protection			
Ν	laterial	:	Chemical-resistar	nt gloves
-	emarks and body protection	:	<ul> <li>Consider double gloving.</li> <li>Work uniform or laboratory coat. Additional body garments should be used based upon t being performed (e.g., sleevelets, apron, gauntlets, disp suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove poter contaminated clothing.</li> </ul>	
	piratory protection	:	If adequate local of sure assessment ommended guide Equipment should	exhaust ventilation is not available or expo- demonstrates exposures outside the rec- lines, use respiratory protection. d conform to BS EN 143
F	ïlter type	:	Particulates type	(P)

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	powder No data available No data available No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available
range Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Oxfendazole Formulation

Ver 4.3	sion	Revision Date: 28.09.2024		S Number: 72491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	Relativ	e vapour density	:	Not applicable	
	Relativ	e density	:	No data available	9
	Density	/	:	No data available	e
	Partitio octano Auto-ig Decom Viscos Visco Explos	ter solubility in coefficient: n- l/water inition temperature position temperature	::	No data available Not applicable No data available No data available Not applicable Not explosive The substance o	9
9.2	Other in	nformation			
	Flamm	ability (liquids)	:	No data available	9
	Molecu	ılar weight	:	No data available	9
	Particle	e size	:	No data available	9

# **SECTION 10: Stability and reactivity**

10.1	Reactivity	
10.1	Reactivity	

Not classified as a reactivity hazard.

# 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions : May form explosive dust-air mixture. Can react with strong oxidizing agents. 10.4 Conditions to avoid Conditions to avoid : Heat, flames and sparks. Avoid dust formation.

# 10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Oxfendazole Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.3	28.09.2024	9372491-00008	Date of first issue: 27.08.2021

# 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

1.1 Information on toxicological effects						
Information on likely rout exposure	es of :	Inhalation Skin contact Ingestion Eye contact				
Acute toxicity						
Not classified based on a	available	information.				
Components:						
oxfendazole:						
Acute oral toxicity	:	LD50 (Rat): > 6,000 mg/kg				
		LD50 (Dog): 1,600 mg/kg				
		LD50 (sheep): 250 mg/kg				
Cellulose:						
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg				
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg				
	Skin corrosion/irritation Not classified based on available information.					
Components:						
oxfendazole:						
Species Result	:	Rabbit No skin irritation				
Serious eye damage/ey	Serious eye damage/eye irritation					
Not classified based on a	Not classified based on available information.					
Components:	<u>Components:</u>					
oxfendazole:						
Species Result	:	Rabbit No eye irritation				

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 4.3	Revision Date: 28.09.2024		DS Number: 72491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Resp	piratory or skin sensiti	satio	on	
	sensitisation classified based on avail	able	information.	
-	<b>viratory sensitisation</b> classified based on avail	able	information.	
	n cell mutagenicity classified based on avail	able	information.	
Com	ponents:			
	ndazole: otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
Genc	otoxicity in vivo	:		jenicity (in vivo mammalian bone-marrow chromosomal analysis) e: Oral
Cellu	llose:			
Genc	otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Test Type: In vitro Result: negative	o mammalian cell gene mutation test
Genc	otoxicity in vivo	:	Test Type: Mamn cytogenetic assay Species: Mouse Application Route Result: negative	
	<b>inogenicity</b> lassified based on avail	able	information.	
Com	ponents:			
oxfei	ndazole:			

Species Application Route Exposure time Symptoms Target Organs	:	Rat Oral 1 Years No adverse effects Liver
Species Application Route Exposure time Symptoms Target Organs	: : : : : : : : : : : : : : : : : : : :	Rat Oral 2 Years No adverse effects Liver

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Oxfendazole Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.3	28.09.2024	9372491-00008	Date of first issue: 27.08.2021

# Cellulose:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

# Reproductive toxicity

May damage fertility. May damage the unborn child.

# **Components:**

# oxfendazole:

Effects on fertility :	Test Type: Fertility/early embryonic development Species: Rat, male Application Route: Oral Fertility: NOAEL: 17 mg/kg body weight Target Organs: Testes Result: Effects on fertility
	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 0.9 mg/kg body weight Target Organs: Liver Result: No effects on fertility
	Test Type: Fertility Species: Mouse Application Route: Oral Duration of Single Treatment: 1 Months Fertility: NOAEL: 750 mg/kg body weight Target Organs: Testes Result: Effects on fertility
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: positive, Fetal effects
	Test Type: Embryo-foetal development Species: Rat Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: positive, Embryo-foetal toxicity
	Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Developmental Toxicity: NOAEL: 108 mg/kg body weight Result: positive, Embryo-foetal toxicity, foetal abnormalities

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Oxfendazole Formulation**

Version 4.3	Revision Date: 28.09.2024	SDS Number: 9372491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021		
		Species: Rab Application R			
Reproductive toxicity - As- sessment		ity, based on	: Clear evidence of adverse effects on sexual function and fertil- ity, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.		
Cellu	llose:				
Effec	ts on fertility	Species: Rat	oute: Ingestion		
Effec ment	ts on foetal develop-	Species: Rat	oute: Ingestion		

# STOT - single exposure

Not classified based on available information.

# STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### Components:

### oxfendazole:

Exposure routes	:	Oral
Target Organs	:	Liver, Testis
Assessment	:	May cause damage to organs through prolonged or repeated
		exposure.

### Repeated dose toxicity

### **Components:**

### oxfendazole:

Species	:	Rat
NOAEL	:	11 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Blood, Liver, Testis
Species	:	Rat
NOAEL	:	3.8 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver, Testis
Species	:	Mouse

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Oxfendazole Formulation

Version 4.3	Revision Date: 28.09.2024	SDS Number: 9372491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021			
Expo	EL cation Route sure time et Organs	: 750 mg/kg : Oral : 1 Months : Liver				
Expo		: Mouse : 37.5 mg/kg : Oral : 3 Months : Liver				
	EL cation Route sure time	: Dog : 6 mg/kg : Oral : 1 Months : No significant	adverse effects were reported			
Expo		: Dog : 11 mg/kg : Oral : 2 Weeks : Lymph nodes,	, thymus gland			
Expo		: Dog : 13.5 mg/kg : Oral : 12 Months : Liver				
Cellu	llose:					
		: Rat : >= 9,000 mg/k : Ingestion : 90 Days	kġ			
-	ration toxicity					
	lassified based on ava					
SECTION	SECTION 12: Ecological information					

12.1 Toxicity	
Components:	

# oxfendazole:

Toxicity to fish	
------------------	--

: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l Exposure time: 96 h



Ver 4.3	sion	Revision Date: 28.09.2024		OS Number: 72491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
		y to daphnia and other c invertebrates	:	Exposure time: 48	nagna (Water flea)): 0.059 mg/l 8 h est Guideline 202
	Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD T	
				NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD T	
	M-Fact icity)	tor (Acute aquatic tox-	:	10	
		y to daphnia and other c invertebrates (Chron- ity)		NOEC: 0.023 mg. Exposure time: 2 Species: Daphnia Method: OECD T	1 d a magna (Water flea)
	M-Fact toxicity	tor (Chronic aquatic ′)	:	1	
	<b>Cellulo</b> Toxicit	<b>ose:</b> y to fish	:	Exposure time: 48	ipes (Japanese medaka)): > 100 mg/l 8 h on data from similar materials
12.2	2 Persis	tence and degradabil	ity		
	Comp	onents:			
		<b>dazole:</b> y in water	:	Hydrolysis: < 5 %	o(4 d)
	<b>Cellulo</b> Biodeg	ose: gradability	:	Result: Readily bi	iodegradable.
12.3	Bioac	cumulative potential			
	<u>Comp</u>	onents:			
	Partitic	<b>lazole:</b> on coefficient: n- I/water	:	log Pow: 1.95	
12.4	4 Mobili	ty in soil			
	Comp	onents:			
	oxfend	dazole:			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Oxfendazole Formulation

Version 4.3	Revision Date: 28.09.2024		Number: 2491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	tribution among environ- ntal compartments	: lo	og Koc: 3.2	
12.5 Re	sults of PBT and vPvB a	ssess	ment	
	oduct: sessment	te v	o be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Otl	her adverse effects			
	oduct: docrine disrupting poten-	е	ered to have ende	ixture does not contain components consid- ocrine disrupting properties for environment REACH Article 57(f).
SECTIO	ON 13: Disposal consi	derati	ons	
13.1 Wa	ste treatment methods			
Pro	oduct	A a	According to the lare not product sp	ordance with local regulations. European Waste Catalogue, Waste Codes pecific, but application specific. uld be assigned by the user, preferably in

Contaminated packaging	<ul> <li>discussion with the waste disposal authorities.</li> <li>Do not dispose of waste into sewer.</li> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>
	Il not otherwise specified. Dispose of as unused product.

# **SECTION 14: Transport information**

# 14.1 UN number

: UN 3077
: UN 3077
name
: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole)
: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole)



Vers 4.3	sion	Revision Date: 28.09.2024		9S Number: 72491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
	RID		:	ENVIRONMENTA N.O.S. (oxfendazole)	ALLY HAZARDOUS SUBSTANCE, SOLID,	
	IMDG		:	ENVIRONMENTA N.O.S. (oxfendazole)	ALLY HAZARDOUS SUBSTANCE, SOLID,	
	ΙΑΤΑ		:	Environmentally hazardous substance, solid, n.o.s. (oxfendazole)		
14.3	Transp	oort hazard class(es)				
				Class	Subsidiary risks	
	ADN		•	9		
	ADR			9		
	RID		÷	9		
	IMDG			9		
	IATA		•			
14.4		ng group	•	9		
		.9.9.9.9P				
	Classif	g group ication Code I Identification Number	:	III M7 90 9		
	ADR		•	C C		
	Packing	g group	:	III		
		ication Code	:	M7 90		
	Labels		÷	90		
	Tunnel	restriction code	:	(-)		
	RID					
		g group ication Code	÷	III M7		
		Identification Number	÷	90		
	Labels		:	9		
	IMDG					
	Labels	g group	:	III 9		
	EmS C	ode	:	F-A, S-F		
	IATA ( Packing aircraft	g instruction (cargo	:	956		
		g instruction (LQ)	:	Y956		
	Packin	g group	:			
	Labels		:	Miscellaneous		
		Passenger) g instruction (passen-	:	956		





# Oxfendazole Formulation

Version 4.3	Revision Date: 28.09.2024		DS Number: 372491-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Packin Labels	g instruction (LQ) g group	:	Y956 III Miscellaneous	
14.5 Enviro	onmental hazards			
<b>ADN</b> Enviro	nmentally hazardous	:	yes	
<b>ADR</b> Enviro	nmentally hazardous	:	yes	
<b>RID</b> Enviro	nmentally hazardous	:	yes	
<b>IMDG</b> Marine	pollutant	:	yes	
	Passenger) nmentally hazardous	:	yes	
	Cargo) nmentally hazardous	:	yes	

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

E1 ENVIRONM	ENTAL	Quantity 1 100 t	Quantity 2 200 t
Control of Major Accident Hazards Regulations	2015 (COMA	H)	
GB Export and import of hazardous chemicals Informed Consent (PIC) Regulation		Not applicable	
(Annex XIV)			
layer UK REACH List of substances subject to autho	risation :	Not applicable	
Regulation (EC) on substances that deplete the	e ozone :	Not applicable	
Regulation (EU) 2019/1021 as amended for Gr ain)	eat Brit-		
concern (SVHC) for Authorisation The Persistent Organic Pollutants Regulations	(retained :	Not applicable	
UK REACH Candidate list of substances of ver	y high :	Not applicable	
UK REACH List of restrictions (Annex 17)	:	Not applicable	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.3	28.09.2024	9372491-00008	Date of first issue: 27.08.2021

### HAZARDS

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

# 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

Other information		Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.		
Full text of H-Statements				
H360FD	:	May damage fertility. May damage the unborn child.		
H373	:	May cause damage to organs through prolonged or repeated exposure.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Repr.	:	Reproductive toxicity		
STOT RE	:	Specific target organ toxicity - repeated exposure		
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits		
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-



# Oxfendazole Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.3	28.09.2024	9372491-00008	Date of first issue: 27.08.2021

boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# Further information

Sources of key data used to : compile the Safety Data Sheet		Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/	
Classification of the mixtur	e:		Classification procedure:
Repr. 1B	H3(	60FD	Calculation method
STOT RE 2	H3	73	Calculation method
Aquatic Acute 1	H4(	00	Calculation method
Aquatic Chronic 1	H4 <sup>-</sup>	10	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN