

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
Date of first issue: 19.03.2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Oxfendazole / Oxyclozanide Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary medicine

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Reproductive toxicity : Category 1B

Specific target organ toxicity - : Category 2 (Central nervous system)
single exposure (Oral)

Specific target organ toxicity - : Category 2 (Liver, Testis, Brain)
repeated exposure

Short-term (acute) aquatic : Category 1
hazard

Long-term (chronic) aquatic : Category 1
hazard

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360FD May damage fertility. May damage the unborn child.
H371 May cause damage to organs (Central nervous system) if
swallowed.

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
Date of first issue: 19.03.2021

H373 May cause damage to organs (Liver, Testis, Brain) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P260 Do not breathe dust.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P391 Collect spillage.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Oxyclozanide	2277-92-1	Acute toxicity (Oral), Category 5 Reproductive toxicity, Category 2 Specific target organ toxicity - single exposure (Oral) (Central nervous system), Category 2 Specific target organ toxicity - repeated exposure (Brain, Liver), Category 2 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	>= 30 -< 50
oxfendazole	53716-50-0	Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure (Liver, Testis), Category 2 Short-term (acute)	>= 20 -< 25

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

		aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	
Starch, oxidized	65996-62-5		>= 10 -< 20
Magnesium stearate	557-04-0		>= 1 -< 5

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May damage fertility. May damage the unborn child.
May cause damage to organs if swallowed.
May cause damage to organs through prolonged or repeated exposure.
Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Oxfendazole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	7942503-00007	Date of first issue: 19.03.2021

- Hazardous combustion products : Carbon oxides
Chlorine compounds
Nitrogen oxides (NO_x)
Metal oxides
Oxides of phosphorus
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
-

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
Date of first issue: 19.03.2021

- Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oxyclozanide	2277-92-1	TWA	0.4 mg/m ³ (OEB 2)	Internal
oxfendazole	53716-50-0	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal
Starch, oxidized	65996-62-5	TWA (inhalable dust)	0,5 mg/m ³	ACGIH
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate)	3 mg/m ³	ACGIH

Oxfendazole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	7942503-00007	Date of first issue: 19.03.2021

--	--	--	--

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white to off-white, light cream, cream

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Oxfendazole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	7942503-00007	Date of first issue: 19.03.2021

Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	0,88 g/cm ³
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
Date of first issue: 19.03.2021

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Components:**Oxyclozanide:**

Acute oral toxicity : LD50 (Rat): 3.519 mg/kg
Target Organs: Central nervous system

Acute toxicity (other routes of administration) : LDLo (sheep): 10 mg/kg
Application Route: Intravenous

oxfendazole:

Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg
LD50 (Dog): 1.600 mg/kg
LD50 (sheep): 250 mg/kg

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Oxyclozanide:**

Remarks : Not classified due to lack of data.

oxfendazole:

Species : Rabbit
Result : No skin irritation

Magnesium stearate:

Species : Rabbit

Oxfendazole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	7942503-00007	Date of first issue: 19.03.2021

Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Oxyclozanide:**

Remarks	:	Not classified due to lack of data.
---------	---	-------------------------------------

oxfendazole:

Species	:	Rabbit
Result	:	No eye irritation

Magnesium stearate:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Oxyclozanide:**

Routes of exposure	:	Dermal
Remarks	:	Not classified due to lack of data.

Magnesium stearate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**Oxyclozanide:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: Chromosomal aberration

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

	Test system: Human lymphocytes Result: positive
	Test Type: Mouse Lymphoma Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

oxfendazole:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Oral Result: positive

Magnesium stearate:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Oxyclozanide:**

||Remarks : Not classified due to lack of data.

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

oxfendazole:

Species : Rat
 Application Route : Oral
 Exposure time : 1 Years
 Symptoms : No adverse effects.
 Target Organs : Liver

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 Symptoms : No adverse effects.
 Target Organs : Liver

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**Oxyclozanide:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat, male and female
 Application Route: Oral
 General Toxicity Parent: NOAEL: 25 - 35 mg/kg body weight
 Symptoms: Reduced body weight, No effects on embryofetal and postnatal development.
 Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 General Toxicity Parent: LOAEL: 75 - 100 mg/kg body weight
 Symptoms: Reduced body weight, No effects on embryofetal and postnatal development.
 Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Early Embryonic Development: LOAEL: 75 - 100 mg/kg body weight
 Result: No fetotoxicity., No teratogenic effects.

Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 General Toxicity Parent: LOAEL: 80 - 160 mg/kg body weight
 Result: No fetotoxicity., No teratogenic effects., No effects on fertility.

Effects on fetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 200 mg/kg body weight
 Result: No fetotoxicity., No teratogenic effects.

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

Test Type: Development
 Species: Rat
 Application Route: Oral
 General Toxicity Maternal: LOAEL: 100 mg/kg body weight
 Result: No fetotoxicity., No teratogenic effects.

Test Type: Development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 32 mg/kg body weight
 Result: Fetotoxicity., Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

oxfendazole:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat, male
 Application Route: Oral
 Fertility: NOAEL: 17 mg/kg body weight
 Target Organs: Testes
 Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Fertility: NOAEL: 0,9 mg/kg body weight
 Target Organs: Liver
 Result: No effects on fertility.

Test Type: Fertility
 Species: Mouse
 Application Route: Oral
 Duration of Single Treatment: 1 Months
 Fertility: NOAEL: 750 mg/kg body weight
 Target Organs: Testes
 Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 10 mg/kg body weight
 Result: positive, Fetal effects.

Test Type: Embryo-fetal development
 Species: Rat
 Developmental Toxicity: NOAEL: 10 mg/kg body weight
 Result: positive, Embryo-fetal toxicity.

Test Type: Embryo-fetal development
 Species: Mouse
 Application Route: Oral
 Developmental Toxicity: NOAEL: 108 mg/kg body weight
 Result: positive, Embryo-fetal toxicity., Fetal abnormalities.

Oxfendazole / Oxclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

Reproductive toxicity - Assessment : Test Type: Embryo-fetal development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 0,625 mg/kg body weight
 : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials
 Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

STOT-single exposure

May cause damage to organs (Central nervous system) if swallowed.

Components:**Oxclozanide:**

Routes of exposure : Oral
 Target Organs : Central nervous system
 Assessment : May cause damage to organs.

STOT-repeated exposure

May cause damage to organs (Liver, Testis, Brain) through prolonged or repeated exposure.

Components:**Oxclozanide:**

Target Organs : Brain, Liver
 Assessment : May cause damage to organs through prolonged or repeated exposure.

oxfendazole:

Routes of exposure : Oral
 Target Organs : Liver, Testis
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

Repeated dose toxicity**Components:****Oxyclozanide:**

Species : Rat
 NOAEL : 9 mg/kg
 LOAEL : 44,5 mg/kg
 Application Route : Oral
 Exposure time : 3 Months
 Target Organs : Brain, Liver, spleen, Adrenal gland
 Symptoms : Liver effects

Species : Dog
 NOAEL : 5 mg/kg
 LOAEL : 25 mg/kg
 Application Route : Oral
 Exposure time : 3 Months
 Target Organs : Brain, Liver
 Symptoms : blood effects, alteration in liver enzymes

oxfendazole:

Species : Rat
 NOAEL : 11 mg/kg
 Application Route : Oral
 Exposure time : 2 Weeks
 Target Organs : Blood, Liver, Testis

Species : Rat
 NOAEL : 3,8 mg/kg
 Application Route : Oral
 Exposure time : 3 Months
 Target Organs : Liver, Testis

Species : Mouse
 NOAEL : 750 mg/kg
 Application Route : Oral
 Exposure time : 1 Months
 Target Organs : Liver

Species : Mouse
 NOAEL : 37,5 mg/kg
 Application Route : Oral
 Exposure time : 3 Months
 Target Organs : Liver

Species : Dog
 NOAEL : 6 mg/kg
 Application Route : Oral
 Exposure time : 1 Months
 Remarks : No significant adverse effects were reported

Species : Dog
 NOAEL : 11 mg/kg
 Application Route : Oral

Oxfendazole / Oxytoclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

Exposure time : 2 Weeks
 Target Organs : Lymph nodes, thymus gland

Species : Dog
 NOAEL : 13,5 mg/kg
 Application Route : Oral
 Exposure time : 12 Months
 Target Organs : Liver

Starch, oxidized:

Species : Rat
 NOAEL : 22.500 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Magnesium stearate:

Species : Rat
 NOAEL : > 100 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days
 Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:**Oxytoclozanide:**

Not applicable

Experience with human exposure**Components:****Oxytoclozanide:**

Ingestion : Symptoms: May cause, Gastrointestinal disturbance, Central nervous system depression

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Oxytoclozanide:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,69 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

oxfendazole:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2,7 mg/l
 Exposure time: 96 h
 LC50 (Oncorhynchus mykiss (rainbow trout)): > 2,5 mg/l
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,059 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,023 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1

Magnesium stearate:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
 Exposure time: 48 h
 Method: DIN 38412
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l
 Exposure time: 47 h
 Test substance: Water Accommodated Fraction
 Method: Directive 67/548/EEC, Annex V, C.2.
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility.
 NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
 Date of first issue: 19.03.2021

Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l
 Exposure time: 16 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Persistence and degradability**Components:****Oxyclozanide:**

Stability in water : Hydrolysis: 50 %(156 d)
 Method: OECD Test Guideline 111

oxfendazole:

Stability in water : Hydrolysis: < 5 %(4 d)

Magnesium stearate:

Biodegradability : Result: Not biodegradable
 Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Oxyclozanide:**

Partition coefficient: n-octanol/water : log Pow: 3,99
 pH: 7
 Method: OECD Test Guideline 107

oxfendazole:

Partition coefficient: n-octanol/water : log Pow: 1,95

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Mobility in soil**Components:****Oxyclozanide:**

Distribution among environmental compartments : log Koc: 4,83
 Method: OECD Test Guideline 106

oxfendazole:

Distribution among environmental compartments : log Koc: 3,2

Oxfendazole / Oxyclozanide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 7942503-00007 Date of last issue: 04.04.2023
Date of first issue: 19.03.2021

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.
-

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

- UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(oxfendazole, oxyclozanide)
- Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

- UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(oxfendazole, Oxyclozanide)
- Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(oxfendazole, Oxyclozanide)
- Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023
4.0 30.09.2023 7942503-00007 Date of first issue: 19.03.2021

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(oxfendazole, oxyclozanide)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

Oxfendazole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	7942503-00007	Date of first issue: 19.03.2021

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8