

# Oxfendazole / Oxyclozanide Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 28.09.2024 7942503-00008 Date of first issue: 19.03.2021 5.0

#### **SECTION 1. IDENTIFICATION**

Product identifier : Oxfendazole / Oxyclozanide Formulation

Manufacturer or supplier's details

: MSD Company

: Rua Coronel Bento Soares, 530 Address

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone 908-740-4000

1-908-423-6000 Emergency telephone

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary medicine Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification in accordance with ABNT NBR 14725 Standard

Reproductive toxicity Category 1B

Specific target organ toxicity - :

single exposure (Oral)

Category 2 (Central nervous system)

repeated exposure

Specific target organ toxicity - : Category 2 (Liver, Testis, Brain)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms



Signal Word Danger

Hazard Statements H360FD May damage fertility. May damage the unborn child.

H371 May cause damage to organs (Central nervous system) if

swallowed.



# Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 28.09.2024 7942503-00008 Date of first issue: 19.03.2021

H373 May cause damage to organs (Liver, Testis, Brain)

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor. P391 Collect spillage.

Storage:

P405 Store locked up.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Oxyclozanide	2277-92-1	Acute Tox. (Oral), 5 Repr., 2 STOT SE, (Oral)(Central nervous system), 2 STOT RE, (Brain, Liver), 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 30 -< 50
oxfendazole	53716-50-0	Repr., 1B STOT RE, (Liver, Testis) , 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 20 -< 25
Starch, oxidized	65996-62-5		>= 10 -< 20
Magnesium stearate	557-04-0		>= 1 -< 5

#### **SECTION 4. FIRST AID MEASURES**



## Oxfendazole / Oxyclozanide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 28.09.2024
 7942503-00008
 Date of first issue: 19.03.2021

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May damage fertility. May damage the unborn child.

May cause damage to organs if swallowed.

May cause damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Metal oxides

Oxides of phosphorus

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do



## Oxfendazole / Oxyclozanide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 28.09.2024
 7942503-00008
 Date of first issue: 19.03.2021

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.



## Oxfendazole / Oxyclozanide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 28.09.2024
 7942503-00008
 Date of first issue: 19.03.2021

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oxyclozanide	2277-92-1	TWA	0.4 mg/m3 (OEB 2)	Internal
oxfendazole	53716-50-0	TWA	40 μg/m3 (OEB 3)	Internal
		Wipe limit	400 μg/100 cm <sup>2</sup>	Internal
Starch, oxidized	65996-62-5	TWA (inhalable dust)	0,5 mg/m³	ACGIH
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of



## Oxfendazole / Oxyclozanide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 28.09.2024
 7942503-00008
 Date of first issue: 19.03.2021

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : powder

Color : white to off-white, light cream, cream

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available



# Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 28.09.2024 7942503-00008 Date of first issue: 19.03.2021

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : 0,88 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition : No

products

Oxidizing agentsNo hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.



## Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 28.09.2024 7942503-00008 Date of first issue: 19.03.2021 5.0

**Product:** 

Acute oral toxicity Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

**Components:** 

Oxyclozanide:

Acute oral toxicity : LD50 (Rat): 3.519 mg/kg

Target Organs: Central nervous system

Acute toxicity (other routes of : LDLo (sheep): 10 mg/kg

administration)

Application Route: Intravenous

oxfendazole:

Acute oral toxicity LD50 (Rat): > 6.000 mg/kg

LD50 (Dog): 1.600 mg/kg

LD50 (sheep): 250 mg/kg

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Oxyclozanide:

Remarks : Not classified due to lack of data.

oxfendazole:

**Species** Rabbit

Result No skin irritation

Magnesium stearate:

Species Rabbit

Result No skin irritation

Remarks Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.



# Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 28.09.2024 7942503-00008 Date of first issue: 19.03.2021

**Components:** 

Oxyclozanide:

Remarks : Not classified due to lack of data.

oxfendazole:

Species : Rabbit

Result : No eye irritation

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Components:** 

Oxyclozanide:

Routes of exposure : Dermal

Remarks : Not classified due to lack of data.

Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Oxyclozanide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Test Type: Mouse Lymphoma

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test



# Oxfendazole / Oxyclozanide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 28.09.2024
 7942503-00008
 Date of first issue: 19.03.2021

Species: Mouse Application Route: Oral Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat
Cell type: Liver cells
Application Route: Oral
Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

oxfendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse Application Route: Oral

Result: positive

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

**Components:** 

Oxyclozanide:

Remarks : Not classified due to lack of data.

oxfendazole:

Species : Rat
Application Route : Oral
Exposure time : 1 Years

Symptoms : No adverse effects.

Target Organs : Liver



## Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 28.09.2024 7942503-00008 Date of first issue: 19.03.2021

Species : Rat
Application Route : Oral
Exposure time : 2 Years

Symptoms : No adverse effects.

Target Organs : Liver

## Reproductive toxicity

May damage fertility. May damage the unborn child.

#### **Components:**

### Oxyclozanide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat, male and female

**Application Route: Oral** 

General Toxicity Parent: NOAEL: 25 - 35 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofetal

and postnatal development. Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity Parent: LOAEL: 75 - 100 mg/kg body weight Symptoms: Reduced body weight, No effects on embryofetal

and postnatal development. Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: LOAEL: 75 - 100 mg/kg body

weight

Result: No fetotoxicity., No teratogenic effects.

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity Parent: LOAEL: 80 - 160 mg/kg body weight Result: No fetotoxicity., No teratogenic effects., No effects on

fertility.

Effects on fetal development : Test Type: Development

Species: Rat

**Application Route: Oral** 

Developmental Toxicity: NOAEL: 200 mg/kg body weight

Result: No fetotoxicity., No teratogenic effects.

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 100 mg/kg body weight

Result: No fetotoxicity., No teratogenic effects.

Test Type: Development



## Oxfendazole / Oxyclozanide Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 28.09.2024 7942503-00008 Date of first issue: 19.03.2021 5.0

> Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 32 mg/kg body weight

Result: Fetotoxicity., Skeletal malformations.

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

oxfendazole:

Effects on fertility Test Type: Fertility/early embryonic development

> Species: Rat, male Application Route: Oral

Fertility: NOAEL: 17 mg/kg body weight

**Target Organs: Testes** Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 0,9 mg/kg body weight

Target Organs: Liver

Result: No effects on fertility.

Test Type: Fertility Species: Mouse **Application Route: Oral** 

**Duration of Single Treatment: 1 Months** Fertility: NOAEL: 750 mg/kg body weight

Target Organs: Testes Result: Effects on fertility.

Test Type: Embryo-fetal development Effects on fetal development:

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Fetal effects.

Test Type: Embryo-fetal development

Species: Rat

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Embryo-fetal toxicity.

Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Developmental Toxicity: NOAEL: 108 mg/kg body weight Result: positive, Embryo-fetal toxicity., Fetal abnormalities.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 0,625 mg/kg body weight

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and

fertility, based on animal experiments., Clear evidence of



# Oxfendazole / Oxyclozanide Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 28.09.2024 7942503-00008 Date of first issue: 19.03.2021 5.0

adverse effects on development, based on animal

experiments.

Magnesium stearate:

Effects on fertility Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

#### STOT-single exposure

May cause damage to organs (Central nervous system) if swallowed.

### **Components:**

## Oxyclozanide:

Routes of exposure : Oral

Target Organs : Central nervous system Assessment : May cause damage to organs.

### STOT-repeated exposure

May cause damage to organs (Liver, Testis, Brain) through prolonged or repeated exposure.

#### **Components:**

## Oxyclozanide:

Target Organs Brain, Liver

Assessment May cause damage to organs through prolonged or repeated

exposure.

#### oxfendazole:

Routes of exposure Oral

Target Organs : Liver, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

## Repeated dose toxicity

#### **Components:**

#### Oxyclozanide:

Species Rat NOAEL 9 mg/kg LOAEL 44,5 mg/kg Oral

Application Route



# Oxfendazole / Oxyclozanide Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 28.09.2024 7942503-00008 Date of first issue: 19.03.2021 5.0

Exposure time 3 Months

Target Organs Brain, Liver, spleen, Adrenal gland

Symptoms Liver effects

Species Dog NOAEL 5 mg/kg LOAEL 25 mg/kg Application Route Oral 3 Months Exposure time Target Organs : Brain, Liver

Symptoms blood effects, alteration in liver enzymes

oxfendazole:

Species Rat NOAEL 11 mg/kg NOAEL
Application Route
Exposure time
Target Organs Oral : 2 Weeks

Target Organs Blood, Liver, Testis

Species Rat NOAEL 3,8 mg/kg NOAEL Application Route Oral Exposure time 3 Months Target Organs Liver, Testis

Species Mouse NOAEL 750 mg/kg Application Route Oral Exposure time 1 Months Target Organs Liver

Species Mouse 37,5 mg/kg NOAEL Application Route Oral Exposure time 3 Months Target Organs Liver

Dog Species NOAEL 6 mg/kg Application Route
Exposure time Oral 1 Months

Remarks No significant adverse effects were reported

Species Dog NOAEL 11 mg/kg Application Route Oral Exposure time 2 Weeks

Target Organs Lymph nodes, thymus gland

Species Dog NOAEL 13,5 mg/kg Application Route Oral Exposure time 12 Months Target Organs Liver



# Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 28.09.2024 7942503-00008 Date of first issue: 19.03.2021

Starch, oxidized:

Species : Rat

NOAEL : 22.500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.

**Components:** 

Oxyclozanide:

Not applicable

Experience with human exposure

**Components:** 

Oxyclozanide:

Ingestion : Symptoms: May cause, Gastrointestinal disturbance, Central

nervous system depression

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

Oxyclozanide:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,69 mg/l

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox- : 1

ıcıty)

M-Factor (Chronic aquatic : 1

toxicity)

oxfendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2,7 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2,5 mg/l

Exposure time: 96 h



## Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 28.09.2024 7942503-00008 Date of first issue: 19.03.2021

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,059 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Method: OECD Test Guideline 211

M-Factor (Acute aquatic tox- :

citv)

. 10

Toxicity to daphnia and other : aquatic invertebrates (Chron-

aqualic ilivertebra

NOEC (Daphnia magna (Water flea)): 0,023 mg/l

Exposure time: 21 d

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

: 1

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

ma/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials



# Oxfendazole / Oxyclozanide Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 28.09.2024 7942503-00008 Date of first issue: 19.03.2021 5.0

II

Persistence and degradability

**Components:** 

Oxyclozanide:

Stability in water Hydrolysis: 50 %(156 d)

Method: OECD Test Guideline 111

oxfendazole:

Stability in water Hydrolysis: < 5 %(4 d)

Magnesium stearate:

Biodegradability Result: Not biodegradable

Remarks: Based on data from similar materials

**Bioaccumulative potential** 

**Components:** 

Oxyclozanide:

Partition coefficient: n-: log Pow: 3,99 octanol/water

pH: 7

Method: OECD Test Guideline 107

oxfendazole:

Partition coefficient: n-

octanol/water

log Pow: 1,95

Magnesium stearate:

Partition coefficient: n-

: log Pow: > 4

octanol/water

Mobility in soil **Components:** 

Oxyclozanide:

Distribution among environ-

: log Koc: 4,83

mental compartments

Method: OECD Test Guideline 106

oxfendazole:

Distribution among environ-

mental compartments

: log Koc: 3,2

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.



## Oxfendazole / Oxyclozanide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 28.09.2024
 7942503-00008
 Date of first issue: 19.03.2021

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(oxfendazole, oxyclozanide)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(oxfendazole, Oxyclozanide)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(oxfendazole, Oxyclozanide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**ANTT** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(oxfendazole, oxyclozanide)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90



## Oxfendazole / Oxyclozanide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 28.09.2024 7942503-00008 Date of first issue: 19.03.2021

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal

Police

: Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

**Further information** 

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-



# Oxfendazole / Oxyclozanide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 28.09.2024
 7942503-00008
 Date of first issue: 19.03.2021

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8