



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	7942511-00007	Date of first issue: 19.03.2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:Oxfendazole / Oxyclozanide FormulationManufacturer or supplier's detailsCompany name of supplier:MSDAddress:126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone Emergency telephone E-mail address	-	Rahway, New Jersey U.S.A. 0706 908-740-4000 1-908-423-6000 EHSDATASTEWARD@msd.com
Recommended use of the c	chen	nical and restrictions on use

Recommended use	:	Veterinary medicine
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity	:	Category 1B
Specific target organ toxicity - single exposure (Oral)	:	Category 2 (Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 2 (Liver, Testis, Brain)

GHS label elements

Hazard pictograms :	
Signal Word :	Danger
Hazard Statements :	H360FD May damage fertility. May damage the unborn child. H371 May cause damage to organs (Central nervous system) if swallowed. H373 May cause damage to organs (Liver, Testis, Brain) through prolonged or repeated exposure.
Precautionary Statements :	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response:



Version 3.0	Revision Date: 30.09.2023	SDS Number: 7942511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021			
		P308 + P311 IF CENTER/ doct	exposed or concerned: Call a POISON			
	Storage: P405 Store locked up.					
Disposal: P501 Dispose of contents/ container to an approve posal plant.						
Othe	r hazards					
Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.						

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Oxyclozanide	2277-92-1	>= 30 -< 50
oxfendazole	53716-50-0	>= 20 -< 30
Starch, oxidized	65996-62-5	>= 10 -< 20
Magnesium stearate	557-04-0	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	



Oxfendazole / Oxyclozanide Formulation

Vers 3.0	sion	Revision Date: 30.09.2023		9S Number: 42511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
	Protect	ion of first-aiders	:	First Aid responders should pay attention to self-protectio and use the recommended personal protective equipmen when the potential for exposure exists (see section 8).	
	Notes t	o physician	:		cally and supportively.
SEC	CTION 5	. FIRE-FIGHTING ME	ASU	IRES	
	Suitabl	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuita media	able extinguishing	:	None known.	
		c hazards during fire I	:	concentrations, an potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. bustion products may be a hazard to health.
	Hazard ucts	lous combustion prod-	:	Carbon oxides Chlorine compour Nitrogen oxides (I Metal oxides Oxides of phosph	NOx)
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment fighters	:	In the event of fire	e, wear self-contained breathing apparatus. tective equipment.
SEC	SECTION 6. ACCIDENTAL RELEA			EMEASURES	
	tive equ	al precautions, protec- uipment and emer- procedures	:	Follow safe handl	tective equipment. ing advice (see section 7) and personal lent recommendations (see section 8).
	Enviror	mental precautions		Avoid release to t	he environment

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal.
		Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
		Dust deposits should not be allowed to accumulate on
		surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
		Local or national regulations may apply to releases and
		disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to



Version 3.0	Revision Date: 30.09.2023	SDS Number: 7942511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
		Sections 13 and	regulations are applicable. 15 of this SDS provide information regarding national requirements.
SECTION	7. HANDLING AND ST	ORAGE	
Techi	nical measures	causing an explo Provide adequat	may accumulate and ignite suspended dust osion. te precautions, such as electrical grounding inert atmospheres.
Local	/Total ventilation		lation is unavailable, use with local exhaust
Advice on safe handling		: Do not get on sk Do not breathe o Do not swallow. Avoid contact wi Wash skin thoro Handle in accord practice, based o assessment Keep container t Minimize dust ge Keep away from Take precaution Do not eat, drink Take care to pre environment.	dust. th eyes. ughly after handling. dance with good industrial hygiene and safety on the results of the workplace exposure tightly closed. eneration and accumulation. closed when not in use. heat and sources of ignition. ary measures against static discharges. c or smoke when using this product. event spills, waste and minimize release to the
Hygie	ne measures	flushing systems place. When using do r Wash contamina The effective op engineering con appropriate dego	nemical is likely during typical use, provide eye is and safety showers close to the working not eat, drink or smoke. ated clothing before re-use. eration of a facility should include review of trols, proper personal protective equipment, owning and decontamination procedures, e monitoring, medical surveillance and the ative controls.
Cond	itions for safe storage	Store locked up. Keep tightly clos	
Mater	rials to avoid	: Do not store with Strong oxidizing	n the following product types: agents ostances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters



Oxfendazole / Oxyclozanide Formulation

Version 3.0	Revision Date: 30.09.2023	SDS Number: 7942511-00007		st issue: 04.04.2023 st issue: 19.03.2021	
Comp	oonents	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Охус	lozanide	2277-92-1	TŴA	0.4 mg/m3 (OEB 2)	Internal
oxfen	dazole	53716-50-0	TWA	40 µg/m3 (OEB 3)	Internal
			Wipe limit	400 µg/100 cm ²	Internal
Starc	h, oxidized	65996-62-5	VLE-PPT (inhalable dust)	0.5 mg/m³	NOM-010- STPS-2014
			TWA (inhalable dust)	0.5 mg/m³	ACGIH
Magn	esium stearate	557-04-0	VLE-PPT	10 mg/m ³	NOM-010- STPS-2014
			TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
			TWA (Respirable particulate matter)	3 mg/m³	ACGIH
Engi	neering measures	design and op protect produ Containment are required t	Derated in accor cts, workers, an technologies su o control at sou d to uncontrolle	IId be implemented by rdance with GMP princ nd the environment. Itable for controlling c rce and to prevent mig d areas (e.g., open-fac	ciples to ompounds gration of

Minimize open handling.

Personal protective equipment

Respiratory protection Filter type Hand protection		If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Particulates type
Material	:	Chemical-resistant gloves
Remarks Eye protection Skin and body protection		Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.



Versi 3.0	ion	Revision Date: 30.09.2023		S Number: 2511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
				contaminated clot	hing.
SEC	TION 9	. PHYSICAL AND CH	ΞΜΙΟ		8
	Appear	ance	:	powder	
	Color		:	white to off-white	, light cream, cream
	Odor		:	No data available	9
	Odor T	hreshold	:	No data available)
	pН		:	No data available)
	Melting	point/freezing point	:	No data available)
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	oint	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	May form explosi handling or other	ve dust-air mixture during processing, means.
	Flamma	ability (liquids)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
,	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	No data available	2
	Density	,	:	0.88 g/cm ³	
:	Solubili Wat	ty(ies) er solubility	:	No data available)
	Partitio octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available)
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty sosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	



rsion	Revision Date: 30.09.2023	-	0S Number: 42511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
Oxidiz	zing properties	:	The substance	or mixture is not classified as oxidizing.
Molec	cular weight	:	No data availat	le
CTION	10. STABILITY AND RE	EAC	TIVITY	
	ivity lical stability bility of hazardous reac-	:	Stable under no May form explo handling or othe	s a reactivity hazard. ormal conditions. sive dust-air mixture during processing, er means. strong oxidizing agents.
	tions to avoid	:	Heat, flames ar Avoid dust form	nation.
	patible materials dous decomposition	:	Oxidizing agent No hazardous o	s decomposition products are known.
Inforr Inhala Skin c	11. TOXICOLOGICAL I mation on likely routes ation contact			
CTION Inforr Inhala Skin c Ingest Eye c Acute	11. TOXICOLOGICAL I mation on likely routes ation contact	of	exposure	
CTION Inforr Inhala Skin c Ingest Eye c Acute Not cl <u>Produ</u>	11. TOXICOLOGICAL I mation on likely routes ation contact tion ontact e toxicity assified based on availa	of	exposure information.	timate: > 5,000 mg/kg tion method
CTION Inforr Inhala Skin c Ingest Eye c Acute Not cl <u>Produ</u> Acute	11. TOXICOLOGICAL I mation on likely routes ation contact tion ontact e toxicity assified based on availa uct:	of	exposure information. Acute toxicity es	
CTION Inforr Inhala Skin c Ingest Eye c Acute Not cl <u>Produ</u> Acute	11. TOXICOLOGICAL I mation on likely routes ation contact tion ontact e toxicity assified based on availa <u>uct:</u> oral toxicity	of o	exposure information. Acute toxicity es Method: Calcula	tion method
CTION Inforr Inhala Skin c Ingest Eye c Acute Not cl <u>Produ</u> Acute Comp Acute	11. TOXICOLOGICAL I mation on likely routes ation contact tion ontact toxicity assified based on availa <u>uct:</u> oral toxicity	of of the second	exposure information. Acute toxicity es Method: Calcula LD50 (Rat): 3,5 ² Target Organs:	tion method 19 mg/kg Central nervous system 0 mg/kg
CTION Inforr Inhala Skin c Ingesi Eye c Acute Not cl <u>Produ</u> Acute Comr Oxycl Acute admir oxfen	11. TOXICOLOGICAL I mation on likely routes ation contact ition ontact tion assified based on availa <u>act:</u> oral toxicity bonents: lozanide: oral toxicity toxicity (other routes of histration) cdazole:	of d ble :	exposure information. Acute toxicity es Method: Calcula LD50 (Rat): 3,57 Target Organs: 1 LDLo (sheep): 1 Application Rou	tion method 19 mg/kg Central nervous system 0 mg/kg te: Intravenous
CTION Inforr Inhala Skin c Ingesi Eye c Acute Not cl <u>Produ</u> Acute Comr Oxycl Acute admir oxfen	11. TOXICOLOGICAL I mation on likely routes ation contact tion ontact a toxicity assified based on availa <u>Jct:</u> oral toxicity bonents: lozanide: oral toxicity toxicity (other routes of histration)	of of the second	exposure information. Acute toxicity es Method: Calcula LD50 (Rat): 3,57 Target Organs: 1 LDLo (sheep): 1 Application Rour LD50 (Rat): > 6,	tion method 19 mg/kg Central nervous system 0 mg/kg te: Intravenous 000 mg/kg
CTION Inforr Inhala Skin c Ingesi Eye c Acute Not cl <u>Produ</u> Acute Comr Oxycl Acute admir oxfen	11. TOXICOLOGICAL I mation on likely routes ation contact ition ontact tion assified based on availa <u>act:</u> oral toxicity bonents: lozanide: oral toxicity toxicity (other routes of histration) cdazole:	of d ble :	exposure information. Acute toxicity es Method: Calcula LD50 (Rat): 3,57 Target Organs: 1 LDLo (sheep): 1 Application Rou	tion method 19 mg/kg Central nervous system 0 mg/kg te: Intravenous 000 mg/kg



Oxfendazole / Oxyclozanide Formulation

ersion 0	Revision Date: 30.09.2023	-	S Number: 42511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
Magr	esium stearate:			
Acute	e oral toxicity	:	Assessment: Thicity	,000 mg/kg Test Guideline 423 ne substance or mixture has no acute oral tox- d on data from similar materials
Acute	e dermal toxicity	:	LD50 (Rabbit): : Remarks: Base	> 2,000 mg/kg d on data from similar materials
-	corrosion/irritation			
	lassified based on ava	ilable	information.	
<u>Com</u>	ponents:			
-	lozanide:			
Rema	arks	:	Not classified d	ue to lack of data.
oxfer	ndazole:			
Speci		:	Rabbit	
Resu	lt	:	No skin irritatior	1
Magr	esium stearate:			
Speci		:	Rabbit	
Resu		:	No skin irritation	
Rema	arks	-	Based on data i	irom similar materials
	ous eye damage/eye i			
Not c	lassified based on ava	ilable	information.	
Com	ponents:			
-	lozanide:			
Rema	arks	:	Not classified d	ue to lack of data.
oxfer	ndazole:			
Speci		:	Rabbit	
Resu	lt	:	No eye irritation	
Magr	nesium stearate:			
Speci		:	Rabbit	
Resu		:	No eye irritation	
Rema	arks	:	Based on data i	rom similar materials
Resp	iratory or skin sensit	tizatio	n	
	sensitization			
Not c	lassified based on ava	ilable	information.	
Resp	iratory sensitization			
Not a	lassified based on ava	ilabla	information	

Not classified based on available information.



Version 3.0	Revision Date: 30.09.2023	-	DS Number: 942511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021			
Com	oonents:						
Oxvc	lozanide:						
	es of exposure	:	Dermal Not classified due	to lack of data.			
Magn	esium stearate:						
Test Route Speci Metho Resu	Test Type Routes of exposure Species Method Result Remarks		 Maximization Test Skin contact Guinea pig OECD Test Guideline 406 negative Based on data from similar materials 				
	cell mutagenicity						
_	lassified based on avai	lable	information.				
	oonents:						
*	lozanide: toxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)			
			Test Type: Chrom Test system: Hum Result: positive	nosomal aberration nan lymphocytes			
			Test Type: Mouse Result: positive	e Lymphoma			
Geno	toxicity in vivo	:	Test Type: Micror Species: Mouse Application Route Result: negative				
			Test Type: unscho Species: Rat Cell type: Liver ce Application Route Result: negative				
	cell mutagenicity -	:	Weight of evidenc cell mutagen.	e does not support classification as a germ			
oxfer	ndazole:						
	toxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)			
Geno	toxicity in vivo	:		enicity (in vivo mammalian bone-marrow chromosomal analysis) : Oral			



ersion 0	Revision Date: 30.09.2023	SDS Number: 7942511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
II			
	esium stearate:		
Genotoxicity in vitro			vitro mammalian cell gene mutation test
		Result: negati	ve sed on data from similar materials
		Rellidiks. Das	
		Test Type: Ch	romosome aberration test in vitro
			D Test Guideline 473
		Result: negati	
		Remarks: Bas	ed on data from similar materials
		Test Type: Ba	cterial reverse mutation assay (AMES)
		Result: negati	
		Remarks: Bas	ed on data from similar materials
	nogenicity	- The ball of the second discussion of the second	
Not cl	assified based on av	allable information.	
<u>Comp</u>	oonents:		
Oxyc	lozanide:		
Rema	irks	: Not classified	due to lack of data.
oxfen	dazole:		
Speci		: Rat	
Applic	ation Route	: Oral	
	sure time	: 1 Years	facto
Symp	t Organs	: No adverse ef : Liver	Tects.
Targe	t Organs	. LIVEI	
Speci		: Rat	
	ation Route	: Oral	
	sure time	: 2 Years : No adverse ef	if a a ta
Symp Targe	t Organs	: Liver	Tects.
Down			
-	oductive toxicity	damage the unborn ch	hild
	0 7 7	annaye the unboint th	III
	oonents:		
	lozanide:		
Effect	s on fertility		vo-generation reproduction toxicity study
			male and female
		Application Ro	bute: Orai ity Parent: NOAEL: 25 - 35 mg/kg body weight
			educed body weight, No effects on embryofeta
		and postnatal	
			ects on fertility.
		-	
			vo-generation reproduction toxicity study
		Species: Rat	
		Application Ro	oute: ()ral



Version 3.0	Revision Date: 30.09.2023		lumber: 11-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
		Sy an		
		Sp Ap Ea we	ecies: Rat plication Route rly Embryonic E ight	eneration reproduction toxicity study : Oral Development: LOAEL: 75 - 100 mg/kg body icity., No teratogenic effects.
		Sp Ap Ge Re	ecies: Rat plication Route eneral Toxicity F	eneration reproduction toxicity study : Oral Parent: LOAEL: 80 - 160 mg/kg body weight icity., No teratogenic effects., No effects on
Effec	ts on fetal development	Sp Ap De		
		Sp Ap Ge		
		Sp Ap De		
sessi		: Su	spected of dam	aging the unborn child.
	ndazole: ts on fertility	Sp Ap Fe Ta	ecies: Rat, mal	: Oral 17 mg/kg body weight estes
		Sp Ap Fe Ta	ecies: Rat plication Route	0.9 mg/kg body weight ver



Oxfendazole / Oxyclozanide Formulation

ersion 0	Revision Date: 30.09.2023		OS Number: 42511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
				e: Oral e Treatment: 1 Months 750 mg/kg body weight estes
Effect	s on fetal development	:	Species: Rat Application Route	oxicity: NOAEL: 10 mg/kg body weight
			Species: Rat Developmental T	vo-fetal development oxicity: NOAEL: 10 mg/kg body weight Embryo-fetal toxicity.
			Species: Mouse Application Route Developmental T	vo-fetal development e: Oral oxicity: NOAEL: 108 mg/kg body weight Embryo-fetal toxicity., Fetal abnormalities.
			Species: Rabbit Application Route	vo-fetal development e: Oral oxicity: NOAEL: 0.625 mg/kg body weight
Repro sessn	oductive toxicity - As- nent	:	fertility, based on	f adverse effects on sexual function and animal experiments., Clear evidence of n development, based on animal
II Magn	esium stearate:			
	s on fertility	:	reproduction/deve Species: Rat Application Route Method: OECD T Result: negative	ined repeated dose toxicity study with the elopmental toxicity screening test e: Ingestion est Guideline 422 on data from similar materials
Effect	s on fetal development	:	Species: Rat Application Route Result: negative	vo-fetal development e: Ingestion on data from similar materials

STOT-single exposure

May cause damage to organs (Central nervous system) if swallowed.



Version 3.0	Revision Date: 30.09.2023	SDS Number:Date of last issue: 04.04.20237942511-00007Date of first issue: 19.03.2021	
Comp	oonents:		
Oxycl	ozanide:		
	s of exposure	: Oral	
	t Organs	: Central nervous system	
Asses	sment	: May cause damage to organs.	
	-repeated exposure		
•		s (Liver, Testis, Brain) through prolonged or repeated exposure.	
	oonents:		
	lozanide:		
	t Organs sment	 Brain, Liver May cause damage to organs through prolonged or repeated 	I
73363	SILEII	exposure.	
oxfen	dazole:		
Route	s of exposure	: Oral	
Targe	t Organs	: Liver, Testis	
Asses	sment	: May cause damage to organs through prolonged or repeated exposure.	
Comp	EL	: Rat : 9 mg/kg : 44.5 mg/kg	
	ation Route	: Oral	
	sure time	: 3 Months	
Targe Symp	t Organs toms	: Brain, Liver, spleen, Adrenal gland : Liver effects	
Speci		: Dog	
NOAE		: 5 mg/kg	
LOAE		: 25 mg/kg	
	ation Route	: Oral : 3 Months	
	t Organs	: Brain, Liver	
Symp	toms	: blood effects, alteration in liver enzymes	
oxfen	dazole:		
Speci		: Rat	
NOAE		: 11 mg/kg	
	ation Route	: Oral : 2 Weeks	
	t Organs	: Blood, Liver, Testis	
Speci	es	: Rat	
NOAE	E	: 3.8 mg/kg	
		13 / 20	



Oxfendazole / Oxyclozanide Formulation

Version 3.0	Revision Date: 30.09.2023	SDS Number: 7942511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
Expo	cation Route sure time et Organs	: Oral : 3 Months : Liver, Testis	
Expo	ies EL cation Route sure time et Organs	: Mouse : 750 mg/kg : Oral : 1 Months : Liver	
Expo		: Mouse : 37.5 mg/kg : Oral : 3 Months : Liver	
	EL cation Route sure time	: Dog : 6 mg/kg : Oral : 1 Months : No significant	adverse effects were reported
Expo		: Dog : 11 mg/kg : Oral : 2 Weeks : Lymph nodes,	thymus gland
Expo		: Dog : 13.5 mg/kg : Oral : 12 Months : Liver	
Speci NOAI Applie		: Rat : 22,500 mg/kg : Ingestion : 90 Days	
Spec NOAI Applio	EL cation Route sure time	: Rat : > 100 mg/kg : Ingestion : 90 Days : Based on data	from similar materials

Aspiration toxicity

Not classified based on available information.



/ersion 3.0	Revision Date: 30.09.2023		9S Number: 42511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
<u>Com</u>	ponents:			
	lozanide: pplicable			
Expe	rience with human exp	osu	re	
Com	ponents:			
Охус	lozanide:			
Inges	tion	:	Symptoms: May on nervous system of the syste	cause, Gastrointestinal disturbance, Central depression
SECTION	12. ECOLOGICAL INFO	DRN	IATION	
Ecoto	oxicity			
<u>Com</u>	ponents:			
Охус	lozanide:			
	ity to daphnia and other tic invertebrates	:	Exposure time: 4	nagna (Water flea)): 0.69 mg/l 8 h est Guideline 202
oxfer	ndazole:			
Toxic	ity to fish	:	LC50 (Lepomis n Exposure time: 9	nacrochirus (Bluegill sunfish)): > 2.7 mg/l 6 h
			LC50 (Oncorhyno Exposure time: 9	chus mykiss (rainbow trout)): > 2.5 mg/l 6 h
	ity to daphnia and other tic invertebrates	:	Exposure time: 4	nagna (Water flea)): 0.059 mg/l 8 h est Guideline 202
Toxic plants	ity to algae/aquatic s	:	mg/l Exposure time: 7	chneriella subcapitata (green algae)): > 4 2 h est Guideline 201
			mg/l Exposure time: 7	rchneriella subcapitata (green algae)): > 4 2 h est Guideline 201
	ity to daphnia and other tic invertebrates (Chron- icity)	:	Exposure time: 2	magna (Water flea)): 0.023 mg/l 1 d est Guideline 211
Magn	nesium stearate:			
	ity to fish	:	LC50 (Leuciscus Exposure time: 4 Method: DIN 384	



Vers 3.0	sion	Revision Date: 30.09.2023		S Number: 42511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
I				Remarks: Based o	on data from similar materials
		v to daphnia and other invertebrates	:	Exposure time: 47 Test substance: W Method: Directive	/ater Accommodated Fraction 67/548/EEC, Annex V, C.2. on data from similar materials
	Toxicity plants	/ to algae/aquatic	:	mg/l Exposure time: 72 Test substance: W Method: OECD Te	/ater Accommodated Fraction est Guideline 201 on data from similar materials
				mg/l Exposure time: 72 Test substance: W Method: OECD Te	Ater Accommodated Fraction
	Toxicity	/ to microorganisms	:	Exposure time: 16 Test substance: W	nas putida): > 100 mg/l h /ater Accommodated Fraction on data from similar materials
	Persist	tence and degradabili	ty		
	Compo	onents:			
	-	zanide: y in water	:	Hydrolysis: 50 %(Method: OECD Te	
-	oxfend	azole:			
	Stability	y in water	:	Hydrolysis: < 5 %(4 d)
	Magne	sium stearate:			
	Biodeg	radability	:	Result: Not biodeo Remarks: Based o	gradable on data from similar materials
	Bioacc	umulative potential			
	Compo	onents:			
_	-	zanide:			
	Partitio octanol	n coefficient: n- /water	:	log Pow: 3.99 pH: 7 Method: OECD Te	est Guideline 107



Version 3.0	Revision Date: 30.09.2023		DS Number: 042511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
oxfer	idazole:			
Partit	ion coefficient: n- ol/water	:	log Pow: 1.95	
Magr	esium stearate:			
Partit	ion coefficient: n- ol/water	:	log Pow: > 4	
Mobi	lity in soil			
Com	oonents:			
Охус	lozanide:			
	oution among environ- al compartments	:	log Koc: 4.83 Method: OECD T	est Guideline 106
oxfer	idazole:			
	oution among environ- al compartments	:	log Koc: 3.2	
	r adverse effects ata available			
SECTION	13. DISPOSAL CONSI	DEF	RATIONS	
Dispo	osal methods			
Wast	e from residues	:		f waste into sewer.
Conta	aminated packaging	:	Empty containers handling site for	ordance with local regulations. s should be taken to an approved waste ecycling or disposal. pecified: Dispose of as unused product.
SECTION	14. TRANSPORT INFO	ORM		
_				
Interi	national Regulations			
UNR				
	umber er shipping name	:	UN 3077 ENVIRONMENT, N.O.S. (oxfendazole, ox	ALLY HAZARDOUS SUBSTANCE, SOLID, yclozanide)
Class		:	9	
Packi Label	ng group s	:	 9	
	s onmentally hazardous	:	yes	
ΙΑΤΑ	-DGR			
UN/IE		:	UN 3077	
Prope	er shipping name	:	Environmentally (oxfendazole, Ox	nazardous substance, solid, n.o.s. (vclozanide)
Class	i	:	9	-, <u></u> ,,
	ng group	:		
Label Packi	s ng instruction (cargo	:	Miscellaneous 956	
aircra		•	550	
aircra	π)			



Ver 3.0	sion	Revision Date: 30.09.2023		DS Number: 42511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
	ger airc	g instruction (passen- craft) mentally hazardous	:	956 yes	
	IMDG-Code UN number Proper shipping name		:	UN 3077	ALLY HAZARDOUS SUBSTANCE, SOLID,
	Labels EmS C	g group ode pollutant	: : : :	9 III 9 F-A, S-F yes	
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.				

Domestic regulation

NOM-002-SCT

UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole, Oxyclozanide)
Class Packing group Labels	:	9 111 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date

: 30.09.2023



Version 3.0	Revision Date: 30.09.2023		OS Number: 42511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021		
Date f	ormat	:	dd.mm.yyyy			
Full te	Full text of other abbreviations					
ACGI	Н	:	USA. ACGIH Thr	eshold Limit Values (TLV)		
NOM-010-STPS-2014		:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Con- trol - Appendix 1 Occupational Exposure Limits			
ACGI	H / TWA	:	8-hour, time-weig			
NOM- PPT	010-STPS-2014 / VLE-	:	Time weighted av	verage limit value		
AIIC -	AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by					

Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.



	Version 3.0	Revision Date: 30.09.2023	SDS Number: 7942511-00007	Date of last issue: 04.04.2023 Date of first issue: 19.03.2021
--	----------------	---------------------------	------------------------------	-------------------------------------------------------------------

MX / Z8