



Version 3.1	Revision Date: 05.12.2023		DS Number: 95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020		
SECTION	I 1. PRODUCT AND CO	MP/	ANY IDENTIFICAT	ION		
	uct name r means of identification	:				
Man	ufacturer or supplier's	deta	ails			
Com Addr	pany name of supplier ess	-	MSD 126 E. Lincoln Av Rahway, New Jer	renue rsey U.S.A. 07065		
Eme	ohone rgency telephone ail address	:	908-740-4000 1-908-423-6000 EHSDATASTEW			
Reco	Recommended use of the chemical and restrictions on use					

inary product

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irritation	:	Category 2A
Skin sensitization	:	Category 1
Reproductive toxicity	:	Category 1A
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H360D May damage the unborn child.
Precautionary Statements	:	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of



Oxytetracycline (10%) Formulation

rsion	Revision Date: 05.12.2023	SDS Number: 5495953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020			
		the workplace. P280 Wear prot face protection.	ective gloves/ protective clothing/ eye protection			
		P305 + P351 + for several minu to do. Continue P308 + P313 IF attention. P333 + P313 If attention. P337 + P313 If tion.	⁷ ON SKIN: Wash with plenty of water. P338 IF IN EYES: Rinse cautiously with water ites. Remove contact lenses, if present and easy rinsing. ⁷ exposed or concerned: Get medical advice/ skin irritation or rash occurs: Get medical advice eye irritation persists: Get medical advice/ atten- ake off contaminated clothing and wash it before			
		Storage: P405 Store locked up.				
		Disposal: P501 Dispose c posal plant.	of contents/ container to an approved waste dis-			
Other h	azards					
None kr	nown.					

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Oxytetracycline	79-57-2	>= 10 -< 20
Ethanolamine	141-43-5	>= 1 -< 3
Sodium hydroxymethanesulphinate	149-44-0	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	In case of contact, immediately flush eyes with plenty of water



Vers 3.1	sion	Revision Date: 05.12.2023		0S Number: 95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
If swallowed		:	Get medical atten If swallowed, DO Get medical atten	ove contact lens, if worn. tion. NOT induce vomiting. tion.	
	Most important symptoms and effects, both acute and delayed		:	Causes skin irrita May cause an alle Causes serious e	ergic skin reaction. ye irritation.
Protection of first-aiders Notes to physician		:	May damage the unborn child. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.		
SEC	SECTION 5. FIRE-FIGHTING MEAS				
	Suitable extinguishing media		•	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuita media	able extinguishing	:	None known.	
		c hazards during fire	:	Exposure to comb	pustion products may be a hazard to health.
		lous combustion prod-	:	Carbon oxides Nitrogen oxides (I	NOx)
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment fighters	:	In the event of fire	e, wear self-contained breathing apparatus. rective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate





Version 3.1	Revision Date: 05.12.2023	SDS Number: 5495953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
		absorbent. Local or nationa disposal of this employed in the determine whic Sections 13 and	ning materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.
SECTION	7. HANDLING AND ST	ORAGE	
Tech	nical measures		g measures under EXPOSURE ERSONAL PROTECTION section.
Local	I/Total ventilation		tilation is unavailable, use with local exhaust
Advic	e on safe handling	: Do not get on s Avoid breathing Do not swallow Do not get in ey Wash skin thore Handle in accor practice, based assessment Keep container	g mist or vapors. , /es. oughly after handling. rdance with good industrial hygiene and safety on the results of the workplace exposure
Hygie	ene measures	flushing system place. When using do Contaminated v workplace. Wash contamin The effective op engineering con appropriate deg	chemical is likely during typical use, provide eye as and safety showers close to the working not eat, drink or smoke. work clothing should not be allowed out of the nated clothing before re-use. beration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the rative controls
Cond	litions for safe storage	: Keep in properl Store locked up Keep tightly clo	y labeled containers.
Mate	rials to avoid	: Do not store wi Strong oxidizing	th the following product types: g agents ibstances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters



05.12.2023	549	95953-00010	Date of fir	st issue: 21.11.2023 st issue: 10.03.2020			
Componente		CAS-No.		Control norma	Desis		
Components		CAS-INO.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
Oxytetracycline		79-57-2	TŴA	500 µg/m3 (OEB 2)	Internal		
		Further inform	ation: DSEN	-/			
			Wipe limit	100 µg/100 cm ²	Internal		
Ethanolamine		141-43-5	VLE-PPT	3 ppm	NOM-010 STPS-201		
			VLE-CT	6 ppm	NOM-010 STPS-201		
			TWA	3 ppm	ACGIH		
			STEL	6 ppm	ACGIH		
Boroopol protoctive convirus	\n+	design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.					
Personal protective equipme	ent						
Respiratory protection Filter type Hand protection Material	:	exposure ass recommended	essment demor d guidelines, us rticulates and o	ntilation is not availabl nstrates exposures ou e respiratory protection rganic vapor type	utside the		
Eye protection	:	If the work en mists or aeros Wear a faces	vironment or ac sols, wear the a hield or other fu	e shields or goggles. ctivity involves dusty c ppropriate goggles. Il face protection if the the face with dusts, n	ere is a		
Skin and body protection	:	Work uniform	or laboratory c	oat.			
CTION 9. PHYSICAL AND CHE	MI	CAL PROPER	TIES				
Appearance	:	liquid, Aquec	ous solution				
Color	:	No data avai	lable				
Odor	:	No data avai	lable				
Odor Threshold	:	No data avai	lable				
рН	:	No data avai	lable				
	:	No data avai	lable				
Melting point/freezing point							



Oxytetracycline (10%) Formulation

Vers 3.1	sion	Revision Date: 05.12.2023		S Number: 5953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
	Flash p	point		No data available	
	Γιάδη μ	John	•	NO Gala available	
	Evapor	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	oressure	:	No data available	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	No data available	
	Density	/	:	No data available	
	Solubili Wat	ity(ies) er solubility	:	No data available	
	Partitio octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance or	mixture is not classified as oxidizing.
			-		Ū.
	woiecu	lar weight	:	No data available	
	Particle	e size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.



/ersion 8.1	Revision Date: 05.12.2023		95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
produ	cts			
SECTION	11. TOXICOLOGICAL I	NFO	ORMATION	
Inhala	ontact ion	of	exposure	
	toxicity			
Not cl	assified based on availa	ble	information.	
<u>Produ</u> Acute	<u>ict:</u> oral toxicity	:	Acute toxicity e Method: Calcula	stimate: > 5,000 mg/kg ation method
Acute	inhalation toxicity	:	Acute toxicity ex Exposure time: Test atmospher Method: Calcula	e: vapor
Acute	dermal toxicity	:	Acute toxicity e Method: Calcula	stimate: > 5,000 mg/kg ation method
<u>Comp</u>	oonents:			
Oxyte	tracycline:			
Acute	oral toxicity	:	LD50 (Rat): 4,8	00 mg/kg
			LD50 (Mouse): Remarks: Evide	2,240 mg/kg ence of phototoxicity was observed
Acute	inhalation toxicity	:	Remarks: No da	ata available
Acute	dermal toxicity	:	Remarks: No da	ata available
	toxicity (other routes of istration)	:	LD50 (Rat): 4,8 Application Rou	40 mg/kg te: Intramuscular
			LD50 (Mouse): Application Rou	3,500 mg/kg te: Subcutaneous
Ethan	olamine:			
Acute	oral toxicity	:	LD50 (Rat): 1,0	89 mg/kg
Acute	inhalation toxicity	:	Exposure time: Test atmospher Method: Expert	e: vapor
	dermal toxicity			emale): 1,018 mg/kg



sion	Revision Date: 05.12.2023	SDS Number:Date of last issue: 21.11.20235495953-00010Date of first issue: 10.03.2020
Sodiu	Im hydroxymethane	esulphinate:
Acute	oral toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute ora icity
Acute	dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute der toxicity
-	corrosion/irritation es skin irritation.	
Comp	oonents:	
Oxyte	etracycline:	
Rema	arks	: No data available
Ethar	nolamine:	
Speci Resul		RabbitCorrosive after 3 minutes to 1 hour of exposure
Sodiu Speci Resul		esulphinate: : Rat : No skin irritation
Cause	us eye damage/eye es serious eye irritatio conents:	
	etracycline:	
Rema	•	: No data available
Ethar	nolamine:	
Speci		: Rabbit
Resul	t	: Irreversible effects on the eye
	Im hydroxymethane	-
Speci		: Rabbit
Resul Metho		No eye irritationOECD Test Guideline 405
Respi	iratory or skin sens	itization
Skin s	sensitization	



Versi 3.1	ion	Revision Date: 05.12.2023	-	0S Number: 95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
I	Respir	atory sensitization			
	Not cla	ssified based on ava	ailable	information.	
<u>(</u>	Compo	onents:			
(Oxytet	racycline:			
	Test Ty Result	уре	:	Human repeat ins Sensitizer	sult patch test (HRIPT)
l	Ethand	plamine:			
-	Test Ty	/pe	:	Maximization Tes	t
		s of exposure	:	Skin contact	
	Specie Result	S	:	Guinea pig	
I	Result		•	negative	
:	Sodiur	n hydroxymethane	sulphi	inate:	
	Test Ty		:	Maximization Tes	t
		s of exposure	:	Skin contact	
	Specie		:	Guinea pig	
	Methoo Result		:	OECD Test Guide negative	eine 406
-		onents: tracycline:			
	-	oxicity in vitro	:	Test Type: Microb Result: negative	pial mutagenesis assay (Ames test)
				Test Type: Mouse Metabolic activation Result: positive	e Lymphoma on: Metabolic activation
					chromatid exchange assay nese hamster ovary cells
				Test Type: Chrom Result: negative	nosomal aberration
	Genoto	oxicity in vivo	:	Test Type: Micror Species: Mouse Cell type: Bone m Application Route Result: equivocal	arrow
				Test Type: in vivo Species: Mouse Application Route Result: negative	eassay : Intraperitoneal injection



Ver 3.1	sion	Revision Date: 05.12.2023		95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
	Germ o Assess	cell mutagenicity - sment	:	Weight of evidenc	e does not support classification as a germ
	Ethan	olamine:			
	Genote	oxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
				Test Type: In vitro Method: OECD To Result: negative	o mammalian cell gene mutation test est Guideline 476
				Test Type: Chrom Result: negative	nosome aberration test in vitro
	Genote	oxicity in vivo	:	cytogenetic assay Species: Mouse	
				Application Route Method: OECD To Result: negative	
	Sodiu	m hydroxymethanesu	lph	inate:	
	Genote	oxicity in vitro	:	Test Type: Bacter Method: OECD To Result: negative	ial reverse mutation assay (AMES) est Guideline 471
				Test Type: In vitro Method: OECD Te Result: positive	o mammalian cell gene mutation test est Guideline 476
	Genote	oxicity in vivo	:	Test Type: Mamm cytogenetic assay Species: Mouse	nalian erythrocyte micronucleus test (in vivo ′)
					: Intraperitoneal injection est Guideline 474
	Germ o Assess	cell mutagenicity - sment	:	Positive result(s) f genicity tests.	from in vivo mammalian somatic cell muta-
	Carcin	ogenicity			
		assified based on availa	able	information.	
	Comp	onents:			
	Oxyte	tracycline:			
	Specie	-	:	Mouse	
	Applica	ation Route	:	Oral	
	Exposi Result	ure time	:	104 weeks negative	
	Specie			Rat	
		ation Route	:	Oral	
_					



Version 3.1	Revision Date: 05.12.2023		95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
Re: Tar	oosure time sult get Organs marks		103 weeks equivocal Adrenal gland, Pit The mechanism c mans.	tuitary gland or mode of action may not be relevant in hu-
Ca me	cinogenicity - Assess- nt	:	Weight of evidenc cinogen	e does not support classification as a car-
Ma	productive toxicity y damage the unborn child mponents:			
	ytetracycline: ects on fertility	:	Species: Rat Application Route Fertility: NOAEL: Result: No effects	eneration reproduction toxicity study : Oral 18 mg/kg body weight s on fertility., No effect on reproduction ificant adverse effects were reported
Effe	ects on fetal development	:	Species: Rat Application Route Embryo-fetal toxic	ro-fetal development : Oral city.: LOAEL: 48 mg/kg body weight ntation loss., Skeletal malformations.
			Species: Rat Application Route General Toxicity M Embryo-fetal toxic Result: No teratog	Maternal: LOAEL: 1,200 mg/kg body weight sity.: NOAEL: 1,500 mg/kg body weight
			Species: Mouse Application Route General Toxicity M Embryo-fetal toxic Result: No teratog	Maternal: LOAEL: 1,325 mg/kg body weight city.: NOAEL: 2,100 mg/kg body weight
			Species: Rabbit Application Route Embryo-fetal toxic	ro-fetal development : Intramuscular city.: LOAEL: 41.5 mg/kg body weight ntation loss., No fetal abnormalities.
			Species: Dog Application Route Embryo-fetal toxic	ro-fetal development : Intramuscular city.: LOAEL: 20.75 mg/kg body weight nd visceral variations ., Postimplantation



rsion	Revision Date: 05.12.2023		S Number: 95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
			loss.	
Repro sessn	oductive toxicity - As- nent	:	Positive evidence human epidemio	e of adverse effects on development from logical studies.
Ethar	nolamine:			
Effect	s on fertility	:	Species: Rat Application Rout Method: OECD T Result: negative	generation reproduction toxicity study e: Ingestion est Guideline 416 on data from similar materials
Effect	s on fetal development	:	Species: Rat Application Rout	yo-fetal development e: Ingestion fest Guideline 414
Sodiu	ım hydroxymethanesu	lphi	nate:	
Effect	s on fertility	:	reproduction/dev Species: Rat Application Rout	bined repeated dose toxicity study with the elopmental toxicity screening test e: Ingestion Fest Guideline 422
Effect	s on fetal development	:	Species: Rat Application Rout	yo-fetal development e: Ingestion fest Guideline 414
Repro sessn	oductive toxicity - As- nent	:	Some evidence of animal experime	of adverse effects on development, based on nts.
стот	-single exposure			
Not cl	assified based on availa	ble	information.	
<u>Comp</u>	oonents:			
	nolamine: ssment	:	May cause respi	ratory irritation.
	-repeated exposure assified based on availa	ble	information.	
Comp	oonents:			
	iolamine: ssment	:	No significant he tions of 0.2 mg/l/	alth effects observed in animals at concentra- 6h/d or less.



Repeated dose toxicityComponents:Oxytetracycline:Species: RatLOAEL: 198 mg/kgApplication Route: OralExposure time: 13 WeeksTarget Organs: BoneRemarks: No significant adverse effects were reported	3 20
Oxytetracycline:Species: RatLOAEL: 198 mg/kgApplication Route: OralExposure time: 13 WeeksTarget Organs: Bone	
Species:RatLOAEL:198 mg/kgApplication Route:OralExposure time:13 WeeksTarget Organs:Bone	
LOAEL : 198 mg/kg Application Route : Oral Exposure time : 13 Weeks Target Organs : Bone	
Application Route:OralExposure time:13 WeeksTarget Organs:Bone	
Exposure time : 13 Weeks Target Organs : Bone	
Target Organs : Bone	
Species : Mouse	
LOAEL : 7,990 mg/kg	
Application Route : Oral Exposure time : 13 Weeks	
Target Organs : Bone	
Remarks : No significant adverse effects were reported	
Species : Dog	
NOAEL : 125 mg/kg	
LOAEL : 250 mg/kg	
Application Route : Oral	
Exposure time : 12 Months	
Target Organs : Testis	
Remarks : Significant toxicity observed in testing	
Species : Rat	
NOAEL : 40 mg/kg	
LOAEL : 100 mg/kg	
Application Route : Intraperitoneal	
Exposure time : 14 Days	
Target Organs : Kidney	
Ethanolamine:	
Species : Rat	
NOAEL : > 120 mg/kg	
Application Route : Ingestion Exposure time : > 75 Days	
Remarks : Based on data from similar materials	
Species : Rat NOAEL : >= 0.15 mg/l	
NOAEL : >= 0.15 mg/l Application Route : inhalation (dust/mist/fume)	
Exposure time : 28 Days	
Method : OECD Test Guideline 412	
Sodium hydroxymethanesulphinate:	
Species : Rat	
NOAEL : 600 mg/kg	
Application Route : Ingestion	
Exposure time : 13 Weeks	
Method : OECD Test Guideline 408	



ersion .1	Revision Date: 05.12.2023		95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
-	ration toxicity lassified based on availa	ble	information.	
Expe	rience with human exp	osu	re	
Com	oonents:			
Oxyte Inges	etracycline: tion	:		trointestinal disturbance, tooth discoloration cause birth defects.
ECTION	12. ECOLOGICAL INFO	ORN	IATION	
Ecoto	oxicity			
Com	oonents:			
	etracycline: ity to fish	:	Exposure time:	atipes (Japanese medaka)): 110 mg/l 96 h Test Guideline 203
	ity to daphnia and other ic invertebrates	:	Exposure time: Method: OECD EC50 (Daphnia Exposure time:	Test Guideline 202 magna (Water flea)): 669 mg/l
Toxic plants	ity to algae/aquatic	:	Exposure time:	72 h
			NOEC (Anabaer Exposure time:	
Toxic	ity to microorganisms	:		
Ethar	nolamine:			
	ity to fish	:	Exposure time:	carpio (Carp)): 349 mg/l 96 h ⁄e 67/548/EEC, Annex V, C.1.
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time: 4	magna (Water flea)): 65 mg/l 48 h



Oxytetracycline (10%) Formulation

ersion 1	Revision Date: 05.12.2023		95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
			Method: Directive	67/548/EEC, Annex V, C.2.
Toxicity plants	to algae/aquatic	:	ErC50 (Pseudokin mg/l Exposure time: 72 Method: OECD T	
			NOEC (Pseudoki Exposure time: 72 Method: OECD T	
Toxicity icity)	to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 4 ⁻ Method: OECD T	
	to daphnia and other invertebrates (Chron- tv)	:	NOEC (Daphnia r Exposure time: 27	magna (Water flea)): 0.85 mg/l 1 d
	to microorganisms	:	Exposure time: 30	onas putida): > 1,000 mg/l 0 min est Guideline 209
Sodium	n hydroxymethanesu	lphi	inate:	
Toxicity		:		idus (Golden orfe)): > 10,000 mg/l 5 h
	to daphnia and other invertebrates	:	Exposure time: 48	nagna (Water flea)): > 100 mg/l 3 h est Guideline 202
Toxicity plants	to algae/aquatic	:	ErC50 (Desmode Exposure time: 72 Method: OECD T	
			NOEC (Desmode Exposure time: 72 Method: OECD T	
Toxicity icity)	to fish (Chronic tox-	:	Exposure time: 38	io (zebra fish)): 13.5 mg/l 5 d est Guideline 210
- · ·,	to daphnia and other	:	EC10 (Daphnia m Exposure time: 2 ²	nagna (Water flea)): 8 mg/l 1 d
	invertebrates (Chron- ty)		Method: OECD T	

Persistence and degradability

Components:

Ethanolamine:



Oxytetracycline (10%) Formulation

Vers 3.1	sion	Revision Date: 05.12.2023		DS Number: 95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020			
	Biodeg	radability	:	Result: Readily bi Biodegradation: = Exposure time: 2 ⁻ Method: OECD T	> 90 %			
	Sodiur	n hydroxymethanesu	ılph	inate:				
	Biodeg	radability	:	Result: Readily bi Biodegradation: Exposure time: 28 Method: OECD T	77 %			
	Bioaco	cumulative potential						
	Compo	onents:						
	Ethand	plamine:						
	Partitio octano	n coefficient: n- I/water	:	log Pow: -2.3 Method: OECD T	est Guideline 107			
	Sodium hydroxymethanesulphinate:							
	Partitio octano	n coefficient: n- l/water	:	log Pow: < 0.3				
	Mobilit	ty in soil						
	No dat	a available						
	Other a	adverse effects						
	No dat	a available						
SEC	TION 1	3. DISPOSAL CONSI	DEF	RATIONS				
	Dispos	sal methods						
	Waste	from residues	:		waste into sewer.			

Waste nom residues	•	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

UNRTDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxytetracycline)
Class	:	9
Packing group	:	
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		



Oxytetracycline (10%) Formulation

Versi 3.1	ion	Revision Date: 05.12.2023		95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020
	UN/ID I Proper	No. shipping name	:	UN 3082 Environmentally h (Oxytetracycline)	azardous substance, liquid, n.o.s.
	Class Packing group		:	9 III	
	Labels		:	Miscellaneous	
	Packing aircraft)	g instruction (cargo	:	964	
		g instruction (passen-	:	964	
	Enviror	mentally hazardous	:	yes	
	IMDG-0 UN nur Proper		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID,
	Labels EmS C	g group ode pollutant	:	(Oxytetracycline) 9 III 9 F-A, S-F yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxytetracycline)
Class Packing group Labels	:	9 III 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS	•	:	not determined
DSL		:	not determined



Version 3.1	Revision Date: 05.12.2023		95953-00010	Date of last issue: 21.11.2023 Date of first issue: 10.03.2020	
IECS	C	:	not determined		
SECTION 16. OTHER INFORMATION					
	Revision Date Date format		05.12.2023 dd.mm.yyyy		
Full to	ext of other abbreviation	ons			
ACGI NOM-	H 010-STPS-2014	:	USA. ACGIH Threshold Limit Values (TLV) Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Con- trol - Appendix 1 Occupational Exposure Limits		
ACGI	H / TWA	:	8-hour, time-weighted average		
ACGI	H / STEL	:	Short-term exposure limit		
NOM- PPT	010-STPS-2014 / VLE-	:	Time weighted av	erage limit value	
NOM- CT	010-STPS-2014 / VLE-	:	Short term expos	ure limit value	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD





Version	Revision Date:	SDS Number:	Date of last issue: 21.11.2023
3.1	05.12.2023	5495953-00010	Date of first issue: 10.03.2020
compi	ile the Material Safety	eChem Portal s	search results and European Chemicals Agen-
Data S	Sheet	cy, http://echa.e	europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8