



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10437527-00009	Date of first issue: 2021/12/09

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Oxytetracycline (10%) Liquid Formulation
Supplier's company name, and Company name of supplier		ess and phone number MSD
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemic Skin corrosion/irritation		product Category 2
Serious eye damage/eye irri- tation	:	Category 2
Skin sensitisation	:	Category 1
Reproductive toxicity	:	Category 1A
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1
GHS label elements Hazard pictograms	:	
Signal word	:	Danger



ersion .0	Revision Date: 2024/09/28	SDS Number: 10437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
Haza	rd statements	H319 Causes H360D May da	skin irritation. se an allergic skin reaction. serious eye irritation. amage the unborn child. ic to aquatic life with long lasting effects.
Preca	autionary statements	P202 Do not h and understoo P261 Avoid br P264 Wash sk P272 Contami the workplace. P273 Avoid rel	eathing mist or vapours. in thoroughly after handling. nated work clothing should not be allowed out c ease to the environment. otective gloves/ protective clothing/ eye protec-
		P305 + P351 + for several min easy to do. Co P308 + P313 I attention. P333 + P313 I vice/ attention. P337 + P313 I tention.	F exposed or concerned: Get medical advice/ f skin irritation or rash occurs: Get medical ad- f eye irritation persists: Get medical advice/ at- Take off contaminated clothing and wash it befo
		Storage: P405 Store loc	ked up.
		Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	>= 48.56 - <= 57.8095	2-234
oxytetracycline	79-57-2	9.5238	9-271



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10437527-00009	Date of first issue: 2021/12/09

]]			
Ethanolamine	141-43-5	1.3333	2-301
Sodium hydroxymethanesulphinate	6035-47-8	>= 0.1 - < 1	2-1633
Hydrochloric acid	7647-01-0	>= 0.16 - <= 0.1905	1-215

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
If inhaled	:	advice. If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.



Version 7.0	Revision Date: 2024/09/28		9S Number: 437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09	
Haza ucts	dous combustion prod-	:	Carbon oxides Nitrogen oxides	(NOx)	
Speci ods	Specific extinguishing meth-		cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do	
	al protective equipment efighters	:		e, wear self-contained breathing apparatus. tective equipment.	
6. ACCIDE	ENTAL RELEASE MEAS	SUF	RES		
tive e	nal precautions, protec- quipment and emer- procedures	:	Follow safe hand	otective equipment. Iling advice (see section 7) and personal pro- trecommendations (see section 8).	
Envir	Environmental precautions		Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
	Methods and materials for containment and cleaning up		For large spills, p ment to keep ma be pumped, stor Clean up remain bent. Local or national posal of this mat employed in the mine which regu Sections 13 and	rt absorbent material. provide dyking or other appropriate contain- terial from spreading. If dyked material can e recovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding ational requirements.	

7. HANDLING AND STORAGE

Handling		
Technical measures		sures under EXPOSURE NAL PROTECTION section.
Local/Total ventilation	If sufficient ventilation ventilation.	is unavailable, use with local exhaust
Advice on safe handling	Do not get on skin or o Avoid breathing mist o	



ersion 0	Revision Date: 2024/09/28	SDS Number: 10437527-0000	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09			
	ance of contact ne measures	Handle in a practice, ba sessment Keep conta Take care to environmen : Oxidizing ag : If exposure flushing sys place. When using Contaminat workplace. Wash conta The effectiv engineering appropriate industrial hy	n eyes. horoughly after handling. ccordance with good industrial hygiene and safe sed on the results of the workplace exposure as- ner tightly closed. o prevent spills, waste and minimize release to th t.			
Stora	ge					
Conditions for safe storage		Store locker Keep tightly	Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.			
Mater	ials to avoid	: Do not store	with the following product types: zing agents			
Packa	aging material	: Unsuitable	naterial: None known.			

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
oxytetracycline	79-57-2	TWA	500 µg/m3 (OEB 2)	Internal
	Further infor	mation: DSEN		
		Wipe limit	100 µg/100 cm ²	Internal
Ethanolamine	141-43-5	OEL-M	3 ppm 7.5 mg/m3	JP OEL JSOH
		8h-OEL-M	20 mg/m3	JP ISHL OEL 577-2(2)
		TWA	3 ppm	ACGIH



Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 10437527-00009 Date of first issue: 2021/12/09	Version 7.0	Revision Date: 2024/09/28	SDS Number: 10437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09	
---	----------------	---------------------------	-------------------------------	---	--

		STEL	6 ppm	ACGIH
Hydrochloric acid	7647-01-0	OEL-C	2 ppm	JP OEL
			3 mg/m3	JSOH
		С	2 ppm	ACGIH
Engineering measures	technologie less quick of All enginee design and protect pro	es to control airl connections). ring controls sh operated in acc ducts, workers,	ng controls and man porne concentration would be implemente cordance with GMP and the environment not require special c	s (e.g., drip- ed by facility principles to nt.
Personal protective equipn	nent	•		
Respiratory protection	sure asses	sment demonst	ventilation is not ava rates exposures ou e respiratory protect	tside the rec-
Filter type Hand protection			d organic vapour typ	
Material	: Chemical-r	esistant gloves		
Remarks Eye protection	: Wear safet If the work mists or ae Wear a fac	environment or rosols, wear the eshield or other	oves side shields or gogg activity involves du appropriate goggle full face protection to the face with dus	sty conditions, es. if there is a
Skin and body protection		rm or laboratory	/ coat.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Colour	:	light yellow
		amber
		translucent
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable



Version 7.0	Revision Date: 2024/09/28		S Number: 137527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
Flam	nmability (liquids)	:	No data available)
U	er explosion limit and upp Ipper explosion limit / Up- er flammability limit			
	ower explosion limit / ower flammability limit	:	No data available)
Flas	h point	:	No data available	9
Deco	omposition temperature	:	No data available	9
pН		:	8.0 - 9.0	
Evap	poration rate	:	No data available	9
Auto	-ignition temperature	:	No data available)
Visco V	osity iscosity, kinematic	:	No data available	9
	bility(ies) /ater solubility	:	No data available	
	tion coefficient: n- nol/water	:	Not applicable	
Vapo	our pressure	:	No data available	9
	sity and / or relative densi relative density	ty :	No data available)
D	ensity	:	1.050 - 1.250 g/c	m ³
Rela	tive vapour density	:	No data available	2
Expl	osive properties	:	Not explosive	
Oxid	izing properties	:	The substance of	r mixture is not classified as oxidizing.
Mole	ecular weight	:	No data available)
	cle characteristics article size	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.





ersion 0	Revision Date: 2024/09/28		S Number: 437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
tions Conditi Incomp	ility of hazardous reac- ons to avoid patible materials lous decomposition ts	:	None known. Oxidizing agent	strong oxidizing agents. s lecomposition products are known.
I. TOXICO	LOGICAL INFORMAT	101	N	
Informa exposu	ation on likely routes of Ire	:	Inhalation Skin contact Ingestion Eye contact	
	toxicity ssified based on availa	ble	information.	
Produc Acute o	<u>ct:</u> oral toxicity	:	Acute toxicity es Method: Calcula	timate: > 2,000 mg/kg tion method
Acute i	nhalation toxicity	:	Acute toxicity es Exposure time: 4 Test atmosphere Method: Calcula	t h e: vapour
Acute of	dermal toxicity	:	Acute toxicity es Method: Calcula	timate: > 2,000 mg/kg tion method
<u>Comp</u>	onents:			
Propyl	ene glycol:			
Acute of	oral toxicity	:	LD50 (Rat): 22,0	000 mg/kg
Acute i	nhalation toxicity	:	LC50 (Rat): > 44 Exposure time: 4 Test atmosphere	1 h
Acute o	dermal toxicity	:	LD50 (Rabbit): > Assessment: The toxicity	2,000 mg/kg e substance or mixture has no acute dermal
oxytet	racycline:			
Acute of	oral toxicity	:	LD50 (Rat): 4,80	00 mg/kg
			LD50 (Mouse): 2 Remarks: Evider	2,240 mg/kg nce of phototoxicity was observed
				te evellekte
Acute i	nhalation toxicity	:	Remarks: No da	ta avalladie



Version 7.0	Revision Date: 2024/09/28		S Number: 437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
	e toxicity (other routes of histration)	:	LD50 (Rat): 4,840 Application Route:	
			LD50 (Mouse): 3,5 Application Route	
Ethar	nolamine:			
Acute	e oral toxicity	:	LD50 (Rat): 1,089	mg/kg
Acute	inhalation toxicity	:	Acute toxicity estir Exposure time: 4 H Test atmosphere: Method: Expert jue Remarks: Based of	h vapour
Acute	e dermal toxicity	:	LD50 (Rabbit, fem	nale): 1,018 mg/kg
Sodiu	um hydroxymethanesul	phi	nate:	
	e oral toxicity	-	LD50 (Rat): > 5,00 Method: OECD Te	
Acute	e dermal toxicity	:	LD50 (Rat): > 2,00 Method: OECD Te Remarks: Based o	
Hvdr	ochloric acid:			
	inhalation toxicity	:	LC50 (Rat): 8.3 m Exposure time: 30 Test atmosphere:	min
• • • • • • • • • • • • • • • • • • • •	corrosion/irritation es skin irritation.			
Com	ponents:			
Prop	ylene glycol:			
Speci Metho Resu	ies od	: : :	Rabbit OECD Test Guide No skin irritation	line 404
oxyte Rema	etracycline: arks	:	No data available	
Etha Speci Resu		:	Rabbit Corrosive after 3 r	ninutes to 1 hour of exposure



Species Result Remark Hydrod	s Noric acid:	sulph : :	inate: Rat No skin irritation Based on data fr	
Species Result Remark Hydrod	s ks chloric acid:	sulph : :	Rat No skin irritation	
Result Remark	s Noric acid:	:	No skin irritation	
Remark Hydrod Species	chloric acid:	:		and almillan materials
Hydrod Species	chloric acid:	:	Based on data fr	a ma almallan maata s'-l-
Specie				om similar materials
Specie	•			
Method	5	:	reconstructed hu OECD Test Guid	ıman epidermis (RhE) deline 431
Result		:	Corrosive after 3	minutes or less of exposure
Seriou	s eye damage/eye	irritati	on	
Causes	s serious eye irritatio	n.		
<u>Compo</u>	onents:			
Propyl	ene glycol:			
Specie	S	:	Rabbit	
Result	1	:	No eye irritation	
Method	1	:	OECD Test Guid	Jeline 405
-	acycline:		No data availabl	_
Remar	<s S</s 	:	No data available	e
Ethanc	olamine:			
Specie	S	:	Rabbit	
Result		:	Irreversible effec	ts on the eye
Sodiur	n hydroxymethane	sulph	inate:	
Specie	S	:	Rabbit	
Result		:	No eye irritation	
Methoo Remar	-	:	OECD Test Guid	deline 405 om similar materials
Reman	KS		Dased on data in	om similar materials
Hydrod	chloric acid:			
Specie		:	Bovine cornea	
Method	l	:	OECD Test Guid	deline 437
Result		:	Irreversible effec	ts on the eye
Respir	atory or skin sensi	tisatio	on	
Skin se	ensitisation			



Version 7.0	Revision Date: 2024/09/28		0S Number: 437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
Not c <u>Com</u> Prop	sure routes ies	ailable : : :	information. Maximisation Te Skin contact Guinea pig negative	est
oxyte Test Resu		:	Human repeat ir Sensitiser	nsult patch test (HRIPT)
Test Expo Spec Resu	sure routes ies	: : : sulnh	Maximisation Te Skin contact Guinea pig negative	est
Test Expos Spec Metho Resu	Type sure routes ies od		Maximisation Te Skin contact Guinea pig OECD Test Gui negative	
Test	sure routes ies od	:	Maximisation Te Skin contact Guinea pig OECD Test Gui negative	
Not c	n cell mutagenicity lassified based on ava ponents:	ailable	information.	
	ylene glycol: otoxicity in vitro	:	Result: negative Test Type: Chro	mosome aberration test in vitro Test Guideline 473



rsion	Revision Date: 2024/09/28	SDS Number: 10437527-0000	Date of last issue: 2024/04/06 9 Date of first issue: 2021/12/09
Geno	toxicity in vivo	cytogenetic Species: Mo	ouse Route: Intraperitoneal injection
oxyte	tracycline:		
Geno	toxicity in vitro	: Test Type: N Result: nega	/licrobial mutagenesis assay (Ames test) ative
			Nouse Lymphoma ctivation: Metabolic activation tive
			ister chromatid exchange assay : Chinese hamster ovary cells vocal
		Test Type: 0 Result: nega	Chromosomal aberration ative
Geno	toxicity in vivo	: Test Type: M Species: Mo Cell type: Bo Application I Result: equi	one marrow Route: Oral
		Test Type: in Species: Mo Application I Result: nega	ouse Route: Intraperitoneal injection
Germ Asses	cell mutagenicity - ssment	: Weight of excell mutager	vidence does not support classification as a germ
Ethar	nolamine:		
	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
			n vitro mammalian cell gene mutation test CD Test Guideline 476 ative
		Test Type: 0 Result: nega	Chromosome aberration test in vitro ative
Geno	toxicity in vivo	cytogenetic Species: Mc Application I	



)	Revision Date: 2024/09/28	SDS Number: 10437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
II		Result: negat	tive
Sodiu	um hydroxymethanes	sulphinate:	
	toxicity in vitro	: Test Type: B Method: OEC Result: negat	acterial reverse mutation assay (AMES) CD Test Guideline 471 tive sed on data from similar materials
Geno	toxicity in vivo	cytogenetic a Species: Mou Application R Method: OEC Result: positi	use Route: Intraperitoneal injection CD Test Guideline 474
	cell mutagenicity - ssment	: Positive resu genicity tests	lt(s) from in vivo mammalian somatic cell muta
Hydro	ochloric acid:		
Geno	toxicity in vitro	: Test Type: Sa assay (in vitro	aacharomyces cerevisiae, miotic recombinatio
		Result: negat	
Carci	nogenicity	Result: negat	
	nogenicity lassified based on ava	-	
Not c	• •	-	
Not c <u>Com</u>	lassified based on ava	-	
Not c <u>Com</u> Prop	lassified based on ava <u>ponents:</u> ylene glycol: les cation Route sure time	-	
Not c Com Prop Speci Applic Expos Resu	lassified based on ava ponents: ylene glycol: les cation Route sure time lt	ilable information. : Rat : Ingestion : 2 Years	
Not c <u>Com</u> Propy Speci Applic Expos Resu oxyte	lassified based on ava <u>ponents:</u> ylene glycol: les cation Route sure time lt etracycline: les cation Route sure time	ilable information. : Rat : Ingestion : 2 Years	
Not c <u>Com</u> Prop Speci Applia Expos Resu Speci Applia Expos Resu Speci Applia Expos Resu	lassified based on ava <u>ponents:</u> ylene glycol: les cation Route sure time lt etracycline: les cation Route sure time lt lt	ilable information. : Rat : Ingestion : 2 Years : negative : Mouse : Oral : 104 weeks : negative : Rat : Oral : 2 Oral : 103 weeks : 103 weeks : equivocal : Adrenal gland	



ersion .0	Revision Date: 2024/09/28	SDS Number: 10437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09		
ment		cinogen			
II Uvdr	ochloric acid:				
Speci	ochloric acid:	: Rat			
	cation Route	: Inhalation			
Expo Resu	sure time It	: 128 weeks : negative			
•	oductive toxicity damage the unborn ch	ild.			
-	ponents:				
Prop	ylene glycol:				
Effect	ts on fertility	Species: Mou	oute: Ingestion		
Effects on foetal develop- ment		Species: Mou Application Re	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative		
oxyte	etracycline:				
Effect	ts on fertility	Species: Rat Application R Fertility: NOA Result: No eff	vo-generation reproduction toxicity study oute: Oral EL: 18 mg/kg body weight fects on fertility, No effect on reproduction cap cant adverse effects were reported		
Effect ment	ts on foetal develop-	Species: Rat Application R Embryo-foeta	nbryo-foetal development oute: Oral I toxicity: LOAEL: 48 mg/kg body weight nplantation loss., Skeletal malformations		
		Test Type: Er Species: Rat Application Re General Toxic Embryo-foeta Result: No ter	nbryo-foetal development		
		Species: Mou Application R General Toxic			



Version 7.0	Revision Date: 2024/09/28		9S Number: 437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
			Result: No terato Remarks: Matern	genic effects al toxicity observed.
			Species: Rabbit Application Route Embryo-foetal to	yo-foetal development e: Intramuscular kicity: LOAEL: 41.5 mg/kg body weight antation loss., No foetal abnormalities
			Species: Dog Application Route Embryo-foetal tox	yo-foetal development e: Intramuscular kicity: LOAEL: 20.75 mg/kg body weight and visceral variations, Postimplantation loss.
	oductive toxicity - As- ment	:	Positive evidence human epidemiol	e of adverse effects on development from ogical studies.
Etha	nolamine:			
Effec	ts on fertility	:	Species: Rat Application Route Method: OECD T Result: negative	generation reproduction toxicity study e: Ingestion fest Guideline 416 on data from similar materials
ment	ts on foetal develop-	:	Species: Rat Application Route	yo-foetal development e: Ingestion rest Guideline 414
II Sodi	um hydroxymethanesi	ulph	inate:	
Effec	cts on fertility	:	reproduction/dev Species: Rat Application Route Method: OECD T Result: negative	ined repeated dose toxicity study with the elopmental toxicity screening test e: Ingestion fest Guideline 422 on data from similar materials
Effec ment	ts on foetal develop-	:	Species: Rat Application Route Method: OECD T Result: positive	yo-foetal development e: Ingestion fest Guideline 414 on data from similar materials
	oductive toxicity - As- ment	:	Some evidence o animal experimen	of adverse effects on development, based on nts.



/ersion 7.0	Revision Date: 2024/09/28	SDS Number: 10437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
	- single exposure lassified based on av	ailable information.	
Com	oonents:		
Ethar	nolamine:		
Asses	ssment	: May cause resp	iratory irritation.
Hydro Asses	ochloric acid:		
Asses	ssment	: May cause resp	
STOT	- repeated exposu	e	
Not cl	lassified based on av	ailable information.	
<u>Com</u>	oonents:		
Ethar	nolamine:		
Asses	ssment	: No significant h tions of 0.2 mg/	ealth effects observed in animals at concenti /6h/d or less.
_			
Repe	ated dose toxicity		
<u>Com</u>	oonents:		
	ylene glycol:		
Speci NOAE		: Rat, male	
	cation Route	: >= 1,700 mg/kg : Ingestion	
	sure time	: 2 yr	
	etracycline:		
Speci		: Rat	
LOAE	cation Route	: 198 mg/kg : Oral	
Expos	sure time	: 13 Weeks	
Targe	et Organs	: Bone	
Rema	arks	: No significant a	dverse effects were reported
Speci		: Mouse	
LOAE		: 7,990 mg/kg	
	cation Route sure time	: Oral : 13 Weeks	
	et Organs	: Bone	
Rema	arks		dverse effects were reported
		: Dog	
Speci			
NOAE	EL	: 125 mg/kg	
NOAE LOAE	EL		



Version 7.0	Revision Date: 2024/09/28	SDS Number: 10437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
Targe Rema	t Organs Irks	: Testis : Significant tox	icity observed in testing
Expos	EL	: Rat : 40 mg/kg : 100 mg/kg : Intraperitonea : 14 Days : Kidney	
	nolamine:		
	EL cation Route sure time	: Rat : > 120 mg/kg : Ingestion : > 75 Days : Based on data	a from similar materials
	EL cation Route sure time	: Rat : >= 0.15 mg/l : inhalation (dus : 28 Days : OECD Test G	
Sodiu	Im hydroxymethanes	sulphinate:	
	EL cation Route sure time od	: Rat : 600 mg/kg : Ingestion : 90 Days : OECD Test G : Based on data	uideline 408 a from similar materials
Asnir	ation toxicity		
-	assified based on ava	ilable information.	
Expe	rience with human e	xposure	
<u>Com</u>	oonents:		
oxyte Inges	tracycline: tion		astrointestinal disturbance, tooth discoloration v cause birth defects.
12. ECOL	OGICAL INFORMATI	ON	
	oxicity		
	oonents:		
	/lene glycol: ity to fish	: LC50 (Oncorh	ynchus mykiss (rainbow trout)): 40,613 mg/l



rsion)	Revision Date: 2024/09/28		9S Number: 437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
11			Exposure time: 96	6 h
	y to daphnia and other c invertebrates	:	EC50 (Ceriodaph Exposure time: 48	nia dubia (water flea)): 18,340 mg/l 8 h
Toxicit plants	y to algae/aquatic	:	ErC50 (Skeletone Exposure time: 72 Method: OECD T	
	c invertebrates (Chron-	:	NOEC (Ceriodapl Exposure time: 7	hnia dubia (water flea)): 13,020 mg/l d
	y to microorganisms	:	NOEC (Pseudom Exposure time: 18	ionas putida): > 20,000 mg/l 8 h
oxytet	racycline:			
Toxicit	y to fish	:	Exposure time: 96	tipes (Japanese medaka)): 110 mg/l 6 h rest Guideline 203
	y to daphnia and other c invertebrates	:	Exposure time: 48	nagna (Water flea)): 621 mg/l 8 h est Guideline 202
			Exposure time: 48	nagna (Water flea)): 669 mg/l 8 h rest Guideline 202
Toxicit plants	y to algae/aquatic	:	EC50 (Anabaena Exposure time: 72	
			NOEC (Anabaena Exposure time: 72	
	tor (Acute aquatic tox-	:	10	
	tor (Chronic aquatic	:	10	
toxicity Toxicit	/) y to microorganisms	:	EC50: 17.9 mg/l Exposure time: 3 Test Type: Respin Method: OECD T	
			NOEC: 0.2 mg/l Exposure time: 3 Test Type: Respir Method: OECD T	
Ethan Toxicit	olamine: y to fish	:	LC50 (Cyprinus c	arpio (Carp)): 349 mg/l



sion	Revision Date: 2024/09/28)S Number: 437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
			Exposure time: 9 Method: Directive	6 h e 67/548/EEC, Annex V, C.1.
	ty to daphnia and other c invertebrates	:	Exposure time: 4	nagna (Water flea)): 65 mg/l 8 h e 67/548/EEC, Annex V, C.2.
Toxicit plants	ty to algae/aquatic	:	mg/l Exposure time: 7	rchneriella subcapitata (green algae)): 2.8 2 h ⁻ est Guideline 201
			Exposure time: 7	irchneriella subcapitata (green algae)): 1 mg 2 h ⁻ est Guideline 201
Toxicit icity)	ty to fish (Chronic tox-	:	Exposure time: 4	atipes (Orange-red killifish)): 1.24 mg/l 1 d ⁻ est Guideline 210
	c invertebrates (Chron-	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.85 mg/l 1 d
	ty to microorganisms	:	Exposure time: 3	onas putida): > 1,000 mg/l 0 min ēest Guideline 209
I Sodiu	m hydroxymethanesul	lphi	inate:	
	ty to fish	:	LC50 (Leuciscus Exposure time: 9	idus (Golden orfe)): > 10,000 mg/l 6 h on data from similar materials
	ty to daphnia and other c invertebrates	:	Exposure time: 4 Method: OECD T	nagna (Water flea)): > 100 mg/l 8 h Test Guideline 202 on data from similar materials
Toxicit plants	ty to algae/aquatic	:	Exposure time: 7 Method: OECD T	esmus subspicatus (green algae)): 370 mg/ 2 h ēst Guideline 201 on data from similar materials
Toxicit icity)	ty to fish (Chronic tox-	:	Exposure time: 3 Method: OECD T	io (zebra fish)): 13.5 mg/l 5 d est Guideline 210 on data from similar materials
	ty to daphnia and other c invertebrates (Chron- sity)	:	Exposure time: 2	magna (Water flea)): 5.6 mg/l 1 d ēst Guideline 211



ersion 0	Revision Date: 2024/09/28		S Number: 437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09
Uttania			F050: 4 000 m	
IOXIC	ity to microorganisms	:	EC50: > 1,000 m Exposure time: 4 Remarks: Based	
Persi	stence and degradabi	ility		
Comp	oonents:			
Propy	ylene glycol:			
Biode	gradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD 1	98.3 %
Ethar	nolamine:			
Biode	gradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD 1	> 90 %
Sodiu	um hydroxymethanesi	ulphi	nate:	
Biode	gradability	:		77 %
Bioad	cumulative potential			
Comp	oonents:			
Prop	ylene glycol:			
Partiti	ion coefficient: n- ol/water	:	log Pow: -1.07 Method: Regulat	ion (EC) No. 440/2008, Annex, A.8
Ethar	nolamine:			
	ion coefficient: n- ol/water	:	log Pow: -2.3 Method: OECD 1	Test Guideline 107
	l ity in soil ata available			
	rdous to the ozone lay	yer		
	r adverse effects ata available			



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10437527-00009	Date of first issue: 2021/12/09

13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations.
		Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxytetracycline)
Class	:	9
Packing group	:	
Labels	÷	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (oxytetracycline)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
		N.O.S.
		(oxytetracycline)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10437527-00009	Date of first issue: 2021/12/09

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106
2-Aminoethanol	107

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Propylene glycol	>=48.56 - <=57.8095	From April 1st, 2025
2-Aminoethanol	>=1.12 - <=1.3333	-
Hydrogen chloride	>=0.16 - <=0.1905	-

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Propylene glycol	From April 1st, 2025
2-Aminoethanol	-

Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10437527-00009	Date of first issue: 2021/12/09

Chemical name	
Oxytetracycline	
2-Aminoethanol	

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Class I Designated Chemical Substances

Chemical name	Administration number	Concentration (%)
(4S,4aR,5S,5aR,6S,12aS)-4-	648	9.5
(Dimethylamino)-3,5,6,10,12,12a-		
hexahydroxy-6-methyl-1,11-dioxo-		
1,4,4a,5,5a,6,11,12a-octahydrotetracen-		
2-carboxamide		
2-Aminoethanol	20	1.3

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation

: Noxious liquid substance(Category Z)



Version 7.0	Revision Date: 2024/09/28	SDS Number: 10437527-00009	Date of last issue: 2024/04/06 Date of first issue: 2021/12/09		
Pack	transportation	: Classified as ma	arine pollutant		
Narco	otics and Psychotrop	oics Control Act			
Not a Speci	Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable				
	Waste Disposal and Public Cleansing Law Industrial waste				
The components of this product are reported in the following inventories:					
AICS		: not determined			
DSL		: not determined			
IECS	С	: not determined			

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd			
Full text of other abbreviatio	Full text of other abbreviations				
ACGIH JP ISHL OEL 577-2(2)	:	USA. ACGIH Threshold Limit Values (TLV) Concentration standard (Value set by the Minister of Health, Labour and Welfare stipulated under the Ministerial Ordinance Article 577-2(2))			
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits			
ACGIH / TWA ACGIH / STEL ACGIH / C JP ISHL OEL 577-2(2) / 8h- OEL-M	: : : : : : : : : : : : : : : : : : : :	8-hour, time-weighted average Short-term exposure limit Ceiling limit 8-hour Occupational Exposure Limit-Mean			
JP OEL JSOH / OEL-M JP OEL JSOH / OEL-C	:	Occupational Exposure Limit-Mean Occupational Exposure Limit-Ceiling			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10437527-00009	Date of first issue: 2021/12/09

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN