

## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Oxytetracycline (10%) Liquid Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin corrosion/irritation : Category 2

Serious eye damage/eye

irritation

Category 2A

Skin sensitization : Category 1

Reproductive toxicity : Category 1A

**GHS** label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H360D May damage the unborn child.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Oxytetracycline	79-57-2	>= 5 -< 10
Glycerine	56-81-5	>= 5 -< 10
Ethanolamine	141-43-5	>= 1 -< 3
Sodium hydroxymethanesulphinate	6035-47-8	>= 0.1 -< 1

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.



# Oxytetracycline (10%) Liquid Formulation

Date of last issue: 04.04.2023 Version Revision Date: SDS Number: 3.1 30.09.2023 10437528-00007 Date of first issue: 09.12.2021

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye irritation. May damage the unborn child.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable



# Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

		(Form of exposure)	ters / Permissible concentration			
Oxytetracycline	79-57-2	TWA	500 μg/m3 (OEB 2)	Internal		
	Further infor	Further information: DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal		
Glycerine	56-81-5	VLE-PPT (Mist)	10 mg/m³	NOM-010- STPS-2014		
Ethanolamine	141-43-5	VLE-PPT	3 ppm	NOM-010- STPS-2014		
		VLE-CT	6 ppm	NOM-010- STPS-2014		
		TWA	3 ppm	ACGIH		
		STEL	6 ppm	ACGIH		

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

: Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : light yellow

amber

translucent

Odor : No data available

Odor Threshold : No data available

pH : 8.0 - 9.0



# Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.050 - 1.250 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

Possibility of hazardous reac-

tions

: Can react with strong oxidizing agents.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

Oxytetracycline:

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg

LD50 (Mouse): 2,240 mg/kg

Remarks: Evidence of phototoxicity was observed

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of:

administration)

LD50 (Rat): 4,840 mg/kg

Application Route: Intramuscular

LD50 (Mouse): 3,500 mg/kg Application Route: Subcutaneous

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

**Ethanolamine:** 

Acute oral toxicity : LD50 (Rat): 1,089 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l

Exposure time: 4 h Test atmosphere: vapor Method: Expert judgment

Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rabbit, female): 1,018 mg/kg

Sodium hydroxymethanesulphinate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Oxytetracycline:

Remarks : No data available

Glycerine:

Species : Rabbit

Result : No skin irritation

Ethanolamine:

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure

Sodium hydroxymethanesulphinate:

Species : Rat

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

Oxytetracycline:

Remarks : No data available



## Oxytetracycline (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 10437528-00007 Date of first issue: 09.12.2021

Glycerine:

Species : Rabbit

Result : No eye irritation

Ethanolamine:

Species : Rabbit

Result : Irreversible effects on the eye

Sodium hydroxymethanesulphinate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

**Components:** 

Oxytetracycline:

Test Type : Human repeat insult patch test (HRIPT)

Result : Sensitizer

Ethanolamine:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Sodium hydroxymethanesulphinate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Oxytetracycline:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Result: negative



## Oxytetracycline (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 10437528-00007 Date of first issue: 09.12.2021

Test Type: Mouse Lymphoma

Metabolic activation: Metabolic activation

Result: positive

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Result: equivocal

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral Result: equivocal

Test Type: in vivo assay

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Ethanolamine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

Sodium hydroxymethanesulphinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

Not classified based on available information.

**Components:** 

Oxytetracycline:

Species : Mouse
Application Route : Oral
Exposure time : 104 weeks
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 103 weeks
Result : equivocal

Target Organs : Adrenal gland, Pituitary gland

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Reproductive toxicity

May damage the unborn child.



# Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

**Components:** 

Oxytetracycline:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 18 mg/kg body weight

Result: No effects on fertility., No effect on reproduction capacity., No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Embryo-fetal toxicity.: LOAEL: 48 mg/kg body weight Result: Postimplantation loss., Skeletal malformations.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 1,200 mg/kg body weight Embryo-fetal toxicity.: NOAEL: 1,500 mg/kg body weight

Result: No teratogenic effects. Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development

Species: Mouse

Application Route: Oral

General Toxicity Maternal: LOAEL: 1,325 mg/kg body weight Embryo-fetal toxicity.: NOAEL: 2,100 mg/kg body weight

Result: No teratogenic effects. Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Intramuscular

Embryo-fetal toxicity.: LOAEL: 41.5 mg/kg body weight Result: Postimplantation loss., No fetal abnormalities.

Test Type: Embryo-fetal development

Species: Dog

Application Route: Intramuscular

Embryo-fetal toxicity.: LOAEL: 20.75 mg/kg body weight Result: Skeletal and visceral variations., Postimplantation

loss.

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative



## Oxytetracycline (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 10437528-00007 Date of first issue: 09.12.2021

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

**Application Route: Ingestion** 

Result: negative

**Ethanolamine:** 

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Sodium hydroxymethanesulphinate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: positive

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

**Components:** 

**Ethanolamine:** 

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

**Ethanolamine:** 

Assessment : No significant health effects observed in animals at concentra-



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

tions of 0.2 mg/l/6h/d or less.

#### Repeated dose toxicity

### **Components:**

### Oxytetracycline:

Species : Rat

LOAEL : 198 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Bone

Remarks : No significant adverse effects were reported

Species : Mouse LOAEL : 7,990 mg/kg

Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Bone

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 125 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Testis

Remarks : Significant toxicity observed in testing

Species : Rat

NOAEL : 40 mg/kg

LOAEL : 100 mg/kg

Application Route : Intraperitoneal

Exposure time : 14 Days

Target Organs : Kidney

Glycerine:

 Species
 : Rat

 NOAEL
 : 0.167 mg/l

 LOAEL
 : 0.622 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Species : Rat

NOAEL : 8,000 - 10,000 mg/kg

Application Route : Ingestion Exposure time : 2 y

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

**Ethanolamine:** 

Species : Rat

NOAEL : > 120 mg/kg
Application Route : Ingestion
Exposure time : > 75 Days

Remarks : Based on data from similar materials

Species : Rat

NOAEL : >= 0.15 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Sodium hydroxymethanesulphinate:

Species : Rat

NOAEL : 600 mg/kg Application Route : Ingestion Exposure time : 90 Days

Method : OECD Test Guideline 408

Remarks : Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Oxytetracycline:

Ingestion : Symptoms: Gastrointestinal disturbance, tooth discoloration

Remarks: May cause birth defects.

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

Oxytetracycline:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 110 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 621 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 669 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Anabaena): 0.032 mg/l

Exposure time: 72 h



# Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

NOEC (Anabaena): 0.0031 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50: 17.9 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 0.2 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

**Glycerine:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

**Ethanolamine:** 

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 349 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 65 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.8

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l

Exposure time: 41 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.85 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 1,000 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

Sodium hydroxymethanesulphinate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 370 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): 13.5 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 5.6 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 4 h

Remarks: Based on data from similar materials

#### Persistence and degradability

#### **Components:**

**Glycerine:** 

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D

**Ethanolamine:** 

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 90 % Exposure time: 21 d

Method: OECD Test Guideline 301A

Sodium hydroxymethanesulphinate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 77 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

#### Bioaccumulative potential

**Components:** 

**Glycerine:** 

Partition coefficient: n-

octanol/water

log Pow: -1.75

**Ethanolamine:** 

Partition coefficient: n-

log Pow: -2.3

octanol/water

Method: OECD Test Guideline 107

Mobility in soil
No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(oxytetracycline)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Oxytetracycline)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen-

: 964

ger aircraft)

Environmentally hazardous : yes



## Oxytetracycline (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 10437528-00007
 Date of first issue: 09.12.2021

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Oxytetracycline)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

NOM-002-SCT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Oxytetracycline)

Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for

essential chemical products and machinery to

producing capsules, tablets and pills.

Hydrochloric acid

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION** 

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)



## Oxytetracycline (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 10437528-00007 Date of first issue: 09.12.2021

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NOM-010-STPS-2014 / VLE- : Time weighted average limit value

PPT

NOM-010-STPS-2014 / VLE- : Short term exposure limit value

CT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8