

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

SECTION 1. IDENTIFICATION

Product name : Oxytetracycline (40%) Formulation

Product code : Baymet

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Skin sensitization : Category 1

Reproductive toxicity : Category 1A

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H360D May damage the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Oxytetracycline	79-57-2	>= 30 -< 50
Starch	9005-25-8	>= 10 -< 20

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

- | | | |
|---|---|---|
| In case of eye contact | : | Thoroughly clean shoes before reuse.
If in eyes, rinse well with water.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
May cause an allergic skin reaction.
May damage the unborn child. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages |

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Avoid breathing dust. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	: Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Oxytetracycline (40%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11505087-00003 Date of last issue: 03.02.2025
 Date of first issue: 24.01.2025

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oxytetracycline	79-57-2	TWA	500 µg/m ³ (OEB 2)	Internal
	Further information: DSEN			
		Wipe limit	100 µg/100 cm ²	Internal
Starch	9005-25-8	CMP	10 mg/m ³	AR OEL
	Further information: A4 - Not classifiable as a human carcinogen			
		TWA	10 mg/m ³	ACGIH

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Contaminated work clothing should not be allowed out of the workplace.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : dark green

Odor : No data available

Odor Threshold : No data available

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Components:**Oxytetracycline:**

Acute oral toxicity	:	LD50 (Rat): 4.800 mg/kg LD50 (Mouse): 2.240 mg/kg Remarks: Evidence of phototoxicity was observed
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Rat): 4.840 mg/kg Application Route: Intramuscular LD50 (Mouse): 3.500 mg/kg Application Route: Subcutaneous

Starch:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Oxytetracycline:**

Remarks	:	No data available
---------	---	-------------------

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Oxytetracycline:**

|| Remarks : No data available

Starch:

|| Species : Rabbit
|| Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**Oxytetracycline:**

|| Test Type : Human repeat insult patch test (HRIPT)
|| Result : Sensitizer

Starch:

|| Test Type : Maximization Test
|| Routes of exposure : Skin contact
|| Species : Guinea pig
|| Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Oxytetracycline:**

|| Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Result: negative

Test Type: Mouse Lymphoma
Metabolic activation: Metabolic activation
Result: positive

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Result: equivocal

Test Type: Chromosomal aberration
Result: negative

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: equivocal Test Type: in vivo assay Species: Mouse Application Route: Intraperitoneal injection Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Starch:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Carcinogenicity

Not classified based on available information.

Components:**Oxytetracycline:**

Species	: Mouse
Application Route	: Oral
Exposure time	: 104 weeks
Result	: negative
Species	: Rat
Application Route	: Oral
Exposure time	: 103 weeks
Result	: equivocal
Target Organs	: Adrenal gland, Pituitary gland
Remarks	: The mechanism or mode of action may not be relevant in humans.
Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

May damage the unborn child.

Components:**Oxytetracycline:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 18 mg/kg body weight Result: No effects on fertility., No effect on reproduction capacity., No significant adverse effects were reported
Effects on fetal development	: Test Type: Embryo-fetal development

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

Species: Rat
 Application Route: Oral
 Embryo-fetal toxicity.: LOAEL: 48 mg/kg body weight
 Result: Postimplantation loss., Skeletal malformations.

Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Oral
 General Toxicity Maternal: LOAEL: 1.200 mg/kg body weight
 Embryo-fetal toxicity.: NOAEL: 1.500 mg/kg body weight
 Result: No teratogenic effects.
 Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development
 Species: Mouse
 Application Route: Oral
 General Toxicity Maternal: LOAEL: 1.325 mg/kg body weight
 Embryo-fetal toxicity.: NOAEL: 2.100 mg/kg body weight
 Result: No teratogenic effects.
 Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development
 Species: Rabbit
 Application Route: Intramuscular
 Embryo-fetal toxicity.: LOAEL: 41,5 mg/kg body weight
 Result: Postimplantation loss., No fetal abnormalities.

Test Type: Embryo-fetal development
 Species: Dog
 Application Route: Intramuscular
 Embryo-fetal toxicity.: LOAEL: 20,75 mg/kg body weight
 Result: Skeletal and visceral variations ., Postimplantation loss.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Oxytetracycline:**

Species	: Rat
LOAEL	: 198 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Bone
Remarks	: No significant adverse effects were reported

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

Species	: Mouse
LOAEL	: 7.990 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Bone
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 125 mg/kg
LOAEL	: 250 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Target Organs	: Testis
Remarks	: Significant toxicity observed in testing

Species	: Rat
NOAEL	: 40 mg/kg
LOAEL	: 100 mg/kg
Application Route	: Intraperitoneal
Exposure time	: 14 Days
Target Organs	: Kidney

Starch:

Species	: Rat
NOAEL	: ≥ 2.000 mg/kg
Application Route	: Skin contact
Exposure time	: 28 Days
Method	: OECD Test Guideline 410

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Oxytetracycline:

Ingestion	: Symptoms: Gastrointestinal disturbance, tooth discoloration
Remarks:	May cause birth defects.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Oxytetracycline:

Toxicity to fish	: LC50 (<i>Oryzias latipes</i> (Japanese medaka)): 110 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 621 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

		EC50 (Moina macrocopa (Water flea)): 126,7 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Anabaena): 0,032 mg/l Exposure time: 72 h NOEC (Anabaena): 0,0031 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC50 (activated sludge): 17,9 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC (activated sludge): 0,2 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

(Oxytetracycline)

Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Oxytetracycline)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Oxytetracycline)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry.	: Not applicable
---	------------------

Control of precursors and essential chemicals for the preparation of drugs.	: Not applicable
---	------------------

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Oxytetracycline (40%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11505087-00003	Date of first issue: 24.01.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8