

VersionRevision Date:SDS Number:Date of last issue: 2024/04/0614.02024/09/28671672-00023Date of first issue: 2016/05/12	
-------------------------------------------------------------------------------------------------------------------------	--

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name	:	Pentobarbital Sodium / Phenytoin Formulation
Supplier's company name, ac Company name of supplier		<b>ess and phone number</b> MSD
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

#### 2. HAZARDS IDENTIFICATION

#### **GHS** classification of chemical product

Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 3
Skin sensitisation	:	Category 1
Carcinogenicity (Oral)	:	Category 2
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 1 (Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 2 (Central nervous system)
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3

#### **GHS** label elements



Version 14.0	Revision Date: 2024/09/28	SDS Number: 671672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
	Ird pictograms		
Signa	al word	: Danger	
Haza	rd statements	H301 Toxic if H317 May cau H351 Suspec H361 Suspec H370 Causes H373 May cau through prolor	able liquid and vapour. swallowed. use an allergic skin reaction. ted of causing cancer if swallowed. ted of damaging fertility or the unborn child. damage to organs (Central nervous system). use damage to organs (Central nervous system) nged or repeated exposure. I to aquatic life with long lasting effects.
Preca	autionary statements	P202 Do not h and understoo P210 Keep av and other igni P233 Keep co P241 Use exp ment. P242 Use nor P243 Take ac P260 Do not h P264 Wash sl P270 Do not e P272 Contam the workplace P273 Avoid re	way from heat, hot surfaces, sparks, open flames tion sources. No smoking. ontainer tightly closed. olosion-proof electrical/ ventilating/ lighting equip- n-sparking tools. tion to prevent static discharges. oreathe mist or vapours. kin thoroughly after handling. eat, drink or smoke when using this product. inated work clothing should not be allowed out of s. elease to the environment. rotective gloves/ protective clothing/ eye protec-
		POISON CEN P303 + P361 ly all contamir P308 + P311 CENTER/ doc P333 + P313 vice/ attention P362 + P364 reuse. <b>Storage:</b>	If skin irritation or rash occurs: Get medical ad-  Take off contaminated clothing and wash it before Store in a well-ventilated place. Keep cool.



Version	Revision Date:	SDS Number:
14.0	2024/09/28	671672-00023

Date of last issue: 2024/04/06 Date of first issue: 2016/05/12

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Important symptoms and out- : Vapours may form explosive mixture with air. lines of the emergency assumed

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

-			
Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Pentobarbital sodium	57-33-0	>= 30 - < 40	-
Propylene glycol	57-55-6	>= 10 - < 20	2-234
Ethanol#	64-17-5	>= 10 - < 20	2-202
Phenytoin sodium	630-93-3	>= 3 - < 10	-
Benzyl alcohol	100-51-6	>= 1 - < 10	3-1011

# Voluntarily-disclosed substance

#### 4. FIRST AID MEASURES

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> <li>Remove contaminated clothing and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>Call a physician or poison control centre immediately.</li> <li>Rinse mouth thoroughly with water.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
Most important symptoms and effects, both acute and	: Toxic if swallowed. May cause an allergic skin reaction.



Version 14.0	Revision Date: 2024/09/28		S Number: 1672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12		
delayed			Suspected of dam Causes damage t May cause damage exposure.	ge to organs through prolonged or repeated		
	tection of first-aiders es to physician	•	<ul> <li>First Aid responders should pay attention to self-protection and use the recommended personal protective equipmer when the potential for exposure exists (see section 8).</li> <li>Treat symptomatically and supportively.</li> </ul>			
	IGHTING MEASURES			, ,, ,		
Suit	able extinguishing media	:	Water spray Alcohol-resistant t Carbon dioxide (C Dry chemical			
Uns mec	uitable extinguishing dia	:	High volume wate	er jet		
Spe fight	cific hazards during fire- ting	:	fire. Flash back possib Vapours may form	d water stream as it may scatter and spread ble over considerable distance. In explosive mixtures with air. Dustion products may be a hazard to health.		
Haz ucts	ardous combustion prod-	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides			
Spe ods	cific extinguishing meth-	:	: Use extinguishing measures that are appropriate to local cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area.			
	cial protective equipment irefighters	:	In the event of fire, wear self-contained breathing apparatuut Use personal protective equipment.			
6. ACCI	6. ACCIDENTAL RELEASE MEASURES					
tive	sonal precautions, protec- equipment and emer- cy procedures	:	Follow safe handl	es of ignition. ective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).		
Env	ironmental precautions	:	Prevent spreading barriers).	he environment. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water.		



Version 14.0	n Revision Date: 2024/09/28	SDS Number: 671672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12			
		Local authoritie cannot be cont	es should be advised if significant spillages ained.			
Methods and materials for containment and cleaning up		<ul> <li>Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet.</li> <li>For large spills, provide dyking or other appropriate contair ment to keep material from spreading. If dyked material ca be pumped, store recovered material in appropriate contai Clean up remaining materials from spill with suitable absor bent.</li> <li>Local or national regulations may apply to releases and dis posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter mine which regulations are applicable.</li> <li>Sections 13 and 15 of this SDS provide information regard certain local or national requirements.</li> </ul>				
	IDLING AND STORAGE					
	echnical measures		ng measures under EXPOSURE ERSONAL PROTECTION section.			
Lo	ocal/Total ventilation	: If sufficient ver ventilation.	proof electrical, ventilating and lighting equip-			
Ad	dvice on safe handling	: Do not get on s Do not breather Do not swallow Avoid contact w Wash skin thor Handle in accor practice, based sessment Non-sparking t Keep container Keep away from other ignition s Take precaution Do not eat, driv				



Version 14.0	Revision Date: 2024/09/28		DS Number: 1672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
			The effective ope engineering contr appropriate dego	ed clothing before re-use. ration of a facility should include review of ols, proper personal protective equipment, wning and decontamination procedures,
			industrial hygiene use of administra	e monitoring, medical surveillance and the tive controls.
Storag	ge			
Condit	tions for safe storage	:	Store locked up. Keep tightly close Keep in a cool, w Store in accordan	labelled containers. ed. ell-ventilated place. nce with the particular national regulations. heat and sources of ignition.
Materi	als to avoid	:		the following product types:
Packa	ging material	:	Unsuitable materi	al: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

:

## Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis		
Pentobarbital sodium	57-33-0	TWA	40µg/m3 (OEB3)	Internal		
		Wipe limit	400µg/100cm2	Internal		
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH		
Phenytoin sodium	630-93-3	TWA	50 µg/m3 (OEB3)	Internal		
		Wipe limit	500 µg/100 cm2	Internal		
Benzyl alcohol	100-51-6	OEL-C	25 mg/m3	JP OEL JSOH		
	Further information: Skin sensitizing agent; Group 2 substances which probably induce allergic reactions in humans.					

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.



Version 14.0	Revision Date: 2024/09/28	SDS Numb 671672-00				
		Use ex ment.	plosion-proof electrical, ventilating and lighting equip-			
Pers	onal protective equip	ment				
	iratory protection	: If adequisure as	uate local exhaust ventilation is not available or expo- sessment demonstrates exposures outside the rec-			
Filter type Hand protection			ommended guidelines, use respiratory protection. Combined particulates and organic vapour type			
Material : Chemical-resistant gloves		cal-resistant gloves				
R	emarks	mable,	er double gloving. Take note that the product is flam- which may impact the selection of hand protection. neable protective gloves			
Eye p	protection	: Wear s If the w mists o Wear a	afety glasses with side shields or goggles. ork environment or activity involves dusty conditions, r aerosols, wear the appropriate goggles. faceshield or other full face protection if there is a al for direct contact to the face with dusts, mists, or			
Skin and body protection : Work uniform or laboratory coat. Additional body garments should b task being performed (e.g., sleeve posable suits) to avoid exposed sk			niform or laboratory coat. nal body garments should be used based upon the ing performed (e.g., sleevelets, apron, gauntlets, dis- e suits) to avoid exposed skin surfaces. propriate degowning techniques to remove potentially			
9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	3			
Phys	ical state	: liquid				

	-	
Colour	:	pink
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Lower explosion limit and uppe Upper explosion limit / Up-		

per flammability limit



Version 14.0	Revision Date: 2024/09/28	-	S Number: 672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
	ower explosion limit / ower flammability limit	:	No data available	
Flas	h point	:	44 - 60 °C	
Dece	omposition temperature	:	No data available	)
pН		:	No data available	9
Eva	poration rate	:	No data available	•
Auto	-ignition temperature	:	No data available	)
	osity ⁄iscosity, kinematic	:	No data available	
	bility(ies) Vater solubility	:	No data available	9
	ition coefficient: n- nol/water	:	No data available	•
Vap	our pressure	:	No data available	)
	sity and / or relative dens Relative density	ity :	No data available	)
C	Density	:	No data available	)
Rela	tive vapour density	:	No data available	)
Expl	osive properties	:	Not explosive	
Oxid	lizing properties	:	The substance or	mixture is not classified as oxidizing.
Mole	ecular weight	:	No data available	)
	icle characteristics Particle size	:	No data available	)

### **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.



ersion 1.0	Revision Date: 2024/09/28		9S Number: 1672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12		
	npatible materials rdous decomposition icts	:	Oxidizing age No hazardous	nts decomposition products are known.		
I. TOXIC	OLOGICAL INFORMAT	101	N			
Inforn expos	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact			
	e toxicity if swallowed.					
Produ Acute	<u>uct:</u> e oral toxicity	:	Acute toxicity e Method: Calcu	estimate: 261.66 mg/kg lation method		
<u>Comp</u>	oonents:					
Pento	obarbital sodium:					
Acute	e oral toxicity	:	LD50 (Rat): 11	8 mg/kg		
			LD50 (Mouse)	: 239 mg/kg		
			LD50 (Rabbit):	: 175 mg/kg		
			LD50 (Dog): 6	5 mg/kg		
Propy	ylene glycol:					
Acute	oral toxicity	:	LD50 (Rat): 22	2,000 mg/kg		
Acute	inhalation toxicity	:	LC50 (Rat): > Exposure time Test atmosphe	:4h		
Acute	e dermal toxicity	:		: > 2,000 mg/kg The substance or mixture has no acute derma		
II Ethar	nol:					
Acute	e oral toxicity	:	LD50 (Rat): 10 Method: OEC	),470 mg/kg D Test Guideline 401		
Acute	inhalation toxicity	:	: LC50 (Rat, male): 116.9 mg/l Exposure time: 4 h Test atmosphere: vapour			
Acute	e dermal toxicity	:	LD50 (Rabbit):	: > 15,800 mg/kg		



Version 14.0	Revision Date: 2024/09/28	SDS Number: 671672-00023			
	<b>ytoin sodium:</b> e oral toxicity		city estimate: 100 mg/kg xpert judgement		
II Benz	yl alcohol:				
	e oral toxicity	: LD50 (Rat	): 1,200 mg/kg		
Acute	Acute inhalation toxicity :		): > 5.4 mg/l time: 4 h sphere: dust/mist ECD Test Guideline 403 nt: The substance or mixture has no acute inhala- v		
-	corrosion/irritation lassified based on ava	ilable information			
	ponents:				
	ylene glycol:				
Spec Metho Resu	ies od	: Rabbit : OECD Tes : No skin irr	at Guideline 404 Itation		
Ethai	nol:				
	Species : Method : Result :		Rabbit OECD Test Guideline 404 No skin irritation		
Benz	yl alcohol:				
Spec Metho Resu	ies od	: Rabbit : OECD Tes : No skin irr	st Guideline 404 itation		
	ous eye damage/eye i lassified based on ava				
	ponents:				
	ylene glycol:				
Spec Resu Metho	ies It	<ul> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> </ul>			
Ethai Speci Resu Metho	ies It	<ul> <li>Rabbit</li> <li>Irritation to eyes, reversing within 21 days</li> <li>OECD Test Guideline 405</li> </ul>			



#### . .... ח / .....

ersion 4.0	Revision Date: 2024/09/28	SDS Number: 671672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
Speci	yl alcohol:	: Rabbit	
Resu		: Irritation to ey	ves, reversing within 21 days
Metho	bd	: OECD Test 0	Guideline 405
Resp	iratory or skin sens	tisation	
Skin	sensitisation		
May o	ause an allergic skin	reaction.	
Resp	iratory sensitisation	I	
Not c	lassified based on av	ailable information.	
Com	oonents:		
Prop	ylene glycol:		
Test		: Maximisation	Test
	sure routes	: Skin contact	
Speci Resu		: Guinea pig : negative	
1 COU	i.	. nogutive	
Ethar	nol:		
Test			velling test (MEST)
· · · ·			
Expos Speci Resu	sure routes les	: Skin contact : Mouse : Mouse : negative	
Asses	•	: Probability or	evidence of skin sensitisation in huma
		<b>,</b> -	
	yl alcohol:		
Test			at insult patch test (HRIPT)
	sure routes	: Skin contact	
Speci	es	: Humans	

: Humans : positive

# Assessment

Result

: Probability or evidence of low to moderate skin sensitisation rate in humans

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Propylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative



ersion .0	Revision Date: 2024/09/28	SDS Number: 671672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
			romosome aberration test in vitro D Test Guideline 473 ve
Geno	toxicity in vivo	cytogenetic as Species: Mous	se pute: Intraperitoneal injection
Ethar	<b>iol:</b> toxicity in vitro	: Test Type: Ba	cterial reverse mutation assay (AMES)
			D Test Guideline 471
			vitro mammalian cell gene mutation test D Test Guideline 476 ve
		Test Type: Ch Result: negati	romosome aberration test in vitro ve
Geno	toxicity in vivo	: Test Type: Ma cytogenetic as Species: Rat Application Ro Result: negation	oute: Ingestion
Phen	ytoin sodium:		
Geno	toxicity in vitro	Result: negati	cterial reverse mutation assay (AMES) ve ed on data from similar materials
		Result: negati	romosome aberration test in vitro ve ed on data from similar materials
		malian cells Result: positiv	vitro sister chromatid exchange assay in mam e ed on data from similar materials
Geno	toxicity in vivo	cytogenetic as Species: Mous Application Ro Result: negati	se Dute: Ingestion



/ersion 4.0	Revision Date: 2024/09/28	SDS Nu 671672		Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
Benz	yl alcohol:			
	toxicity in vitro		t Type: Ba ult: negati	cterial reverse mutation assay (AMES) ve
Geno	Genotoxicity in vivo		genetic as cies: Mou	se functioneal injection
	nogenicity		_	
-	ected of causing cance	er if swallov	ved.	
	oonents:			
	ylene glycol:	· Dot		
Speci Applio	cation Route	: Rat : Inge	estion	
	sure time	: 2 Ye		
Resul	lt	: nega	ative	
Phen	ytoin sodium:			
Speci		: Rat		
	cation Route	: Inge : 2 Ye	estion	
Resul	sure time It		ative	
Speci	es	: Mou	ise	
Applic	cation Route	-	estion	
Expos	sure time	: 2 Ye		
Resul		: posi		
Carcii ment	nogenicity - Assess-	: Limi	ted evider	nce of carcinogenicity in animal studies (oral)
Benz	yl alcohol:			
Speci		: Mou		
Applic	cation Route		estion	
Metho	sure time od		weeks CD Test G	uideline 451
Resul			ative	
Repro	oductive toxicity			
-	ected of damaging fert	ility or the u	unborn chi	ild.
<u>Com</u> r	oonents:			
	obarbital sodium:			
Repro sessn	oductive toxicity - As- nent		ne evidenc nal experir	ce of adverse effects on development, based or ments.



ersion .0	Revision Date: 2024/09/28	SDS Number 671672-0002		
	<b>ylene glycol:</b> is on fertility	Species: I	n Route: Ingestion	
Effect ment	s on foetal develop-	Species: I	n Route: Ingestion	
Ethar	nol:			
Effect	s on fertility	Species: I	n Route: Ingestion	
Phen	ytoin sodium:			
Effect	s on fertility	Species: I Applicatio Result: pc	n Route: Ingestion	
Effect ment	s on foetal develop-	Species: I Applicatio Result: po	n Route: Ingestion	
Repro sessn	oductive toxicity - As- nent		dence of adverse effects on sexual function and id/or on development, based on animal experimen	
Benzy	yl alcohol:			
	s on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials		
Effect ment	s on foetal develop-	Species: I	n Route: Ingestion	

#### STOT - single exposure

Causes damage to organs (Central nervous system).



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
14.0	2024/09/28	671672-00023	Date of first issue: 2016/05/12

#### Components:

#### Pentobarbital sodium:

Target Organs	:	Ingestion Central nervous system Causes damage to organs.
Assessment	·	Causes damage to organs.

#### STOT - repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

#### Components:

#### Phenytoin sodium:

Exposure routes	: Ingestion
Target Organs	: Central nervous system
Exposure routes Target Organs Assessment	: Shown to produce significant health effects in animals at con- centrations of 10 mg/kg bw or less.

#### Repeated dose toxicity

#### Components:

#### Propylene glycol:

Species	:	Rat, male
NOAEL	:	>= 1,700 mg/kg
Application Route	:	Ingestion
Species NOAEL Application Route Exposure time	:	2 yr

#### Ethanol:

Species NOAEL	: Ra	t
NOAEL	: 1,7	30 mg/kg
LOAEL	: 3,2	00 mg/kg
Application Route	: Ing	estion
Exposure time	: 90	Days

Phenytoin sodiun	ก:
------------------	----

Species NOAEL Application Route Exposure time Remarks	:	Rat > 100 mg/kg Ingestion 13 Weeks Based on data from similar materials
Species NOAEL LOAEL Application Route Exposure time Remarks	:	Mouse
NOAEL	:	> 10 - 100 mg/kg
LOAEL	:	> 10 - 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Remarks	:	Based on data from similar materials



ersion 4.0	Revision Date: 2024/09/28	SDS Number: 671672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12	
Spec NOA Appli	EL cation Route sure time	: Rat : 1.072 mg/l : inhalation (dus : 28 Days : OECD Test Gu		
	r <b>ation toxicity</b> lassified based on av	ailable information.		
Expe	rience with human e	exposure		
<u>Com</u>	ponents:			
Pent	obarbital sodium:			
Inges	tion		/ mouth, mood swings, Dizziness, Headache, al nervous system effects, Sweating	
Phen	ytoin sodium:			
Inges	tion	nervous syster	ausea, constipation, confusion, Vomiting, central m effects, Dizziness, insomnia, Blood disorders, s, Tremors, anorexia	
2. ECOL	OGICAL INFORMAT	ION		
Ecot	oxicity			
<u>Com</u>	ponents:			
-	- 			

Toxicity to fish		LC50 (Pimephales promelas (fathead minnow)): 49.5 mg/l Exposure time: 96 h
Propylene glycol:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h



Version 14.0	Revision Date: 2024/09/28		9S Number: 1672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
II				
Ethai Toxic	<b>nol:</b> ity to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 14,200 mg/l S h
	ity to daphnia and other tic invertebrates	:	EC50 (Ceriodaphi Exposure time: 48	nia dubia (water flea)): 5,012 mg/l 3 h
Toxic plants	ity to algae/aquatic s	:	ErC50 (Chlorella Exposure time: 72	vulgaris (Fresh water algae)): 275 mg/l 2 h
			EC10 (Chlorella v Exposure time: 72	ulgaris (Fresh water algae)): 11.5 mg/l 2 h
Toxic icity)	ity to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 10	tipes (Japanese medaka)): >= 79 mg/l 00 d
aquat	ity to daphnia and other tic invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 9	nagna (Water flea)): 9.6 mg/l d
ic tox Toxic	ity to microorganisms	:	EC50 (Protozoa): Exposure time: 4	
II Phen	ytoin sodium:			
	ity to fish	:	Exposure time: 72	o (zebra fish)): > 10 - 100 mg/l 2 h on data from similar materials
	ity to daphnia and other tic invertebrates	:		city at the limit of solubility
	yl alcohol:			
	ity to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 460 mg/l S h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxic plants	ity to algae/aquatic s	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD Te	
			NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
	ity to daphnia and other tic invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 21	nagna (Water flea)): 51 mg/l I d



Version 14.0	Revision Date: 2024/09/28		OS Number: 1672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
ic tox	icity)		Method: OECE	D Test Guideline 211
Persi	istence and degrada	bility		
Com	ponents:			
Prop	ylene glycol:			
Biode	egradability	:	Biodegradation Exposure time	
Etha	nol:			
Biode	egradability	:	Result: Readily Biodegradatior Exposure time	
Phen	ytoin sodium:			
Biode	egradability	:	Method: OECE	adily biodegradable. D Test Guideline 301C ed on data from similar materials
Benz	yl alcohol:			
Biode	egradability	:	Result: Readily Biodegradatior Exposure time	
Bioa	ccumulative potentia	al		
Com	ponents:			
	ylene glycol:			
Partit	ion coefficient: n- ol/water	:	0	ation (EC) No. 440/2008, Annex, A.8
Etha	nol:			
	ion coefficient: n- iol/water	:	log Pow: -0.35	
	ytoin sodium:			
	ion coefficient: n- ol/water	:	log Pow: 2.84 Remarks: Calc	culation
Benz	yl alcohol:			
	ion coefficient: n- ol/water	:	log Pow: 1.05	



4.0	Revision Date: 2024/09/28	SDS Number: 671672-00023	Date of last issue: 2024/04/06 Date of first issue: 2016/05/12
	l <b>ity in soil</b> ata available		
	r <b>dous to the ozone la</b> pplicable	yer	
••	r <b>adverse effects</b> ata available		
3. DISPC	SAL CONSIDERATIO	DNS	
	SAL CONSIDERATIO	DNS	
Dispo		: Dispose of in a	accordance with local regulations.

#### International Regulations

UNRTDG UN number	·	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Ethanol, Pentobarbital sodium)
Class	:	3
Packing group	:	III
Labels	:	3
Environmentally hazardous	:	no
IATA-DGR		
UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (Ethanol, Pentobarbital sodium)
Class	:	3
Packing group	:	III
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passen- ger aircraft)	:	355
IMDG-Code		
UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Ethanol, Pentobarbital sodium)
Class	•	3
Packing group	:	Ĩ



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
14.0	2024/09/28	671672-00023	Date of first issue: 2016/05/12

Labels	:	3
EmS Code	:	F-E, <u>S-E</u>
Marine pollutant	:	no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **ERG Code** : 128

#### **15. REGULATORY INFORMATION**

#### **Related Regulations**

#### **Fire Service Law**

Designated Flammable Substances, Flammable liquid, (2 cubic metre)

#### Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### **Substances Prevented From Impairment of Health**

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Propylene glycol	>=10 - <20	From April 1st, 2025
Ethanol	>=10 - <20	-



Version 14.0	Revision Date: 2024/09/28	SDS Number: 671672-00023	Date of last issue Date of first issue	
Ben	zyl alcohol		>=1 - <10	-
Subs	stances Subject to b	e Indicated Names		
	e 57 (Enforcement Or	der Article 18)		
	mical name bylene glycol			Remarks From April 1st, 2025
Etha				-
benz	zyl alcohol			-
Skin	and Eye Damage Su	Ibstances for PPE Re	quirements (ISHL M	IO Art. 594-2)
-	mical name			
benz	zyl alcohol			
tions		s (Article 577-2 of the	Occupational Heal	th and Safety Regula-
	nance on Preventior applicable	of Hazards Due to Sp	pecified Chemical S	ubstances
	nance on Preventior	of Lead Poisoning		
Ordi	nance on Preventior	of Tetraalkyl Lead Po	bisoning	
	applicable	-	-	
	nance on Preventior	of Organic Solvent P	oisoning	
Subs	stances)	e Industrial Safety and	d Health Law - Attac	ched table 1 (Dangerous
	nmable Substance			
	onous and Deleterio applicable	us Substances Contro	ol Law	
		of Release Amounts of Improvements to		al Substances in the En- hereof
Not a	applicable			
High	Pressure Gas Safet	y Act		
Not a	applicable			
Expl	osive Control Law			
Not a	applicable			
Vess	el Safety Law			
	mable liquids (Article hed Table 1)	2 and 3 of rules on ship	pping and storage of	dangerous goods and its
	t <b>ion Law</b> mable liquid (Article 1	94 of The Enforcement	Rules of Aviation La	aw and its Attached Table
		21 / 23	}	



Version 14.0	Revision Date: 2024/09/28	SDS Nu 671672		Date of last issue: 2024/04/06 Date of first issue: 2016/05/12		
Marine	e Pollution and Sea I	)isaster P	revention etc	: Law		
Bulk tr	ansportation	: Nox	ious liquid sul	ostance(Category Z)		
Pack t	ransportation	: Not	Not classified as marine pollutant			
Narco	tics and Psychotropi	cs Contro	ol Act			
Not ap Specif	plicable	aw Material (Export / Import Permission) tropic Raw Material (Export / Import permission)				
	Waste Disposal and Public Cleansing Law Specially Controlled Industrial Waste					
The co	The components of this product are reported in the following inventories:					
AICS		: not	determined			
DSL		: not	determined			
IECSC		: not	determined			

#### **16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd				
Full text of other abbreviations						
ACGIH JP OEL JSOH		USA. ACGIH Threshold Limit Values (TLV) Japan. The Japan Society for Occupational Health. Recom- mendation of Occupational Exposure Limits				
ACGIH / STEL JP OEL JSOH / OEL-C	:	Short-term exposure limit Occupational Exposure Limit-Ceiling				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
14.0	2024/09/28	671672-00023	Date of first issue: 2016/05/12

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN